Historic, archived document


Do not assume content reflects current scientific knowledge, policies, or practices.




WM. FLEMER'S SONS, INC.

PRINCETON NURSERIES

PRINCETON, N. J.



RETAIL
PRICE LIST
1936





DRUMTHWACKET LODGE

From the front porch of this cottage, on what is now Stockton Street, Washington reviewed his troops on their march to Trenton in December 1776

Table of Contents

	PAGE
Highway Map showing location of Nurseries	cover
Foreword	2
How to reach Princeton Nurseries by auto or train	6
Terms of Sale, Prices, Liability, and Claims	3
Truck Delivery Service and Charges	5
Notes in explanation of Catalogue	4
Alphabetical listing of nursery stock, by botanical names	7
Alphabetical index of Common Plant Names	127
Planting notes on native plant materials	122
Planting lists and other useful information	124

PRINCETON
1776-7

N preparing this new 1936 edition of the Princeton Handbook, we have tried to keep our prices approximately the same as last year although many items are becoming scarce because of reduced propagation through the depression, and there is every indication that prices are on the upgrade.

The stock is well grown and carefully handled with a minimum of exposure so as to insure the best planting results. All orders are freshly dug and the plants consequently are not injured by storage.

We wish to emphasize the fact that the material offered is Princeton grown in our own nursery consisting of over 1,000 acres. We mention this because very few firms can offer such a large assortment of their own grown material or stock which has been so carefully maintained in good condition.

Also, we call your attention to our ability to quote on large complete lists because of the comprehensiveness of our inventory. We specialize in furnishing materials for large parks and similar projects.

WM. FLEMER, JR.

President

Conditions of Sale

PRICES, ETC.

The prices named in this list cancel all previous lists. They are based on current market conditions and are subject to change without notice. Increases may be made to include any Federal or State taxes levied on sales or any increase in the cost of labor or material caused by Federal or State legislation or regulation.

TERMS AND DISCOUNTS

TERMS: 2 per cent discount for payment in 10 days from date of invoice. Accounts due first of second month following date of invoice. These terms are offered to those with established credit; otherwise cash or satisfactory references are required.

Quantity Discounts from prices listed herein.

\$ 50.00 to \$100.00...2% \$300.00 to \$500.00...5% 500.00 to \$00.00...7% 200.00 to 300.00...4% \$00.00 and up10%

These discounts will not apply on invoices not paid when due. Interest at 6 per cent per annum will be charged on all delinquent accounts.

C.O.D. Shipments: In order to insure acceptance, orders for C.O.D. shipment should be accompanied by one-third of the amount of the order.

PRICES ARE F.O.B. KINGSTON, N.J.

We reserve the right to reject orders which call for unusual items only. We expect that a reasonable quantity of the commoner items will be included in your order. This compensates in part for the high cost of producing varieties that others do not grow because they are too difficult or unprofitable.

We recommend that all varieties marked with an asterisk (*) be lifted with a ball of earth and burlapped. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way.

Should any article be desired balled and burlapped, which is not so designated in the catalogue, there will be the following scale of charges.

2-3', 15c 3-4', 20c 4-5', 30c 5-6', 40c 6-8', 60c 8-10', 75c

Larger sizes would be charged in proportion. In all instances where varieties are marked B. & B. after the item, these charges are included in the printed price.

Reservations of specimen plants. For an additional 25% of the cost of each item, customers will be permitted to select and reserve specimen plants in the nursery rows.

GUARANTEE OF GENUINENESS:

We will send out healthy, thrifty stock, true to name. If any nursery stock proves untrue to description or variety name under which it is sold, we hold ourselves in readiness, on proper proof, to replace free of charge such stock that may prove untrue to description or name, or refund the original amount paid. We shall in no case be liable for any sum greater than the amount originally received for said stock.

CLAIMS

All sales are made with the understanding that we shall not be liable in event of crop loss, or of damage from other causes over which we have no control.

We will gladly correct any errors, but we cannot entertain any claims that are not made within ten days after receipt of the stock or are made after the stock has once been accepted. Claims should be made promptly in writing on receipt of stock.

Plants become your property upon delivery to transportation company and we cannot be responsible for loss, damage, or delay in transit.

All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

3

Notes in Explanation of Catalogue

The figures following each variety indicate in feet the approximate height of that plant in maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are taken from "Standardized Plant Names," which is the accepted authority on plant nomenclature in the horticultural industry.

Our standard of grading all plants is based on a formula which has been adopted by the American Association of Nurserymen.

Quantities of 5, 25, and 250 will be sold at the ten, hundred, and thousand rates respectively.


D .	\bigcirc 1
Roxing	Charges

Length	12x15"	15×16"	17x20"	19x24"	23x28"	27x32"	31x36"
4'	.75	1.00	1.25	1.50	1.75	2.00	2.50
6'	1.00	1.25	1.50	1.75	2.00	2.50	2.75
8′	1.25	1.50	1.75	2.00	2.50	2.75	3.25
10'	1.75	2.50	2.75	3.25	3.50	4.00	4.50
12'	2.25	3.00	3.25	3.50	4.00	5.00	5.50
14'	2.75	3.50	3.75	4.00	4.25	5.50	6.00

Bales 35c and 50c to \$3.50, depending on size.

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.

Princeton Truck Delivery



VALUE OF ORDER | ZONE 1 | ZONE 2 | ZONE 3 | ZONE 4 | ZONE 5 | ZONE 6 | ZONE 7 | ZONE

SCHEDULE OF TRUCK DELIVERY CHARGES

	25 mi.	50 mi	. 75 mi.	100 mi.	125 mi.	150 mi.	175 mi.	
\$1000 or more	FREE	FREE	FREE	5%	7%	9%	11%	
\$500 to \$1000	FREE	FREE	5%	7%	9%	11%	13%	
\$200 to \$ 500	FREE	FREE	6%	8%	10%	12%	14%	
\$100 to \$ 200	FREE	FREE	9%	13%	17%	20%	24%	
Less than \$100	\$3.00	\$8.00	\$13.00	\$19.00	\$25.00	\$30.00	\$35.00	

Trucking charges can be computed in advance by using the zone map and schedule. For example: delivering a \$500.00 order to Baltimore, in zone 6 would cost 11% of order or \$55.00. Further data for deliveries not covered by chart furnished on request.

How to Reach Princeton Nurseries by Auto or Train

We are located midway between New York and Philadelphia. Both the Lincoln Highway and the new Super-Highway (Route 26) pass our nurseries.


The office of Princeton Nurseries is located on Lake Road, in the town of Kingston, New Jersey.

The nearest railroad stations are at Princeton and Princeton Junction. Phone Princeton 1776 or 1777 and we will be glad to come and meet you at either place.

The New York-Washington planes pass over our nursery hourly. When travelling by airplane, watch out for the interesting block arrangement from the air.

We would call your attention to the fact that we have one of the largest nurseries in the country with over 1000 acres of nursery stock. We are growing between 1100-1200 varieties of hardy woody ornamentals.

A cordial invitation is hereby given to visit our nursery at any time.



THE PALMER MEMORIAL STADIUM

When in Princeton for a football game or track meet in the Stadium, why not run out and take a look at the Princeton Nurseries?

—·—— A №	•		
ABELIA grandiflora, 3'-4'	Each	Per 10	Per 100 Abelia
		· ·	
Evergreen. Choice small shrub flowers, produced throughout the			
18 to 24 in., B. & B			52.50
2 to 3 ft., B. & B			70.00
longituba (schumanni), 5'			
Semi-evergreen with rose pink to during the summer months.	ubular f	lowers p	roduced
_	.65	5.25	
ABIES balsamea, 60'-70'		Bals	am Fir
Good variety with lustrous, dark	green 1	eaves.	
2 to 2½ ft., B. & B	2.25	19.00	
2½ to 3 ft., B. & B	3.00	25.00	
3 to 4 ft., B. & B	3.75	31.00	
4 to 5 ft., B. & B	5.00 6.75	40.00 55.00	
concolor, 70'-80'	0.7 5		ite Fir
Evergreen. Perhaps the most be	autiful		
thriving in most locations and	forming	g a symr	netrical
tree which is maintained even gray-green needles.	when i	t is old.	Large,
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 2½ ft., B. & B	2.25	19.00	150.00
2½ to 3 ft., B. & B	3.50	28.00	225.00
3 to 4 ft., B. & B	4.50 6.00	37.50 50.00	300.00
5 to 6 ft., B. & B	9.00	75.00	
6 to 7 ft., B. & B	11.25	93.50	
7 to 8 ft., B. & B	13.50		
8 to 9 ft., B. & B	16.00		
firma, 60'-75'			mi Fir
Native fir of Japan. Has large a Fine accent and specimen tree.	rigid dee	ep green	leaves.
2 to 2½ ft., B. & B.	2.25	19.00	150.00
2½ to 3 ft., B. & B	3.50	28.00	225.00
3 to 4 ft., B. & B	4.50 6.00	37.50 50.00	300.00
5 to 6 ft., B. & B	7.50	60.00	@sertimental restriction of the contract of th
fras eri , 50'-60'		Fra	ser Fir
This variety is also known as the It is hardy north and a very sati			am Fir.
18 to 24 in., B. & B	1.10	9.50	75.00
2 to $2\frac{1}{2}$ ft., B. & B	2.25	19.00	150.00
2½ to 3 ft., B. & B	3.50	28.00 37.50	
4 to 5 ft., B. & B	4.50 6.00	50.00	
5 to 6 ft., B. & B	8.00	65.00	
6 to 7 ft., B. & B	9.75	81.00	
7 to 8 ft., B. & B	12.00	100.00	
8 to 10 ft., B. & B	15.00 18.00	120.00	
12 to 14 ft., B. & B	21.00	180.00	

ABIES—continued	Each	Per 10	Per 100
lasiocarpa, 60'-75'		Alp	ine Fir
Forms a tall narrow pyramid. A this fir one of the most handsom		e foliage	makes
3 to 4 ft., B. & B	6.75		
4 to 5 ft., B. & B 5 to 6 ft., B. & B	10.50		
6 to 7 ft., B. & B	19.00		
nordmanniana, 80'-100'		Nordma	
Handsome, desirable species form densely-branched tree with dark	green	foliage.	
15 to 18 in., B. & B	3.00 4.00	25.00 35.00	200.00
2 to 2½ ft., B. & B	5.00		2/3.00
$2\frac{1}{2}$ to 3 ft., B. & B	6.00	50.00	-
3 to 4 ft., B. & B	7.50		
4 to 5 ft., B. & B	12.00		
6 to 8 ft., B. & B.	20.00		
pinsapo, 70'-80'		Span	ish Fir
Makes a broad pyramidal tree of	striking	appearar	nce.
12 to 15 in., B. & B	2.25	19.00	-
15 to 18 in., B. & B	3.00	25.00	
18 to 24 in., B. & B	3.7 <i>5</i> 5.00	30.∞ 40.∞	
veitchi, 6o'-8o'			tch Fir
A broad pyramidal tree, hardy, some while young.	and pa		
6 to 7 ft., B. & B	18.00		
7 to 8 ft., B. & B	21.00		
8 to 10 ft., B. & B	24.00 27.00		-
douglasi (See PSEUDOTSUGA		asi)	
Spruce (See PICEA)			
ACANTHOPANAX pentaphyllus	m, 7'-8	, Fiveleaf	Aratio
Graceful, arching habit; splendid	for ba		
able; good foliage for smoky ex	posures	inko, verj	adapt-
18 to 24 in	- •3 <i>5</i>	2.80	22.50
2 to 3 ft	.45	3 . 7 <i>5</i>	30.00
3 to 4 ft	.55	4.50	
4 to 5 ft	.70	6.00	
ricinifolium, 40'-50'		Castor	Aralia
Large spreading tree of tropical a ing. Likes moist soil.	appeara	nce. Quic	k grow-
18 to 24 in	.80	6.50	
2 to 3 ft	1.00	8.00	
ACER campestre, 25'-30'		Hedge	Maple
Useful for dry locations in under grows slowly.	growth	: has cork	y bark;
4 to 5 ft	1.90	14.50	125.00
5 to 6 ft	2.25	19.00	150.00
6 to 8 ft	3.00	25.00	200.00
8 to 10 ft	3.75	30.00	

ACER—continued	Each	Per 10	Per 100
dasycarpum, 60'-80'		Silver	Maple
Quick-growing, graceful shade oneath.	tree; leave	s silvery	under-
6 to 8 ft	65	5.50	45.00
8 to 10 ft		11.00	
8 to 10 ft.—1 $\frac{1}{4}$ to 1 $\frac{1}{2}$ in		13.50	110.00
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in		19.00	150.00
10 to 12 ft.—13/4 to 2 in	2.75	22.50	180.00
12 to 13 ft.—2 to 2½ in		28.00	225.00
12 to 13 ft.— $2\frac{1}{4}$ to $2\frac{1}{2}$ in		35.00	275.00
13 to 14 ft.—2½ to 2¾ in		37.50	300.00
2¾ to 3 in 3 to 3½ in		47.50 55.00	375.00
3½ to 4 in		65.00	
4 to $4\frac{1}{2}$ in		75.00	
$4\frac{1}{2}$ to 5 in		93.50	
	Pyramida		Maple
A very desirable subject for s	_	_	
8 to 10 ft.—1 ¹ / ₄ to 1 ¹ / ₂ in		19.00	150.00
10 to 12 ft.—1½ to 1¾ in		25.00	200.00
10 to 12 ft.—134 to 2 in		27.50	225.00
2 to 2½ in		30.00	250.00
2½ to 2½ in		45.00	
2½ to 3 in		55.00 67.50	
3 to 3½ in			
—wieri, 60'-80'	Wier	Cutleaf	Maple
Graceful, drooping form; very	desirable		
8 to 10 ft	. 1.50	12.50	
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in		17.00	135.00
10 to 12 ft.—1½ to 1¾ in		22.00	180.00
11 to 12 ft.—13/4 to 2 in		28.00	225.00
12 to 13 ft.—2 to 21/4 in		35.00	275.00
2½ to 2½ in		37.50	300.00
2½ to 3 in		47.50	
3 to 3½ in		57.50	
3½ to 4 in	_	67.50	
ginnala, 10'-12'		Amur	Maple
Graceful and valuable for bri twiggy habit of growth.	ght red a	utumn c	oloring;
	1 7 7	15.00	115.00
5 to 6 ft		19.00	150.00
6 to 8 ft		25.00	200.00
8 to 10 ft	•	30.00	200.00
10 to 12 ft	• 3.13		
negundo, 60'		В	oxelder
Will grow where other trees fa barren places and seashore.	il; especia	lly good	for dry,
6 to 8 ft	75	6.00	50.00
8 to 10 ft		9.50	75.00
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in		12.50	100.00
10 to 12 ft.—1½ to 1¾ in		17.00	135.00
10 to 12 ft.—13/4 to 2 in		22.50	190.00
12 to 13 ft.—2 to 2 ¹ / ₄ in		26.00	
12 to 13 ft.— $2\frac{1}{4}$ to $2\frac{1}{2}$ in		30.00	
13 to 14 ft.— $2\frac{1}{2}$ to 3 in		37.50	
14 to 16 ft.—3 to 3½ in		47.50	

ACER—continued	Each	Per 10	Per 100
palmatum (polymorphum), 12'-1	5′		
		apanese	Maple
Develops into a splendid specimen	for lav	vn plant	ing.
6 to 8 ft., B. & B	7.00	55.00	
8 to 10 ft., B. & B	9.00	75.00	
10 to 12 ft., B. & B	12.50	112.50	
-aconitifolia, 4'-6' Aconite le Its leaves resemble in character t Compact growing form of gracefu	he herl l habit.	aceous A	
15 to 18 in., B. & B	2.25	19.00	
18 to 24 in., B. & B	3.50	28.00 44.00	
2½ to 3 ft., B. & B	5.25 8.00	65.00	
	10.50	90.00	
•			Monto
—atropurpureum, 6'-8' Purple A good, dwarf tree with rich purp mer. Best in sun. These plants are strain imported, being carefully stant color.	ple-red grafted	leaves a	ill sum- ne finest
10 to 12 in., 3-in. pots	.70	5.50	45.00
12 to 15 in., B. & B	1.10	9.50	75.00
15 to 18 in., B. & B	1.35	11.25	90.00
18 to 24 in., B. & B 2 to 2½ ft., B. & B	2.00	17.00 22.50	135.00
2½ to 3 ft., B. & B	4.00	35.00	275.00
3 to 4 ft., B. & B	5.50	47.50	375.00
4 to 5 ft., B. & B	7.50	62.50	
——dissectum, 4'-6' Purple Cu More dwarf than the above with leaves, giving the plant a very gra for rock work. 12 to 15 in., B. & B	finely	cut pu	rple-red
15 to 18 in., B. & B	2.90	23.50	190.00
18 to 24 in., B. & B	4.00	32.50	260.00
— — nigrum, 6'-8' A selected strain of the purple darker leaves.	Japano	ese Map	le with
12 to 15 in., B. & B	1.35	11.25	90.00
15 to 18 in., B. & B	1.90	14.50	125.00
18 to 24 in., B. & B	3.00	25.00	200.00
2 to 2½ ft., B. & B	3·75 5·25	30.00 45.00	250.00 350.00
3 to 4 ft., B. & B	6.00	50.00	
— movum, 6'-8' Similar to the above.			(
12 to 15 in., B. & B	.90	7.50	60.00 90.00
18 to 24 in., B. & B	1.35	11.25 14.50	125.00
2 to 2½ ft., B. & B	2.75	22.50	175.00
$2\frac{1}{2}$ to 3 ft., B. & B	4.00	35.00	275.00
3 to 4 ft., B. & B	5.50	47.50	375.00
——crispum			
Small leaves. Distinct upright gro	wth. A	fine acce	nt tree.
12 to 15 in., B. & B	1.35	11.25	90.00
15 to 18 in., B. & B	1.90	14.50	125.00
18 to 24 in., B. & B	2.25	19.00	150.00
2 to 2½ ft., B. & B	340	28.00	
$2\frac{1}{2}$ to 3 ft., B. & B 3 to $3\frac{1}{2}$ ft., B. & B	4.50	37.50 47.00	
5 to 5/2 it., b. a. b	5.50	47.00	

ACER—continued	Each	Per 10	Per 100
—dissectum, 4'-6' Green	Cutleaf I	apanese	Maple
A good, dwarf tree with finely cattractive throughout the sum fall when frost tints the leaves	cut, green i	leaves. It beautiful	is very
12 to 15 in., B. & B		14.50	
15 to 18 in., B. & B	2.25	19.00	
18 to 24 in., B. & B		28.00 37.50	
pennsylvanicum (striatum), 20' Green bark, striped with white;	thrives in	wet soil	.s.
3 to 4 ft			75.00
4 to 5 ft		13.50 19.00	
6 to 7 ft		22.50	
			Monto
platanoides, 50'-75' The most popular street tree; until late autumn.		Norway ts green	_
NOTE—These trees are Princeto	on grown	and hav	e better
heads, heavier caliper and we	ell-develop	ed roots	, being
far superior to western, irrigat what we ask for them.	ted stock d	ind fully	worth
6 to 8 ft		12.50	110.00
8 to 10 ft		19.00	150.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in		22.50	175.00
10 to 11 ft., 1½ to 1¾ in		27.50	225.00
10 to 12 ft., 134 to 2 in		30.00	250.00
12 to 14 ft., 2 to $2\frac{1}{4}$ in $2\frac{1}{4}$ to $2\frac{1}{2}$ in	4.50	37.50	300.00
$2\frac{1}{2} \text{ to 3 in}$		47.50 62.50	375.00
3 to 3 ¹ / ₂ in		85.00	525.00
$3\frac{1}{2}$ to 4 in		125.00	
4 to 4½ in			
$4\frac{1}{2}$ to 5 in			
rlohosa roʻ	Globa	Norway	Manle
—globosa, 10' Dwarf form of the above. Form		shaped	
4 year heads, 6 ft. stem			
5 year heads, 6 ft. stem			
-schwedleri, 40'-60'	Sc	hwedler	Maple
Probably the best, large-growing			
as lawn specimen.			
6 to 8 ft	•	19.00	165.00
8 to 10 ft		27.50	225.00
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in		35.00	275.00
10 to 11 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in		45.00	375.00
10 to 12 ft.—13/4 to 2 in		52.50	425.00
12 to 14 ft.—2 to 2½ in		60.00	475.00
2½ to 2½ in	_	75.00	600.00
$2\frac{1}{2} \text{ to 3 in}$ 3 to $3\frac{1}{2} \text{ in}$	_	93.50 122.00	
			361-
pseudoplatanus, 50'-75' Vigorous-growing tree of spre	eading hal	camore oit and	
for exposed locations and seas		13.50	110.00
8 to 10 ft	-	19.00	150.00
8 to 10 ft.—1½ to 1½ in	**	25.00	200.00
10 to 11 ft.—1½ to 1¾ in		28.00	
10 to 12 ft.—13/4 to 2 in		37.50	
2 to 2½ in	. 5.50	47.00	
2½ to 2½ in	6.50	55.00	

ACER—continued	Each	Per 10	Per 100			
rubrum, 50'-75'	Red or	Scarlet	Maple			
Best in moist locations; also thrives in upland; brilliant						
red autumn coloring.						
8 to 10 ft	3.75	30.00	•			
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.50	37.50	-			
10 to 12 ft., 1/2 to 1/4 in	5.25 6.75	45.00 55.00	450.00			
12 to 14 ft., 2 to 2 ¹ / ₄ in	8.50	70.00	550.00			
$2\frac{1}{4} \text{ to } 2\frac{1}{2} \text{ in.} \dots$	9.00	77.50	675.00			
$2^{\frac{1}{2}}$ to 3 in	13.00	105.00	850.00			
3 to 3½ in	17.50	150.00				
Larger sizes on application.	• •					
saccharum, 50'-75'		Sugar	Maple			
Most popular in northern states;	best pl		,			
has rich yellow autumn coloring			· · · · · · · · · · · · · · · · · · ·			
6 to 8 ft	1.90	15.00	125.00			
8 to 10 ft	2.25	19.00	150.00			
10 to 11 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	25.00	200.00			
11 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.75	30.00	250.00			
12 to 14 ft.—13/4 to 2 in	5.00	40.00	325.00			
12 to 14 ft.—2 to 2 ¹ / ₄ in	6.00	50.00	400.00			
2½ to 2½ in	7.50	62.50	500.00			
$2\frac{1}{2}$ to $2\frac{3}{4}$ in	9.00	75.00	600.00			
23/4 to 3 in	11.25	93.00	750.00			
3 to $3\frac{1}{2}$ in	13.50	110.00				
spicatum, 20'-30'	\mathbf{N}	Iountain	Maple			
Small tree with nice yellow and	scarlet a	iutumn c	oloring.			
2 to 3 ft			60.00			
3 to 4 ft	1.10	9.50	75.00			
4 to 5 ft	1.75	15.00	115.00			
5 to 6 ft	2.25	19.00	150.00			
6 to 7 ft	3.25	25.00	200.00			
ACTINIDIA arguta, 20'-30']	Bower A	ctinidia			
Greenish-white, July. Rich, dark						
berries.	- 8	3				
2 yr	-55	4.75	37.50			
3 yr	.70	5.50	45.00			
3 yr. extra	.90	7.50	60.00			
AESCULUS glabra, 25'		Ohio B	uckeye			
Makes a small tree of handsome flowers in May. Foliage turns ye						
		· ·				
4 to 5 ft	2.25	12.50 19.00				
hippocastanum, 60'-80'		Horsec	hestnut			
A beautiful, symmetrical shade t	Tee COV					
panicles of white flowers against						
4 to 5 ft	1.35	11.00	90.00			
5 to 6 ft	1.80	15.00	120.00			
6 to 8 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.85	22.50	190.00			
8 to 10 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	28.00				
8 to 10 ft.—13/4 to 2 in	4.25	35.00				
10 to 12 ft. —2 to 2 ¹ / ₄ in	5.25	44.00				
—parviflora, 6'-10'	Dwarf	Horsec	hestnut			
12 to 15 in., 5 in. pot gr	1.35	11.00	***************************************			
15 to 18 in., 5 in. pot gr	1.90	15.00				
18 to 24 in., 6 in. pot gr	2.25	19.00	Married Address Page			

	Each	Per 10	Per 100
AILANTHUS glandulosa, 50'-60'			
Succeeds under most adverse city leaves and grows rapidly.	cond	itions. Ha	s large
5 to 6 ft	1.10	9.50	
6 to 8 ft	1.65 2.25	13.00 19.00	110.00
10 to 12 ft	2.75	22.50	
AKEBIA quinata, 15'-20'		Fiveleaf .	Akehia
Dainty, beautiful vine, purple flo leaves persisting till winter.			
2 yr 3 yr	·45 ·55	3.7 <i>5</i> 4.70	
ALBIZZIA julibrissin rosea, 20'	رو•		Silktree
Tree with bipinnate leaves; showy July. Hardy below Philadelphia.	brigh		
2 to 3 ft., 10 in. tubs	2.2 <i>5</i> 3.2 <i>5</i>	20.00	
ALNUS glutinosa, 70'-80'	1	European	Alder
A rapid-growing tree with dark gr		~	
moist situations.		Ü	
6 to 8 ft	1.90 2.25	14.50 19.00	125.00
10 to 12 ft	3.00	25.00	200.00
12 to 14 ft	3.75	30.00	
rugosa, 20'-25'		Hazel	Alder
Familiar Hazel Alder of swampy por peaty soils. Catkins open in late and green.			
6 to 8 ft	3.00	25.00	
8 to 10 ft	3.75 5.25	31.00 44.00	
			\
AMELANCHIER canadensis (botr	yapiu Do	owny Sha	adblow
White flowers in early spring be relished by birds. Also called June			its are
		4.75	
2 to 3 ft	.80	6.50	52.50
laevis, 20'-30'		theny Sha	
Unfolding leaves are smooth and Large drooping flowers with purpl			n nue.
2 to 3 ft	.80	6.50	52.50
3 to 4 ft	1.10	~ ~	75.00
5 to 6 ft	2.25	19.00	
AMORPHA canescens, 2'-3'		Lea	dplant
Long spikes of blue flowers in July	. A cho		
15 to 18 in	.55	4.70	37.50
18 to 24 in	.80	6.50	
fruticosa, 8'-10'	odin-		gobush
Deep purple flowers in June; spre 2 to 3 ft	.27	2.25	18.00
3 to 4 ft	.35	~~	
4 to 5 ft	.45	3.75	30.00
5 to 6 ft	.65 .90	5.50 7.50	45.00 60.00
0 00 0 10 11111111111111111111111111111	.90	7.30	30.00

	Each	Dom 10	Don 100
AMPELOPSIS aconitifolia, 15'-20'		Per 10 onkshoo	
Attractive foliage; bright blue October.	berries	in Sept	tember-
2 yr	•55	4.70	
heterophylla, 25'-30'	Porcela	in Amp	elopsis
A good, sturdy vine with good for			
tive, turquoise-colored fruit. 2 year	.50	3.75	
humulifolia, 25'-30'	Н	op Amp	elopsis
Similar to above, not quite so robu			_
2 year		3.75	
3 year		4.75	37.50
quinquefolia, 30'-50'	Vi	rginia C	reeper
Valuable for rich, fiery autumn c	oloring	. Quick į	grower.
2 year light	.22	2.00	15.00
2 year 3 year	•35 •45	2.7 <i>5</i> 3.7 <i>5</i>	
quinquefolia engelmanni, 30'-40' A good, self-clinging woodbine; coloring.			
2 year, light	-35	2.70	22.50
2 year	·45	3.75	30.00
3 year	.60	5.00	40.00
tricuspidata (veitchi), 40'-50'		Bost	on Ivy
Brilliant autumn coloring, blue be closely self-clinging. Also called			
2 year 1st class, 18 to 24 in 2 year 1st class, 2 to 3 ft			
—lowi, 6'-8' Dwar			
A good variety of the type, with si age. Very graceful and distinct.			
2 in. pots	-55	4.70	37.50
3 in. pots	.65	5.50	45.00
AMYGDALUS nana (See Prunus	glandu	losa)	
persica alba (Prunus), 8'-10'	Wh	ite Flg.	Peach
Very decorative, doubleflowering leaves.	form;	blooms	before
3 to 4 ft	.70	5.50	45.00
4 to 5 ft	.90	7.50	60.00
—rosea	Pi	ink Flg.	Peach
4 to 5 ft	.90	7.50	
—rubra	R	ed Flg.	Peach
3 to 4 ft	.65	5.50	
4 to 5 ft 5 to 6 ft	.90	7.50 11.00	
ANDROMEDA arborea (See OX	YDEN	DRUM)	
catesbaei (See LEUCOTHOE)			
innering (Co. DIEDIG)			

japonica (See PIERIS)


	Eac	h Per 10	Per 100
ARALIA pentaphyllum (See ACA			
spinosa, 18'-20'		Hercul	
Useful for tropical effects and sl July. Also called Devils-walkingst		vs; white	flowers,
2 to 3 ft	-35	2.80	22.50
3 to 4 ft	•45 •55	3.7 <i>5</i> 4.70	30.00 37.50
5 to 6 ft	.80		52.50
6 to 8 ft	1.10		75.00
8 to 10 ft	2.25	~	150.00
10 to 12 ft	3.40		
ARCTOSTAPHYLOS uva-ursi A most excellent ground cover, t	hrivi		rberry
Forms a low, dense growth. Pink, scarlet berries.			
2½ in. pots	40	3.50	27.50
ARISTOLOCHIA sipho		Dutchman	
A vigorous and rapid-growing cling light green leaves which retain to entire season. Has curious, browsembling a pipe in shape.	heir (color throu	igh the
18 to 24 in., grafted, true	1.00		
2 to 3 ft., grafted, true	1.50	Dad Chal	
ARONIA arbutifolia, 6'-8'		Red Chok	
Valuable because of its red berrifall.			
12 to 18 in	.45	3.75 4.75	30.00
2 to 3 ft	.55 .80		37.50
—brilliantissima, 6'-8' Bril	liant	Red Chok	-
Improved form of the Red Chokel fruits.	berry	with brigh	ter red
18 to 24 in	.65	5.50	45.00
2 to 3 ft	.90	7.50	
3 to 4 ft	1.35		
atropurpurea, 6'-8'		rple Chok	
Intermediate form between Aronia melanocarpa with black fruits. Thi	rives	under negle	ect.
3 to 4 ft			
	_	_	
		lack Chok	•
Delicate, white flowers in May; blate.			
18 to 24 in	.45 .65		30.00 45.00
3 to 4 ft	1.00		67.50
			• 3
AZALEAS			
Note: All Azaleas offered are bush plants, not thin, poorly-rooted co			ROWN
AZALEA amoena, 3'-4'		Amoena .	
Evergreen. Conspicuous, purple-r			il-May.
Leaves turn a rich, bronze-green in			07.50
12 to 15 in., B. & B		12.00 14.50	97.50 125.00
18 to 24 in., B. & B	2.25		
2 to 2½ ft., B. & B	3.50	28.00	225.00
2½ to 3 ft., B. & B	5.00	45.00	

AZALEA—continued	Each	Per 10	Per 100
—coccinea, 3' Evergreen. An improvement over A red flowers.	moena,	having l	orilliant
8 to 10 in., B. & B	1.50 2.25	12.50	100.00
arborescens, 10'-12'		Sweet	Azalea
Fragrant, white flowers in June.			
15 to 18 in., B. & B	2.70	22.50	175.00
18 to 24 in., B. & B	3 . 75	31.00	
2 to 2½ ft., B. & B	4.50	37.50	-
2½ to 3 ft., B. & B	5.50 7.00	45.00 55.00	-
calendulacea, 4'-5'			Azalea
The great Flame Azalea of Caro showy, burnt orange flowers.	olina M	Iountain	
15 to 18 in., B. & B	2.00	17.00	135.00
18 to 24 in., B. & B	3.00 3.75	25.00 30.00	200.00
2½ to 3 ft., B. & B	4.50	37.50	300.00
3 to 4 ft., B. & B	5.50	47.50	375.00
davies, 4'-5'	J 4-al		a with
A cross between Azalea mollis an large white flowers.	u Azar	ea viscos	a. WILII
18 to 24 in., B. & B	4.50		
2 to 2½ ft., B. & B	6.75	56.00	
2½ to 3 ft., B. & B	9.00	75.00	***************************************
TT and of of		T2: . 0	A 1
Hexe, 3'-4'		Firefly	Azarea
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u		green. N	
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B		green. N	
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B	nder g 1.50 2.25	green. No lass. 12.50 19.00	ot relia- 150.00
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B	nder gl 1.50 2.25 3.50	green. No lass. 12.50 19.00 27.00	ot relia-
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B	1.50 2.25 3.50 5.00	reen. No lass. 12.50 19.00 27.00 40.00	150.00 225.00
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Hinodegiri, 3'-4'	1.50 2.25 3.50 5.00	reen. No lass. 12.50 19.00 27.00 40.00	150.00 225.00 Azalea
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B	1.50 2.25 3.50 5.00 Hir	green. No lass. 12.50 19.00 27.00 40.00 nodegiri	150.00 225.00 Azalea Amoena;
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Hinodegiri, 3'-4' Evergreen. Larger leaves and loose flowers very bright carmine-pink	1.50 2.25 3.50 5.00 Hir	green. No lass. 12.50 19.00 27.00 40.00 nodegiri	150.00 225.00 Azalea Amoena;
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Hinodegiri, 3'-4' Evergreen. Larger leaves and loose flowers very bright carmine-pink with Rhododendron. 6 to 8 in. 8 to 10 in.	1.50 2.25 3.50 5.00 Hirer grown; effect:	green. No lass. 12.50 19.00 27.00 40.00 nodegiri	150.00 225.00 Azalea Amoena;
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Hinodegiri, 3'-4' Evergreen. Larger leaves and loose flowers very bright carmine-pink with Rhododendron. 6 to 8 in. 8 to 10 in. 10 to 12 in., B. & B.	1.50 2.25 3.50 5.00 Hirer grows; effect:	reen. No lass. 12.50 19.00 27.00 40.00 nodegiri th than A ive in m	150.00 225.00 Azalea Amoena; asses or 60.00 75.00
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Hinodegiri, 3'-4' Evergreen. Larger leaves and loose flowers very bright carmine-pink with Rhododendron. 6 to 8 in. 8 to 10 in. 10 to 12 in., B. & B. 12 to 15 in., B. & B.	1.50 2.25 3.50 5.00 Hirer grows; effect:	reen. No lass. 12.50 19.00 27.00 40.00 nodegiri th than A ive in m	Azalea Amoena; asses or 60.00 75.00
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Hinodegiri, 3'-4' Evergreen. Larger leaves and loose flowers very bright carmine-pink with Rhododendron. 6 to 8 in. 8 to 10 in. 10 to 12 in., B. & B. 12 to 15 in., B. & B.	1.50 2.25 3.50 5.00 Hirer grows; effect:	reen. No lass. 12.50 19.00 27.00 40.00 nodegiri th than A ive in m	150.00 225.00 Azalea Amoena; asses or 60.00 75.00
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Hinodegiri, 3'-4' Evergreen. Larger leaves and loose flowers very bright carmine-pink with Rhododendron. 6 to 8 in. 8 to 10 in. 10 to 12 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	1.50 2.25 3.50 5.00 Hirer grows; effect: .90 1.10 1.65 2.00 3.50	reen. No lass. 12.50 19.00 27.00 40.00 nodegiri th than A ive in m 7.50 9.25 13.50 17.00 27.50 40.00	150.00 225.00 Azalea Amoena; asses or 60.00 75.00
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Hinodegiri, 3'-4' Evergreen. Larger leaves and loose flowers very bright carmine-pink with Rhododendron. 6 to 8 in. 8 to 10 in. 10 to 12 in., B. & B. 12 to 15 in., B. & B.	1.50 2.25 3.50 5.00 Hirer grown; effect: .90 1.10 1.65 2.00 3.50 5.00	7.50 17.00 17.00 19.00 27.00 40.00 10degiri th than A ive in m 7.50 9.25 13.50 17.00 27.50 40.00	150.00 225.00 Azalea Amoena; asses or 60.00 75.00 110.00 135.00
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Hinodegiri, 3'-4' Evergreen. Larger leaves and loose flowers very bright carmine-pink with Rhododendron. 6 to 8 in. 8 to 10 in. 10 to 12 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. kaempferi, 4'-5' Warm brick-red flowers, May. Very	1.50 2.25 3.50 5.00 Hirer grown; effect: .90 1.10 1.65 2.00 3.50 5.00	7.50 17.00 17.00 19.00 27.00 40.00 10degiri th than A ive in m 7.50 9.25 13.50 17.00 27.50 40.00	Azalea Amoena; asses or 60.00 75.00 110.00 135.00 Azalea esirable.
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Hinodegiri, 3'-4' Evergreen. Larger leaves and loose flowers very bright carmine-pink with Rhododendron. 6 to 8 in. 8 to 10 in. 10 to 12 in., B. & B. 12 to 15 in., B. & B. 18 to 24 in., B. & B. kaempferi, 4'-5' Warm brick-red flowers, May. Very 12 to 15 in., B. & B. 15 to 18 in., B. & B.	1.50 2.25 3.50 5.00 Hirer grows; effect: .90 1.10 1.65 2.00 3.50 5.00	reen. No. 12.50 19.00 27.00 40.00 10degiri th than A ive in m 7.50 9.25 13.50 17.00 27.50 40.00 Torch by and d 13.50 19.00	150.00 225.00 Azalea Amoena; asses or 60.00 75.00 110.00 135.00 Azalea esirable. 110.00 150.00
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Hinodegiri, 3'-4' Evergreen. Larger leaves and loose flowers very bright carmine-pink with Rhododendron. 6 to 8 in. 8 to 10 in. 10 to 12 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. kaempferi, 4'-5' Warm brick-red flowers, May. Very 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B.	1.50 2.25 3.50 5.00 Hirer grows; effect: .90 1.10 1.65 2.00 3.50 5.00	7.50 17.00 27.00 40.00 10 degiri th than A ive in m 7.50 9.25 13.50 17.00 27.50 40.00 Torch by and d 13.50 19.00 25.00	150.00 225.00 Azalea Amoena; asses or 60.00 75.00 110.00 135.00 Azalea esirable. 110.00 150.00
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Hinodegiri, 3'-4' Evergreen. Larger leaves and loose flowers very bright carmine-pink with Rhododendron. 6 to 8 in. 8 to 10 in. 10 to 12 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 15 to 15 in., B. & B. 18 to 24 in., B. & B. 19 to 15 in., B. & B. 10 to 15 in., B. & B. 11 to 15 in., B. & B. 12 to 15 in., B. & B. 13 to 24 in., B. & B. 14 to 24 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 17 to 18 in., B. & B. 18 to 24 in., B. & B.	1.50 2.25 3.50 5.00 Hirer grown; effect: .90 1.10 1.65 2.00 3.50 5.00	reen. No. 12.50 19.00 27.00 40.00 10degiri th than A ive in m 7.50 9.25 13.50 17.00 27.50 40.00 Torch by and d 13.50 19.00	150.00 225.00 Azalea Amoena; asses or 60.00 75.00 110.00 135.00 Azalea esirable. 110.00 150.00
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Hinodegiri, 3'-4' Evergreen. Larger leaves and loose flowers very bright carmine-pink with Rhododendron. 6 to 8 in. 8 to 10 in. 10 to 12 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 17 to 18 in., B. & B. 18 to 24 in., B. & B. 19 to 15 in., B. & B. 10 to 15 in., B. & B. 11 to 15 in., B. & B. 12 to 15 in., B. & B. 13 to 18 in., B. & B. 14 to 24 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 17 to 18 in., B. & B. 18 to 24 in., B. & B. 19 to 21/2 ft., B. & B.	1.50 2.25 3.50 5.00 Hirer grows; effect: .90 1.10 1.65 2.00 3.50 5.00	7.50 17.00 27.00 40.00 10 degiri th than A ive in m 7.50 9.25 13.50 17.00 27.50 40.00 Torch by and d 13.50 19.00 25.00	150.00 225.00 Azalea Amoena; asses or 60.00 75.00 110.00 135.00 Azalea esirable. 110.00 150.00
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Hinodegiri, 3'-4' Evergreen. Larger leaves and loose flowers very bright carmine-pink with Rhododendron. 6 to 8 in. 8 to 10 in. 10 to 12 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 19 to 15 in., B. & B. 10 to 15 in., B. & B. 11 to 15 in., B. & B. 12 to 15 in., B. & B. 13 to 24 in., B. & B. 14 to 24 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 17 to 18 in., B. & B. 18 to 24 in., B. & B. 19 to 24 in., B. & B. 2 to 2½ ft., B. & B. 10 Cleopatra, 4'-5' Hardy. Evergreen. Lilac rose flowers.	1.50 2.25 3.50 5.00 Hirer grown; effect: .90 1.10 1.65 2.00 3.50 5.00 ry hard 1.65 2.25 3.00 3.75	7.50 17.00 27.00 40.00 10degiri th than Aive in m 7.50 9.25 13.50 17.00 27.50 40.00 Torch by and d 13.50 19.00 25.00 30.00	150.00 225.00 Azalea Amoena; asses or 60.00 75.00 110.00 135.00 Azalea esirable. 110.00 150.00 200.00
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Hinodegiri, 3'-4' Evergreen. Larger leaves and loose flowers very bright carmine-pink with Rhododendron. 6 to 8 in. 8 to 10 in. 10 to 12 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 17 to 18 in., B. & B. 18 to 24 in., B. & B. 19 to 24 in., B. & B. 10 to 24 in., B. & B. 11 to 24 in., B. & B. 12 to 21/2 ft., B. & B. 13 to 24 in., B. & B. 14 to 24 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 17 to 18 in., B. & B. 18 to 24 in., B. & B. 19 to 12 in., B. & B.	1.50 2.25 3.50 5.00 Hirer grows; effect: .90 1.10 1.65 2.00 3.50 5.00 ry hard 1.65 2.25 3.00 3.75	7.50 17.00 27.00 40.00 10 degiri th than A ive in m 7.50 9.25 13.50 17.00 27.50 40.00 Torch by and d 13.50 19.00 25.00 30.00	150.00 225.00 Azalea Amoena; asses or 60.00 75.00 110.00 135.00 Azalea esirable. 110.00 150.00 200.00
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u 8 to 10 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Hinodegiri, 3'-4' Evergreen. Larger leaves and loose flowers very bright carmine-pink with Rhododendron. 6 to 8 in. 8 to 10 in. 10 to 12 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 19 to 15 in., B. & B. 10 to 15 in., B. & B. 11 to 15 in., B. & B. 12 to 15 in., B. & B. 13 to 24 in., B. & B. 14 to 24 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 17 to 18 in., B. & B. 18 to 24 in., B. & B. 19 to 24 in., B. & B. 2 to 2½ ft., B. & B. 10 Cleopatra, 4'-5' Hardy. Evergreen. Lilac rose flowers.	1.50 2.25 3.50 5.00 Hirer grown; effect: .90 1.10 1.65 2.00 3.50 5.00 ry hard 1.65 2.25 3.00 3.75	7.50 17.00 27.00 40.00 10degiri th than Aive in m 7.50 9.25 13.50 17.00 27.50 40.00 Torch by and d 13.50 19.00 25.00 30.00	150.00 225.00 Azalea Amoena; asses or 60.00 75.00 110.00 135.00 Azalea esirable. 110.00 150.00 200.00

AZALEA—continued	Each	Per 10	Per 100
—fedora, 4'-5'	130011	2 02 10	
Hardy. Evergreen. Salmon rose fl	OWETS		
9 to 12 in., B. & B	1.50	12.50	-
12 to 15 in., B. & B	2.25	19.00	150.00
15 to 18 in., B. & B	3.00		
—louise, 4'-5'	Ŭ		
Hardy. Evergreen. Light rose flow	ers.		
9 to 12 in., B. & B	1.50	12.50	100.00
12 to 15 in., B. & B	2.25	19.00	150.00
15 to 18 in., B. & B	3.00	25.00	
—othello, 4'-5'			
Hardy. Evergreen. Brick-red flower			
10 to 12 in., B. & B	1.50 2.25	12.50 19.00	100.00
15 to 18 in., B. & B	3.00	25.00	130.00
Kurume Benigiri, 3'	0.55		
Evergreen. Flowers bright red, con	mpact g	rowth.	
8 to 10 in., B. & B	1.50		
10 to 12 in., B. & B	2.25	19.00	
12 to 15 in., B. & B	3.00	25.00	
—Flame, 3'			
Brilliant red flowers in profus foliage.	ion. G	loss y, e v	vergreen
15 to 18 in., B. & B	3.75	31.00	250.00
18 to 24 in., B. & B	5.00	40.00	325.00
2 to 2½ ft., B. & B	6.00	50.00 62.50	400.00
	7.50	02.30	
—hatsugiri, 3' 9 to 12 in., B. & B	1.50	12.50	100.00
12 to 15 in., B. & B	1.50 2.25	12.50	100.00
15 to 18 in., B. & B	3.00		
—hinomayo, 3'-4'			
Flowers clear pink in great profi	usion.		
8 to 10 in., B. & B	2.00	15.00	125.00
10 to 12 in., B. & B	2.25	20.00	150.00
12 to 15 in., B. & B	3.00	25.00	200.00
—kirishima, 3'			
Red, white stamens.			
12 to 15 in., B. & B	1.50	12.50	
	2.25	19.00	
—Pink Beauty, 3'			
Single soft-pink flowers.	2.25	19.00	
12 to 15 in., B. & B	3.00	25.00	
—Pink Pearl, 3'			
Evergreen. Salmon-rose flowers.			
8 to 10 in., B. & B	1.50	12.50	
10 to 12 in., B. & B	2.25	19.00	
—Salmon Beauty, 3'			
Very large salmon-pink flowers.			
8 to 10 in., B. & B	1.50	12.50	
10 to 12 in., B. & B	2.2 <i>5</i> 3.00	19.00 25.00	-
	3.00	25.00	
-Snow, 3' Evergreen. Large pure white flow	77.0 97.5		
10 to 12 in., B. & B		19.00	
12 to 15 in., B. & B	3.00	25.00	

AZALEA—continued	Each	Per 10	Per 100
—Yayegiri, 3'	1 o méh		
Salmon-red flowers. Of exceptiona 9 to 12 in., B. & B			
12 to 15 in., B. & B	1.50 2.25	12.50	
ledifolia alba, 4'-6'		Snow	Azalea
Evergreen. Large, single, white fl	owers 4		
Makes a striking background f			
blooming at the same time.			
15 to 18 in., B. & B	3.00	25.00	200.00
18 to 24 in., B. & B	3.75	31.00	250.00
2 to 2½ ft., B. & B	4.00	35.00	
—Fujimoyo, 4'-6'			
Large double pale pink-lilac flowers to 12 in., B. & B		10.00	1.50.00
12 to 15 in., B. & B	2.2 <i>5</i> 3.00	19.00 25.00	150.00
—lilacina, 4'-6'	0.00		
Single lilac flowers.			
12 to 15 in., B. & B	3.00	25.00	
15 to 18 in., B. & B	4.00	35.00	
2 to 2½ ft	6.75	56.00	
3 to 4 ft	9.00	75.00	-
macrantha, 2½'-3'		Salmon	
Evergreen. A beautiful plant, with			
pear at intervals, and not at one Single and double varieties.	time lik	e the pr	eceding.
12 to 15 in., B. & B	2.25	19.00	
15 to 18 in., B. & B	3.50	28.00	225.00
18 to 24 in., B. & B	4.50	37.50	
mollis, 4'-6'	(Chinese	Azalea
mollis, 4'-6' Large, showy flowers in shades of		Chinese and re	
mollis, 4'-6' Large, showy flowers in shades of June. Large, hairy leaves. Likes s	forange		
Large, showy flowers in shades of June. Large, hairy leaves. Likes s	forange		
Large, showy flowers in shades of June. Large, hairy leaves. Likes s 12 to 15 in., B. & B	f orange un. 2.25 3.00	19.00 25.00	d. May-
Large, showy flowers in shades of June. Large, hairy leaves. Likes s	f orange un. 2.25	e and re	d. May-
Large, showy flowers in shades of June. Large, hairy leaves. Likes s 12 to 15 in., B. & B	f orange un. 2.25 3.00	19.00 25.00	d. May-
Large, showy flowers in shades of June. Large, hairy leaves. Likes so 12 to 15 in., B. & B	f orange un. 2.25 3.00 3.75	19.00 25.00 31.00	150.00 200.00
Large, showy flowers in shades of June. Large, hairy leaves. Likes so 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. —altaclarense, 4' A hardy Azalea producing large syellow flowers in May.	f orange un. 2.25 3.00 3.75	19.00 25.00 31.00	150.00 200.00
Large, showy flowers in shades of June. Large, hairy leaves. Likes so 12 to 15 in., B. & B	f orange un. 2.25 3.00 3.75	19.00 25.00 31.00	150.00 200.00
Large, showy flowers in shades of June. Large, hairy leaves. Likes so 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. —altaclarense, 4' A hardy Azalea producing large syellow flowers in May.	f orange un. 2.25 3.00 3.75	19.00 25.00 31.00	150.00 200.00
Large, showy flowers in shades of June. Large, hairy leaves. Likes so 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. —altaclarense, 4' A hardy Azalea producing large syellow flowers in May. 18 to 24 in., B. & B. —Louisa Hunnewell, 4' Large orange-yellow flowers shading the shading states of the shading shad	f orange un. 2.25 3.00 3.75 trusses 3.75	19.00 25.00 31.00 of deep 32.50	150.00 200.00 orange-
Large, showy flowers in shades of June. Large, hairy leaves. Likes so 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. —altaclarense, 4' A hardy Azalea producing large syellow flowers in May. 18 to 24 in., B. & B. —Louisa Hunnewell, 4'	f orange un. 2.25 3.00 3.75 trusses 3.75	19.00 25.00 31.00 of deep 32.50	150.00 200.00 orange-
Large, showy flowers in shades of June. Large, hairy leaves. Likes so 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. —altaclarense, 4' A hardy Azalea producing large syellow flowers in May. 18 to 24 in., B. & B. —Louisa Hunnewell, 4' Large orange-yellow flowers shading the shading states of the shading shad	f orange un. 2.25 3.00 3.75 trusses 3.75	19.00 25.00 31.00 of deep 32.50	150.00 200.00 orange-
Large, showy flowers in shades of June. Large, hairy leaves. Likes so 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. —altaclarense, 4' A hardy Azalea producing large yellow flowers in May. 18 to 24 in., B. & B. —Louisa Hunnewell, 4' Large orange-yellow flowers shading to 18 in., B. & B. mucronulatum (See RHODODE)	f orange un. 2.25 3.00 3.75 trusses 3.75	19.00 25.00 31.00 of deep 32.50 almon co 30.00	150.00 200.00 orange-
Large, showy flowers in shades of June. Large, hairy leaves. Likes so 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. —altaclarense, 4' A hardy Azalea producing large syellow flowers in May. 18 to 24 in., B. & B. —Louisa Hunnewell, 4' Large orange-yellow flowers shading to 18 in., B. & B. mucronulatum (See RHODODE mucronulatum) nudiflora, 6'-8'	f orange un. 2.25 3.00 3.75 trusses 3.75 ng to sa 3.50	19.00 25.00 31.00 of deep 32.50 almon co 30.00	orange-
Large, showy flowers in shades of June. Large, hairy leaves. Likes so 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. —altaclarense, 4' A hardy Azalea producing large syellow flowers in May. 18 to 24 in., B. & B. —Louisa Hunnewell, 4' Large orange-yellow flowers shading to 18 in., B. & B. mucronulatum (See RHODODE mucronulatum) nudiflora, 6'-8' Flowers pale rose or pink before crocky woodlands and swamps.	f orange un. 2.25 3.00 3.75 trusses 3.75 ng to sa 3.50	19.00 25.00 31.00 of deep 32.50 almon co 30.00	orange-
Large, showy flowers in shades of June. Large, hairy leaves. Likes so 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. —altaclarense, 4' A hardy Azalea producing large syellow flowers in May. 18 to 24 in., B. & B. —Louisa Hunnewell, 4' Large orange-yellow flowers shading to 18 in., B. & B. mucronulatum (See RHODODE mucronulatum) nudiflora, 6'-8' Flowers pale rose or pink before rocky woodlands and swamps. 15 to 18 in., B. & B.	f orange oun. 2.25 3.00 3.75 trusses 3.75 ng to sa 3.50 2NDRC	19.00 25.00 31.00 of deep 32.50 almon co 30.00 N Pinxte leaves. 1	orange- olor. rbloom (nhabits
Large, showy flowers in shades of June. Large, hairy leaves. Likes so 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. —altaclarense, 4' A hardy Azalea producing large yellow flowers in May. 18 to 24 in., B. & B. —Louisa Hunnewell, 4' Large orange-yellow flowers shading to 18 in., B. & B. mucronulatum (See RHODODE mucronulatum) nudiflora, 6'-8' Flowers pale rose or pink before rocky woodlands and swamps. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	f orange un. 2.25 3.00 3.75 trusses 3.75 ng to sa 3.50 2NDRC	19.00 25.00 31.00 of deep 32.50 almon co 30.00 N Pinxte leaves. I	orange- olor. rbloom (nhabits
Large, showy flowers in shades of June. Large, hairy leaves. Likes so 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. —altaclarense, 4' A hardy Azalea producing large yellow flowers in May. 18 to 24 in., B. & B. —Louisa Hunnewell, 4' Large orange-yellow flowers shading to 18 in., B. & B. mucronulatum (See RHODODE mucronulatum) nudiflora, 6'-8' Flowers pale rose or pink before or rocky woodlands and swamps. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	f orange iun. 2.25 3.00 3.75 trusses 3.75 ng to sa 3.50 2NDRC	19.00 25.00 31.00 of deep 32.50 almon co 30.00 N Pinxte leaves. 1	orange- olor. rbloom (nhabits
Large, showy flowers in shades of June. Large, hairy leaves. Likes so 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. —altaclarense, 4' A hardy Azalea producing large yellow flowers in May. 18 to 24 in., B. & B. —Louisa Hunnewell, 4' Large orange-yellow flowers shading to 18 in., B. & B. mucronulatum (See RHODODE mucronulatum) nudiflora, 6'-8' Flowers pale rose or pink before rocky woodlands and swamps. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	f orange un. 2.25 3.00 3.75 trusses 3.75 ng to sa 3.50 2NDRC	19.00 25.00 31.00 of deep 32.50 almon co 30.00 N Pinxte leaves. I	orange- olor. rbloom (nhabits 200.00 250.00
Large, showy flowers in shades of June. Large, hairy leaves. Likes so 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. —altaclarense, 4' A hardy Azalea producing large of yellow flowers in May. 18 to 24 in., B. & B. —Louisa Hunnewell, 4' Large orange-yellow flowers shading to 18 in., B. & B. mucronulatum (See RHODODE mucronulatum) nudiflora, 6'-8' Flowers pale rose or pink before or rocky woodlands and swamps. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B.	f orange iun. 2.25 3.00 3.75 trusses 3.75 ng to sa 3.50 2NDRO or with 2.25 3.00 3.75 5.00	19.00 25.00 31.00 of deep 32.50 almon co 30.00 N Pinxte leaves. 1	orange- olor. rbloom (nhabits 200.00 250.00
Large, showy flowers in shades of June. Large, hairy leaves. Likes so 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. —altaclarense, 4' A hardy Azalea producing large syellow flowers in May. 18 to 24 in., B. & B. —Louisa Hunnewell, 4' Large orange-yellow flowers shading to 18 in., B. & B. mucronulatum (See RHODODE mucronulatum) nudiflora, 6'-8' Flowers pale rose or pink before so rocky woodlands and swamps. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 3 ft., B. & B. 3 to 3½ ft., B. & B. phoenicea var. Omurasaki, 2'-3'	f orange iun. 2.25 3.00 3.75 trusses 3.75 ng to sa 3.50 CNDRC	19.00 25.00 31.00 of deep 32.50 almon co 30.00 N Pinxte leaves. 1	orange- olor. rbloom (nhabits 200.00 250.00
Large, showy flowers in shades of June. Large, hairy leaves. Likes so 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. —altaclarense, 4' A hardy Azalea producing large of yellow flowers in May. 18 to 24 in., B. & B. —Louisa Hunnewell, 4' Large orange-yellow flowers shading to 18 in., B. & B. mucronulatum (See RHODODE mucronulatum) nudiflora, 6'-8' Flowers pale rose or pink before or rocky woodlands and swamps. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B.	f orange iun. 2.25 3.00 3.75 trusses 3.75 ng to sa 3.50 CNDRC	19.00 25.00 31.00 of deep 32.50 almon co 30.00 N Pinxte leaves. 1	orange- olor. rbloom (nhabits 200.00 250.00
Large, showy flowers in shades of June. Large, hairy leaves. Likes so 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. —altaclarense, 4' A hardy Azalea producing large syellow flowers in May. 18 to 24 in., B. & B. —Louisa Hunnewell, 4' Large orange-yellow flowers shading to 18 in., B. & B. mucronulatum (See RHODODE mucronulatum) nudiflora, 6'-8' Flowers pale rose or pink before rocky woodlands and swamps. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. phoenicea var. Omurasaki, 2'-3' Purple to magenta flowers. Early. 9 to 12 in., B. & B. 12 to 15 in., B. & B.	f orange iun. 2.25 3.00 3.75 trusses 3.75 ng to sa 3.50 2.00 3.75 3.00 3.75 5.00 6.00	19.00 25.00 31.00 of deep 32.50 almon co 30.00 N Pinxte leaves. 1 19.00 25.00 31.00 40.00 50.00	orange- olor. rbloom (nhabits 200.00 250.00
Large, showy flowers in shades of June. Large, hairy leaves. Likes is 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. —altaclarense, 4' A hardy Azalea producing large yellow flowers in May. 18 to 24 in., B. & B. —Louisa Hunnewell, 4' Large orange-yellow flowers shading to 18 in., B. & B. mucronulatum (See RHODODE mucronulatum) nudiflora, 6'-8' Flowers pale rose or pink before rocky woodlands and swamps. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. phoenicea var. Omurasaki, 2'-3' Purple to magenta flowers. Early. 9 to 12 in., B. & B.	f orange oun. 2.25 3.00 3.75 trusses 3.75 ng to sa 3.50 CNDRC or with 2.25 3.00 3.75 5.00 6.00	19.00 25.00 31.00 of deep 32.50 almon co 30.00 N Pinxte leaves. 1 19.00 25.00 31.00 40.00 50.00	orange- olor. rbloom (nhabits 200.00 250.00

AZALEA—continued	Each	Per 10	Per 100
pontica, 4'-5'		Pontic	Azalea
Handsome shrub with fragrant ye	ellow fl		
12 to 15 in., B. & B	2.25		
	3.00		
poukhanensis, 1'-3'		Korean	Azalea
Single, purple-lilac flowers are prevery hardy.	rofusely	y borne i	n May;
12 to 15 in., B. & B	2.25	19.00	150.00
15 to 18 in., B. & B	_	25.00	200.00
rosea, 6'-8'	Downy	Pinxte	rbloom
Rose-pink flowers in late May. Quand useful native variety.	uite fra	grant. B	eautiful
15 to 18 in., B. & B	2.25	19.00	150.00
18 to 24 in., B. & B	3.50	28.00	
2 to 2½ ft., B. & B	4.50	37.50	
schlippenbachi, 3'-5'		Royal	Azalea
Blooms pale rose color, May-June		ious, ver	y hardy.
9 to 12 in., B. & B	2.25	20.00	150.00
vaseyi, 5'-6'	P	inkshell	Azalea
Delicate pink, April and May. Ver best hardy azaleas.	y attra	ctive, on	e of the
15 to 18 in., B. & B	3.00	25.00	
18 to 24 in., B. & B	3.75	31.00	250.00
2 to 2½ ft., B. & B	5.00	40.00	325.00
2½ to 3 ft., B. & B	6.00	50.00	400.00
3 to 4 ft., B. & B	7.50	65.00	
viscosa, 4'-5'		Swamp	Azalea
White, very fragrant, June and Ju			
15 to 18 in., B. & B	2.25	19.00	
18 to 24 in., B. & B	3.00	25.00	
2 to 2½ ft., B. & B	3.7 <i>5</i> 5.00	31.00 40.00	
3 to 4 ft., B. & B	6.00	40.00	-
yodogawa, 3'-4'	Yo	dogawa	Azalea
Double, pinkish-lavender flowers,			
of exceptional merit.			,
12 to 15 in., B. & B	2.50	20.00	175.00
15 to 18 in., B. & B	3.00	25.00	200.00
18 to 24 in., B. & B	3.75	31.00	250.00



The Washington Street Bridge over Lake Carnegie
The lake, the gift of Andrew Carnegie in 1906, is used by
Princeton crews and is also a favorite resort of canoeists in
the summer

	Each	Per 10	Per 100
BACCHARIS halimifolia, 9'-10'		Grounds	elbush
Conspicuous, fluffy seed pods in Sessions shore planting.	ptemb	er. Good	for sea-
18 to 24 in	-55	4.70	37.50
2 to 3 ft	.70	5.50	45.00
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.20	10.00	
BENZOIN aestivale (LINDERA	benzo		cebush
Flowers yellow, April. Scarlet ber coloring, leaves aromatic.	ries, b	eautiful	autumn
18 to 24 in	·3 <i>5</i>	2.80	22.50
2 to 3 ft	.45	3.75	30.00
3 to 4 ft	.60 .80	5.00 6.50	40.00
5 to 6 ft	1.25	10.00	
BERBERIS			
NEW HARDY EVERGRE	EEN	TYPES	
We have a good assortment of the			s which
are very attractive in both dark gr			
and showy flowers. We consider th	is clas	s of stock	one of
the most valuable additions to t			
greens. As a class nearly all have			
leaves, and color beautifully in the favorable conditions most of ther			
of about six feet.	11 44 14.3	. actain a	neight
gagnepaini. Has long and very name	row, l	holly-like	leaf.
12 to 15 in., 4 in. pots 15 to 18 in., 5 in. pots	1.10	9.50 14.50	75.00 125.00
ilicifolia, 5'-6'		Holly Ba	rberry
Semi-evergreen. Holly-like leaves, foliage appears; flowers yellow.	persi	isting un	til new
15 to 18 in., B. & B	.90	7.50	60.00
18 to 24 in., B. & B	1.35	11.25	90.00
2 to 2½ ft., B. & B	2.00	14.50	125.00
2½ to 3 ft., B. & B	3.00	25.00	200.00
3 to 3½ ft., B. & B	4.50	37.50	
julianae. Fairly rapid growth with	_	_	leaves.
9 to 12 in., 4 in. pots	.60	5.00	40.00
12 to 15 in., 4 in. pots 15 to 18 in., 6 in. pots	.80	6.50	52.50
18 to 24 in., B. & B	1.90	9.50 14.50	75.00
laevis. Similar to julianae.		-4.9	
12 to 15 in., 5 in. pots	.80	6.50	
15 to 18 in., 6 in. pots	1.10	9.50	
sargenti. Leaves very lightly spined julianae in habit.	d, othe	erwise sin	nilar to
10 to 12 in., 4 in. pots	1.10		
12 to 15 in., 4 in. pots	1.90		
triacanthophora. Rapid grower, de lightly-spined leaves.	ense h	abit and	small,
9 to 12 in., 4 in. pots	1.10	9.50	75.00
12 to 15 in., 5 in. pots	1.90	14.50	125.00

	•		
BERBERIS—continued	Each	Per 10	Per 100
verruculosa	V	arty Ba	rberry
Distinctive in character. Of dw habit. Shiny foliage. Fragrant yell	low flow	ers. Black	fruits.
6 to 9 in., 4 in. pots	1.00	9.50	•
9 to 12 in., 5 in. pots		11.25 14.50	
12 to 15 m, o m. pots	1.90	14.50	123.00
BERBERIS—DECIDUO	OUS TY	PES .	
BERBERIS dielsiana 18 to 24 in	1.05	1125	
2 to 2½ ft	1.35 2.00	11.25 14.50	125.00
thunbergii, 4'-5'	Japa	nese Ba	rberry
A splendid, low hedge plant, o		issing; b	rilliant
autumn coloring; scarlet berries			
	Per 10 1		
12 to 15 in	-		90.00
•	1.70 2.20		110.00
	3.50		
$2^{1/2}$ to 3 ft			
		D.	
	Red Japa		-
A very desirable, new, red-leave	ed variet	y of the	above.
Should be planted in sun for be unusually deep color and symm	etrical h	abit of	growth.
	Per 10		
12 to 15 in	-	15.00	120.00
15 to 18 in	_		200.00
18 to 24 in		_	250.00
2½ to 3 ft		_	300.00
3 to 4 ft		7	
-minor, 2'-3'		Box Ba	arberry
A dwarf, compact form of Ja	panese I	Barberry	fruits
sparingly. Used for edging where			
	Each	Per 10	Per 100
9 to 12 in	.22	1.90	15.00
12 to 15 in	-3 5	3.00	22.50
15 to 18 in	-45	4.00	_
18 to 24 in	•55	4.70	37.50
2 to 2½ ft	.65	5.50	
vernae		ernae Ba	
Attractive shrub with arching bra heavily.	nches. Fl	owers an	
18 to 24 in	.90	7.50	60.00
2 to 2½ ft	1.10	9.50	75.00
*BETULA alba, 30'-50' Known by its white bark.	Europe	an Whit	e Birch
6 to 8 ft	1.10	0.00	75.00
8 to 10 ft	1.10	9.00	90.00
8 to 10 ft.—1¼ to 1½ in	1.3 <i>5</i> 2.00	15.00	135.00
10 to 12 ft.—1½ to 1¾ in	3.00	25.00	200.00
13/4 to 2 in	3.75	30.00	250.00
2 to 2½ in	4.50	37.50	300.00
2½ to 3 in	5.50	47.50	375.00
3 to 4 in	6.75	55.00	

BETULA—continued	Fach	Per 10	Der 100
		idal Whit	
Columnar form of the Europea heavy formal effects are desired.		Excellen	t where
5 to 6 ft	3.00	25.00	200.00
6 to 8 ft	4.50	37.50	300.00
8 to 10 ft	6.00	50.00	
10 to 12 ft	7.50		
*laciniata, 30'-40'	Cutleaf	Weeping	g Birch
Excellent tree for lawn planting	g. Very	graceful.	
5 to 6 ft	2.75	22.50	
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	3.50	27.50	225.00
10 to 12 ft., 1½ to 1¾ in	4.00	33.00	275.00
$1\frac{3}{4}$ to 2 in	5.00 6.00	40.00 50.00	325.00
2½ to 3 in	7.50	60.00	
			~
	_	eaf White	e Birch
Graceful lawn specimen and acc			
6 to 8 ft	4.50	37.50	
8 to 10 ft	6.7 <i>5</i> 9.00	55.00	
	9.00		~
*lenta, 40'-50'			et Birch
Has attractive, smooth, reddis catkins in spring.	h bark	and cons	spicuous
5 to 6 ft	1.35	11.00	90.00
6 to 8 ft	1.90	14.50	125.00
8 to 10 ft	3.00	25.00	200.00
8 to 10 ft.—1¼ to 1½ in	3.40	28.00	225.00
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in $1\frac{3}{4}$ to 2 in	4.50	37.50	
	5.50	47.00	
*lutea, 50'-70'		Yellov	v Birch
Makes fine windbreak.			
5 to 6 ft	1.35	11.00	90.00
8 to 10 ft		25.00	200.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in		28.00	
10 to 12 ft., 1½ to 2 in	4.50	37.50	
*nigra, 50'-60'		Rive	r Birch
Thrives in moist places; its to	orn, rag		
unique.	, , , , , , ,	500 0002	1 1
5 to 6 ft		14.50	-
6 to 8 ft		19.00	150.00
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in		25.00	200.00
10 to 12 ft.—1½ to 1¾ in		31.00	250.00
$1\frac{3}{4}$ to 2 in		44.00 50.00	350.00 400.00
$2^{\frac{1}{2}} \text{ to 3 in}$	8.00	65.00	400.00
3 to 3½ in	10.00	85.00	-
*papyrifera, 40'-50'	Pane	r o r Cano	e Birch
Picturesque paper bark, very wh			C DII CII
5 to 6 ft		11.00	
6 to 8 ft		20.00	
8 to 10 ft	2.75	22.50	
8 to 10 ft.—1 ¹ / ₄ to 1 ¹ / ₂ in	4.00	35.00	275.00
10 to 12 ft.—1½ to 1¾ in		45.00	350.00
13/4 to 2 in		55.00	450.00
2 to $2\frac{1}{2}$ in $2\frac{1}{2}$ to 3 in		65.00 75.00	
2/2 to 3 m	920	73.00	

BETULA—continued	Each	Per 10	Per 100
*populifolia, 30'-40'		Gray	Birch
Will grow in poor soil and dry p native in New Jersey.	laces. C	ommonly	found
5 to 6 ft	1.50	12.00	
6 to 8 ft	2.25	19.00	150.00
8 to 10 ft	3.00	25.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.50	28.00	
1½ to 1¾ in	3.75	31.00	
$1\frac{3}{4}$ to 2 in 2 to $2\frac{1}{2}$ in	4.50 5.50	37.50 47.50	
BIGNONIA grandiflora, 25'-40'	nese T	'rumpet c	reener
		· ·	_
One of the handsomest of flowers trusses of orange-yellow flowers			
	.70 .90	5.50 7.50	
Mad. Gallen, 25'-40'			***
An improved variety of a darker of	orange t	han gran	diflora.
2 year, grafts	.70		45.00
3 year, grafts	.90	7.50	
radicans, 25'-40'	Т	rumpetc	reeper
Showy, trumpet-shaped flowers, so Roots as it climbs.	carlet a	nd orang	e, July.
2 year, heavy	.20	1.50	12.50
3 year, heavy	.30	2.50	20.00
4 year, heavy	•35	2.80	22.50
BUDDLEIA alternifolia, 10'-12' Alternate	leaved	l Butterf	lybush
Hardiest member of this genus. I summer and continuing into the f		heavily i	n mid-
2 to 3 ft	-55	4.70	
3 to 4 ft	.60	5.00	40.00
4 to 5 ft	·75	6.00	50.00
Ile de France, 4'	I	Butterfly	Shrub
Dark purple flowers—fragrant.			
3 in. pots, 12 to 15 in 4 in. pots, 15 to 18 in	.40 .55	3.50 4.50	
veitchiana, 5'-6'	Veitch	Butterf	lybush
Mauve-colored flowers with brigh bloom early in August.	nt orang	ge e ye. St	arts to
1½ to 2 ft	.22	1.90	15.00
2 to 3 ft	·3 <i>5</i>	2.80	22.50
3 to 4 ft	40	3.50	27.50
BUXUS sempervirens (bush form Evergreen. Useful for formal hea		5' Bo	xwood
12 to 15 in., B. & B		7.50	
15 to 18 in., B. & B	.90 1.35	7.50 11.00	
18 to 21 in., B. & B	1.90	14.50	125.00
21 to 24 in., B. & B	2.25		150.00

BUXUS—continued	Each'	Per 10	Per 100
—handsworthi, 15'-20'	Ha	ndswor	th Box
Evergreen. An excellent, hardy than sempervirens and of very t			foliage
15 to 18 in., B. & B	2.20 3.00	19.00 25.00	
—suffruticosa, 3'-4'	Dwa	rf Box	Edging
Evergreen. Extensively used for lot to offer this season. Also cal			
Ea 4 to 6 in	Per 10 1		

.52

.90

4.50

7.50

6 to 8 in.

8 to 10 in.

37.50 60.00 300.00



One of the Princeton dormitories. Its tower is a famous landmark

———≪ C >>--

CALLICARPA purpurea, 3'-4'			Per 100 tyberry
Lilac-violet berries, especially Graceful habit.			August.
18 to 24 in	·3 <i>5</i>	2.80	22.50
2 to 3 ft	. 45	3.75	30.00
3 to 4 ft	•5 <i>5</i>	4.50	35.00
CALLUNA vulgaris, 1'-2'			Ieather
Evergreen. These excellent evergonal masses and may be planted to ad slopes. Plants offered are first-classical exceptions.	vantage	on well	-drained
2 year	·37	3.00	25.00
3 year	·55	4.7 <i>5</i>	37.50 45.00
—alba, white flowers.	.,,	<i>J</i> .,, c	45.00
-alporti, bright green foliage, red	dish-pur	ple flov	vers.
-aurea, yellow-green foliage, mau	ve-color	ed flov	vers.
-humilis, bright green foliage, w	hite flov	vers.	
-pilosa, white flowers.			
-rosea, bright green foliage, ros	e-colore	d flow	er s.
-rubra, spreading habit, purplish-	red flow	ers.	
CALYCANTHUS floridus, 4'-5'		Swe	etshrub
An old garden favorite, with	^		
brown flowers.	fragr ant ,	, dark	reddish-
brown flowers. 18 to 24 in	·3 <i>5</i>	2.80	22.50
brown flowers. 18 to 24 in	·35 ·45	2.80 3.75	22.50 30.00
brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	·35 ·45 ·55 .80	2.80 3.75 4.75 6.50	22.50 30.00 37.50 52.50
brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	·35 ·45 ·55	2.80 3.75 4.75	22.50 30.00 37.50
brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.35 .45 .55 .80	2.80 3.75 4.75 6.50 9.50	22.50 30.00 37.50 52.50
brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	.35 .45 .55 .80 1.10	2.80 3.75 4.75 6.50 9.50	22.50 30.00 37.50 52.50 75.00
brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May 18 to 24 in.	.35 .45 .55 .80 1.10 Sib	2.80 3.75 4.75 6.50 9.50 erian I	22.50 30.00 37.50 52.50 75.00 Pea-tree
brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May 18 to 24 in. 2 to 3 ft.	.35 .45 .55 .80 1.10 Sib	2.80 3.75 4.75 6.50 9.50 erian I	22.50 30.00 37.50 52.50 75.00
brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.35 .45 .55 .80 1.10 Sib -June. .22 .30 .35 .45	2.80 3.75 4.75 6.50 9.50 erian I 1.90 2.50 2.80 3.75	22.50 30.00 37.50 52.50 75.00 Pea-tree
brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.35 .45 .55 .80 1.10 Sib -June. .22 .30 .35	2.80 3.75 4.75 6.50 9.50 erian I	22.50 30.00 37.50 52.50 75.00 Pea-tree
brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. pygmaea, 1'-3'	.35 .45 .55 .80 1.10 Sib -June. .22 .30 .35 .45 .70	2.80 3.75 4.75 6.50 9.50 erian H 1.90 2.50 2.80 3.75 5.50	22.50 30.00 37.50 52.50 75.00 Pea-tree
brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. pygmaea, 1'-3' Dwarf form of Caragana of exceptions	.35 .45 .55 .80 1.10 Sib -June. .22 .30 .35 .45 .70	2.80 3.75 4.75 6.50 9.50 erian I 1.90 2.50 2.80 3.75 5.50 Owarf I ardiness	22.50 30.00 37.50 52.50 75.00 Pea-tree 15.00 20.00 22.50 30.00
brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. pygmaea, 1'-3' Dwarf form of Caragana of except an attractive shrub with long got 18 to 24 in.	.35 .45 .55 .80 1.10 Sib -June. .22 .30 .35 .45 .70	2.80 3.75 4.75 6.50 9.50 erian I 1.90 2.50 2.80 3.75 5.50 Owarf I ardiness low flow	22.50 30.00 37.50 52.50 75.00 Pea-tree 15.00 20.00 22.50 30.00 ————————————————————————————————
brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. pygmaea, 1'-3' Dwarf form of Caragana of except an attractive shrub with long go	.35 .45 .55 .80 1.10 Sib -June. .22 .30 .35 .45 .70	2.80 3.75 4.75 6.50 9.50 erian I 1.90 2.50 2.80 3.75 5.50 Owarf I ardiness low flow	22.50 30.00 37.50 52.50 75.00 Pea-tree 15.00 20.00 22.50 30.00 Pea-tree s; makes wers.
brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. pygmaea, 1'-3' Dwarf form of Caragana of except an attractive shrub with long got 18 to 24 in. 2 to 3 ft. CARPINUS betulus, 60'-70'	.35 .45 .55 .80 1.10 Sib -June. .22 .30 .35 .45 .70 Intional holden yel .75 1.10	2.80 3.75 4.75 6.50 9.50 erian H 1.90 2.50 2.80 3.75 5.50 Dwarf H ardiness low floo 9.00	22.50 30.00 37.50 52.50 75.00 Pea-tree 15.00 20.00 22.50 30.00 ————————————————————————————————
brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. pygmaea, 1'-3' Dwarf form of Caragana of except an attractive shrub with long go 18 to 24 in. 2 to 3 ft. CARPINUS betulus, 60'-70' Leaves like Caroliniana but stro	35 45 .55 .80 1.10 Sib -June22 .30 .35 .45 .70 Intional holden yel .75 1.10 Europe	2.80 3.75 4.75 6.50 9.50 erian I 1.90 2.50 2.80 3.75 5.50 Owarf I ardiness low floo 6.50 9.00	22.50 30.00 37.50 52.50 75.00 Pea-tree 15.00 20.00 22.50 30.00 ————————————————————————————————
brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. pygmaea, 1'-3' Dwarf form of Caragana of except an attractive shrub with long go 18 to 24 in. 2 to 3 ft. CARPINUS betulus, 60'-70' Leaves like Caroliniana but stro 2 to 3 ft. 3 to 4 ft.	.35 .45 .55 .80 1.10 Sib -June. .22 .30 .35 .45 .70 Europe nger gro 1.35 1.90	2.80 3.75 4.75 6.50 9.50 erian I 1.90 2.50 2.80 3.75 5.50 Owarf I ardiness low floo 6.50 9.00 ean Ho ower.	22.50 30.00 37.50 52.50 75.00 Pea-tree 15.00 20.00 22.50 30.00 ————————————————————————————————
brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. pygmaea, 1'-3' Dwarf form of Caragana of except an attractive shrub with long go 18 to 24 in. 2 to 3 ft. CARPINUS betulus, 60'-70' Leaves like Caroliniana but stro 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	35 45 .55 .80 1.10 Sib -June22 .30 .35 .45 .70 Intional holden yel .75 1.10 Europe nger gro 1.35 1.90 2.70	2.80 3.75 4.75 6.50 9.50 erian I 1.90 2.50 2.80 3.75 5.50 Owarf I ardiness low flor 6.50 9.00 ean Ho ower. 11.00 15.00 22.50	22.50 30.00 37.50 52.50 75.00 Pea-tree 15.00 20.00 22.50 30.00 ————————————————————————————————
brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. pygmaea, 1'-3' Dwarf form of Caragana of except an attractive shrub with long go 18 to 24 in. 2 to 3 ft. CARPINUS betulus, 60'-70' Leaves like Caroliniana but stro 2 to 3 ft. 3 to 4 ft.	.35 .45 .55 .80 1.10 Sib -June. .22 .30 .35 .45 .70 Europe nger gro 1.35 1.90	2.80 3.75 4.75 6.50 9.50 erian I 1.90 2.50 2.80 3.75 5.50 Owarf I ardiness low floo 6.50 9.00 ean Ho ower.	22.50 30.00 37.50 52.50 75.00 Pea-tree 15.00 20.00 22.50 30.00 ————————————————————————————————

CARPINUS—continued	Each	Per 10	Per 100
caroliniana, 30'-40'	Americ	can Hor	nbeam
Bushy, low and often pendulous green foliage with fine autumn of	branch	es, dark	
2 to 3 ft	-55	4.70	
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.35	11.00	90.00
5 to 6 ft	2.25	19.00	150.00
6 to 8 ft	3.40	28.00	225.00
8 to 10 ft	4.50 6.25	37.50 52.50	300.00 400.00
12 to 14 ft	8.00	67.50	525.00
CARYOPTERIS incana (mastaca	antha),		Spirea
Lavender-blue flowers, Septembe massing. Requires protection. Als	r-Octobe o called	r. Splen	did for
12 to 15 in	-3 5	2.80	22.50
15 to 18 in	.45	3.75	30.00
18 to 24 in	.60	5.00	
CATALPA bungei, 10'-15'	Um	brella (Catalpa
Useful in formal planting.			
Large Heads, 2 yr., 5 to 6 ft.,		0	(- · · ·
13/4 in	1.00	8.50	67.50
Extra Large Heads, 2 in Extra Large Heads, 21/4 in	1.50 2.25	12.50 19.00	100.00
Extra Large Heads, 2½ in	2.75	22.50	
speciosa, 30'-35'	W	estern (Catalp a
Makes a very picturesque tree v	vith larg	e, heart	-shaped
leaves and long, bean-like seed p transplanted and with straight, s	ods. Our	stock is	
6 to 8 ft	-55	4.70	37.50
8 to 10 ft	.90	7.50	60.00
10 to 12 ft	1.35	11.00	90.00
2 to 2½ in	1.90	14.50	125.00
$2\frac{1}{2}$ to 3 in	3.00	25.00	
3 to 3½ in	3.50	28.00	
CEANOTHUS americanus, 3'-4'	hh		sey-tea
Very attractive, dwarf, native shr			
12 to 18 in	.65 .90	5.50 7.50	
CEDRUS atlantica glauca, 35'-50'	B1	ue Atlas	s Cedar
Large pyramidal tree with uprigh			
rigid habit giving unique apper foliage.			
6 to 7 ft., B. & B	15.00	125.00	
7 to 8 ft., B. & B	25.00	175.00	
8 to 10 ft., B. & B	30.00	225.00	
deodara, 35'-50'		1	Deodar
Tall tree of pyramidal habit v	with lig		
needles—more graceful in appears			
4 to 5 ft., B. & B			
5 to 6 ft., B. & B	9.75	81.00	
6 to 7 ft., B. & B	11.25		
7 to 8 ft., B. & B	14.25		

CEDRUS—continued	Each	Per 10	Per 100
libani, 35'-50'	Ced	iar of Le	banon
A large tree with wide spread forming broad head. Dark or blui			ranches
3 to 4 ft., B. & B	5.50	45.00	
4 to 5 ft., B. & B	8.00	65.00 85.00	675.00
6 to 7 ft., B. & B	12.50	~	
CELASTRUS orbiculatus, 15'-20'	Orien	tal Bitte	rsweet
High-climbing shrub with orang son seeds.	e-yellow	fruit an	d crim-
2 year 18 to 24 in	.27	2.25	18.00
2 year 2 to 3 ft	·37 ·55	3.00 4.50	25.00 35.00
4 year 4 to 5 ft	.65	5.50	45.00
scandens, 20'-25'	Americ	an Bitte	rsweet
Most adaptable vine with orang	ge and	red berri	es that
retain color when cut and dried.			
2 year 18 to 24 in	.45	3.75	30.00
2 year 2 to 3 ft	.60	5.00	40.00
CELTIS occidentalis, 50'-60'	1 . (kberry
Similar foliage and habit as Eln			growth.
5 to 6 ft	1.90 2.25	14.50 19.00	
8 to 10 ft., 1½ to 1½ in	3.25	27.50	
10 to 12 ft., 1½ to 1¾ in	4.50	37.50	
10 to 12 ft., 13/4 to 2 in	5.25	45.00	
CEPHALANTHUS occidentalis,	5'-6'	Butte	onbush
Round heads of creamy-white Good foliage; likes moisture.	flowers,		tember.
18 to 24 in	-35	2.80	22.50
2 to 3 ft	.45 .70	3.7 <i>5</i> 5.50	30.00 45.00
4 to 5 ft	.85	7.00	55.00
5 to 6 ft	1.00	8.50	67.50
CEPHALOTAXUS Harringtonic dunculata)		fastigiat iral Plui	
Compact columnar habit. Uprigh arranged leaves.	nt branc	hes and s	spirally
18 to 24 in., B. & B	6.75		
2 to 2½ ft., B. & B	9.00		The control of the co
CERASUS (See Prunus)			
*CERCIDIPHYLLUM japonicus	m, 20'-3	o' Katsu	ra-tree
Develops into a nice symmetrica and autumn colors.	al tree;	beautiful	spring
6 to 8 ft	5.25	45.00	350.00
8 to 10 ft	6.75	55.00	-
10 to 12 ft	9.00 10.00	75.00 90.00	

	Each	Per 10	Per 100
CERCIS canadensis, 12'-15'		erican F	
Rosy-pink, April, very effective wi wood; good foliage. Also called J			h Dog-
3 to 4 ft	.70	5.50	45.00
4 to 5 ft	1.10	9.50	75.00
5 to 6 ft	1.90	14.50	125.00
6 to 8 ft	2.25	19.00	150.00
8 to 10 ft	3.00 3.75	25.00 30.00	200.00
chinensis, 10'-12'	C	hinese F	
Flowers a little larger and darker compact habit of growth.	than	above, bu	it more
12 to 18 in	.50	4.00	32.50
18 to 24 in	.70	5.50	45.00
2 to 3 ft	.90	7.50	60.00
3 to 4 ft	1.05	9.00	
CHAMAECYPARIS lawsoniana a		20'-25' Scarab C	ypress
Evergreen. Best columnar type;	foliage	with a	bluish,
metallic hue.			
2 to 2½ ft., B. & B	3.50	28.00	
2½ to 3 ft., B. & B	4.50	37.50	
3 to 3½ ft., B. & B	5.50	47.00	
3½ to 4 ft., B. & B	6.75	55.00	
—Triomphe de Boskoop, 20'-25'			
Handsome evergreen—narrow pyr Bark reddish-brown.		Steel-blue	leaves.
6 to 7 ft	6.00		
7 to 8 ft	7.50	***************************************	
obtusa, 25'-35'		Hinoki C	-
Evergreen. Broad pyramid with I frond-like foliage.			green,
2½ to 3 ft., B. & B	2.00	17.00	
3 to 4 ft., B. & B	3.00	25.00	
4 to 5 ft., B. & B 5 to 6 ft., B. & B	4.00	35.00 40.00	225.00
6 to 7 ft., B. & B	5.00 6.50	55.00	325.00 425.00
-compacta, 4'-6'		ootball C	
Evergreen. Almost spherical ir			
throughout winter. Very useful in work.			
12 to 15 in., B. & B	. 80	6.50	
15 to 18 in., B. & B	1.10	9.50	75.00
18 to 24 in., B. & B	1.90	14.50	125.00
2 to $2\frac{1}{2}$ ft., B. & B	2.25	19.00	150.00
$2\frac{1}{2}$ to 3 ft., B. & B	3.50	28.00	225.00
3 to 3½ ft., B. & B	4.50	37.50	300.00
3½ to 4 ft., B. & B	5.50	47.00	
4 to 5 ft., B. & B	6.50	55.00	
-crippsi, 10'-15' Evergreen. Slow growing, pale gol		Golden C	Cypress
12 to 15 in., B. & B	1.10		77.00
15 to 18 in., B. & B	1.10	9.50	75.00
2) 10 10 11 11 11 11 11 11 11 11 11 11 11	1.00	14.50	125.00
18 to 24 in., B. & B	1.90	14.50	125.00
18 to 24 in., B. & B	1.90 2.50 3.00	14.50 19.00 25.00	125.00 150.00 200.00

CHAMAECYPARIS—continued	Each	Per 10	Per 100
—filicoides, 10'-15'	Ferr	ispray C	ypress
12 to 15 in., B. & B	2.25 3.50	19.00 28.00	
18 to 24 in., B. & B	4.50	37.50	
2 to 2½ ft., B. & B	5.50	47.00	
—gracilis, 12'-15'	ender l	Hinoki C	ypress
Narrow, irregular pyramid, rich, d grower—picturesque.	ark gre	een foliag	e. Slow
15 to 18 in., B. & B	1.90	14.50	125.00
18 to 24 in., B. & B	3.00	25.00 31.00	200.00
2½ to 3 ft., B. & B	3.75 5.25	45.00	350.00
3 to 4 ft., B. & B	6.75	55.00	450.00
—lycopodioides, 3'-4'	lubmo	ss Retin	ospora
Dwarf type. Irregular habit. Sprodark-green branchlets.	eading	branches	. Thick
15 to 18 in., B. & B	3.50	28.00	
18 to 24 in., B. & B	4.50	37.50	
2 to 2½ ft., B. & B	5.50 6.75	47.00	
—nana, 2½'-4'	warf]	Hinoki C	ypress
Evergreen. Low form, of slow gr green foliage.	owth,	with shor	rt, deep
6 to 9 in., B. & B	1.90	15.00	125.00
9 to 12 in., B. & B	2.25	19.00	150.00
12 to 15 in., B. & B	3.50 4.50	28.00 37.50	225.00 300.00
18 to 21 in., B. & B	6.00	50.00	
—youngi, 15'-20'	oung (Golden C	ypress
Young foliage golden on pendulo	ous bra	nches.	
18 to 24 in., B. & B	3.00	25.00	-
2 to 3 ft., B. & B	3.50	28.00	-
3 to 4 ft., B. & B	4.50 6.00	37.50 50.00	
5 to 6 ft., B. & B	7.50	65.00	
pisifera, 25'-35'		ıra Retin	ospora
Evergreen. Quick grower. Loosely	pyran	nidal.	
2 to 2½ ft., B. & B	1.90	14.50	125.00
2½ to 3 ft., B. & B	2.25 2.75	19.00 22.50	150.00
4 to 5 ft., B. & B	3.25	27.50	200.00
5 to 6 ft., B. & B	4.50	37.50	300.00
6 to 7 ft., B. & B	6.00	50.00	400.00
7 to 8 ft., B. & B	7.50	65.00	
—aurea, 25'-35' Golden Evergreen. Foliage bright yellow,		ira Retin illy in sp	-
18 to 24 in., B. & B	1.10	9.50	75.00
2 to 2½ ft., B. & B	2.00	14.50	125.00
2½ to 3 ft., B. & B	2.25 2.75	19.00 22.50	1 <i>5</i> 0.00
4 to 5 ft., B. & B	3.50	27.50	225.00
5 to 6 ft., B. & B	5.00	40.00	325.00
6 to 7 ft., B. & B	6.50	55.00	425.00
7 to 8 ft., B. & B	8.00	65.00	-

CHAMAECYPARIS—continued	Each	Per 10	Per 100
filifera, 15'-20'	Thre	ad Retir	nospora
Evergreen. Has long, stringy, bright green foliage. Graceful an			nes and
15 to 18 in., B. & B	.80 1.10 1.35	6.50 9.50 11.00	52.50 75.00 90.00
2½ to 3 ft., B. & B	1.90	14.50 25.00	125.00
4 to 5 ft., B. & B	4.50 5.50	37.50 47.50	300.00
—aurea, 10'-12' Golder	n Threa	ad Retin	ospora
Evergreen. Very bright, consp Grows more slowly than preceding		golden	-yellow.
12 to 15 in., B. & B	1.10	9.50	75.00
15 to 18 in., B. & B	1.35 2.25	11.00	90.00
2 to 2½ ft., B. & B	3.50	28.00	225.00
			ospora
Evergreen branchlets variegated v	with yell	low.	
12 to 15 in., B. & B	1.90	14.50	
15 to 18 in., B. & B	2.25 3.00	19.00 25.00	
plumosa, 25'-35'		ne Retin	ospora
Evergreen. Forms a dense cone of			-
shearing into formal shapes.			
15 to 18 in., B. & B	.90 1.10	7.50 9.50	60.00 75.00
2 to 2½ ft., B. & B	1.45	12.00	95.00
2½ to 3 ft., B. & B	1.75	14.50	110.00
3 to 4 ft., B. & B	2.25	19.00	150.00
4 to 5 ft., B. & B	3.00	25.00	200.00
5 to 6 ft., B. & B 6 to 7 ft., B. & B	4.50 6.00	37.50 50.00	300.00
7 to 8 ft., B. & B	7.50	60.00	400.00
8 to 9 ft., B. & B	9.00	75.00	
—argentea, 25'-35'		ip Retin	ospora
Evergreen. Tips of branchlets whi			
18 to 24 in., B. & B	2.25		
2½ to 3 ft., B. & B	3.00 3.50		
3 to 4 ft	3.75	30.00	
4 to 5 ft	5.00	40.00	
		e Retin	_
Evergreen. A very showy plant of			
12 to 15 in., B. & B	.70 .90	5.50 7.50	45.00 60.00
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 2½ ft., B. & B	1.90	14.50	125.00
$2\frac{\pi}{2}$ to 3 ft., B. & B	2.10	17.50	140.00
3 to 4 ft., B. & B	3.00	25.00	200.00
4 to 5 ft., B. & B 5 to 6 ft., B. & B	4.50 6.00	37.50 50.00	
6 to 7 ft., B. & B	8.25	67.50	
		• 3	

CHAMAECYPARIS—continued plumosa lutescens, 2½'-3'	Each		
Dwarf Yell	owplui	me Retin	ospora
Evergreen. Forms a low, broad bright yellow-tipped branchlets.	l, roun	d-topped	bush;
12 to 15 in., B. & B	.70	5.50	45.00
15 to 18 in., B. & B	1.10	8.50	67.50
18 to 24 in., B. & B	1.35	11.25	90.00
2 to 2½ ft., B. & B	2.25	19.00	150.00
		28.00	1,0.00
2½ to 3 ft., B. & B	3.50		
3 to 3½ ft., B. & B	4.50	37.50	
—nana, 2½'-3' Dwai	rf Plun	ne Retin	ospora
An excellent, hardy, dwarf variety pact foliage.	y with o	dark gree	n, com-
8 to 10 in., B. & B	1.10	9.50	75.00
10 to 12 in., B. & B	1.35	11.00	90.00
12 to 15 in., B. & B	1.90	14.50	125.00
7// -/	D	3/ (
squarrosa nana, 2½'-3'		Moss C	ypress
Dwarf dense growth. Light blue-g		ives.	
9 to 12 in., B. & B	1.65	13.50	
12 to 15 in., B. & B	2.25	15.00	
—sieboldi, 8'-10'			
Unusual variety; assumes rich deep	purple	e color in	winter.
15 to 18 in., B. & B	1.10	9.50	
18 to 24 in., B. & B	1.35	11.00	
2 to 2½ ft., B. & B	1.90	14.50	
2½ to 3 ft., B. & B	2.25	19.00	
Has light yellow tips.	iur Mo	ss Retin	ospora
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.10	9.50	75.00
18 to 24 in., B. & B	1.90	14.50	125.00
2 to 2½ ft., B. & B	2.25	19.00	150.00
2½ to 3 ft., B. & B	3.00	25.00	
3 to 3½ ft., B. & B	•	28.00	
01/2 to 4 ft D & D	3.50		
3½ to 4 ft., B. & B	4.00	35.00	
-veitchi, 25'-30'	Mo	ss Retin	ospora
Evergreen. Foliage blue-gray, feat	thery as	nd dense	giving
soft woolly appearance. Broad p			
· -		4 40	4400
12 to 15 in., B. & B	.70	5.50	45.00
15 to 18 in., B. & B	1.00	8.50	70.00
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 2½ ft., B. & B	1.90	14.50	125.00
$2\frac{1}{2}$ to 3 ft., B. & B	2.25	19.00	150.00
3 to 4 ft., B. & B	3.00	25.00	200.00
4 to 5 ft., B. & B	4.00	35.00	250.00
5 to 6 ft., B. & B	5.00	40.00	
		·	
thyoides ericoides, 6'-8' Compact shrub form. Erect dense foliage.		ar Retin	
12 to 15 in., B. & B	1.05	11.00	
	1.35		
15 to 18 in., B. & B	1.65	13.50	-
18 to 24 in., B. & B	2.25	19.00	
2 to 2½ ft., B. & B	3.00	25.00	
CHAMAEDAPHNE calyculata, 3'			herleaf
Compact growing evergreen shrul		ed with	whitish
flowers April-May; prefers peaty			
12 to 15 in., B. & B	2.00	15.00	
15 to 18 in., B. & B	2.75	22.50	-

CHIONANTHUS virginica, 15'-1	8' W	hite Fri	ngetree
Fragrant, tassel-like, white flo			
black, plum-like fruits follow.		Per 10	
18 to 24 in	·55 •70	4.70 5.50	37.50 45.00
3 to 4 ft	.80	6.50	52.50
4 to 5 ft	1.25		84.00
5 to 6 ft	1.7 <i>5</i> 2.2 <i>5</i>	15.00 19.00	125.00
CLADRASTIS lutea (tinctoria),			
A striking tree with long panicle ers in June.			
2 to 3 ft	1.35	11.00	90.00
3 to 4 ft	2.00	17.00	135.00
4 to 5 ft	3.00 3.50	25.00 27.50	200.00
6 to 7 ft	4.00	35.00	
CLEMATIS jackmani, 10'-15'	Jac	kman Cl	lematis
Large, very showy, rich purple	flowers.		
2 year No. 1		7.50	60.00
montana rubens	Ane	mone Cl	lematis
Strong grower, coiling by tendri			
when unfolding. Attractive pink June.	or light		wers in
2 year	·75	6.50	
paniculata, 20'-25'	weet Au	tumn Cl	lematis
White, fragrant flowers. Septen also attractive.	nber. Wo	oolly see	d pods
	nber. We •35	2.75	d pods 22.50
also attractive. 2 year 3 year	•3 <i>5</i>	2.7 <i>5</i> 3.50	22.50 27.50
also attractive. 2 year	•3 <i>5</i>	2.75	22.50
also attractive. 2 year 3 year 4 year viorna, 8'-10'	•35 •40 •50	2.75 3.50 4.00 Leather	22.50 27.50 35.00
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick ar	.35 .40 .50	2.75 3.50 4.00 Leather	22.50 27.50 35.00
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick ar 2 year, field grown	•35 •40 •50	2.75 3.50 4.00 Leather	22.50 27.50 35.00 rflower liage.
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick ar 2 year, field grown virginiana, 12'-15'	.35 .40 .50 and leathe	2.75 3.50 4.00 Leather er-like fo 7.50 Virgin	22.50 27.50 35.00 rflower liage.
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick as 2 year, field grown virginiana, 12'-15' White flowering; medium size.	.35 .40 .50 and leather .90	2.75 3.50 4.00 Leather er-like fo 7.50 Virgin ptember.	22.50 27.50 35.00 rflower liage.
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick ar 2 year, field grown virginiana, 12'-15'	.35 .40 .50 and leathe	2.75 3.50 4.00 Leather er-like fo 7.50 Virgin	22.50 27.50 35.00 rflower liage.
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick ar 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum	.35 .40 .50 and leathe .90 July-Sep .37	2.75 3.50 4.00 Leather er-like fo 7.50 Virgin ptember.	22.50 27.50 35.00 rflower liage. —— Bower
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick ar 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum	.35 .40 .50 and leather .90 July-Sep .37 1, 4'-10' Harlequ	2.75 3.50 4.00 Leather er-like fo 7.50 Virgin ptember. 3.00	22.50 27.50 35.00 rflower liage. ————————————————————————————————————
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick ar 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum Flowers white with conspicuous Bright blue fruit. 2 to 3 ft.	.35 .40 .50 and leather .90 July-Sep .37 1, 4'-10' Harlequ	2.75 3.50 4.00 Leather er-like fo 7.50 Virgin ptember. 3.00	22.50 27.50 35.00 rflower liage. ————————————————————————————————————
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick ar 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum Flowers white with conspicuous Bright blue fruit. 2 to 3 ft. 3 to 4 ft.	.35 .40 .50 and leather .90 July-Sep .37 a, 4'-10' Harleques, reddiant	2.75 3.50 4.00 Leather of the formula of the formu	22.50 27.50 35.00 rflower liage. ————————————————————————————————————
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick ar 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum Flowers white with conspicuous Bright blue fruit. 2 to 3 ft.	.35 .40 .50 and leather .90 July-Sep .37 a, 4'-10' Harlequis, redding	2.75 3.50 4.00 Leather of the formula of the formu	22.50 27.50 35.00 rflower liage. ————————————————————————————————————
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick ar 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum Flowers white with conspicuous Bright blue fruit. 2 to 3 ft. 3 to 4 ft.	.35 .40 .50 and leather .90 July-Sep .37 a, 4'-10' Harleques, reddiant	2.75 3.50 4.00 Leather of the formula of the formu	22.50 27.50 35.00 rflower liage. Bower 25.00 ybower calyx.
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick ar 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum Flowers white with conspicuous Bright blue fruit. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CLETHRA alnifolia, 4'-5' Spikes of very fragrant flowers.	.35 .40 .50 and leather.90 July-Sep .37 1, 4'-10' Harleques, reddis 1.65 2.25 3.00	2.75 3.50 4.00 Leather of ter-like for 7.50 Virgin ptember. 3.00 in Glory sh-brown 13.50 19.00 25.00 Summe otember.	22.50 27.50 35.00 rflower liage. Bower 25.00 ybower calyx. ersweet Prefers
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick ar 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum Flowers white with conspicuous Bright blue fruit. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CLETHRA alnifolia, 4'-5' Spikes of very fragrant flowers, moist, shady places. Also called	.35 .40 .50 and leather.90 July-Sep .37 1, 4'-10' Harleques, reddis 1.65 2.25 3.00	2.75 3.50 4.00 Leather of the form of the service	22.50 27.50 35.00 rflower liage. Bower 25.00 ybower calyx. crsweet Prefers ch.
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick ar 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum Flowers white with conspicuous Bright blue fruit. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CLETHRA alnifolia, 4'-5' Spikes of very fragrant flowers.	.35 .40 .50 and leather.90 July-Sep .37 1, 4'-10' Harleques, reddis 1.65 2.25 3.00	2.75 3.50 4.00 Leather of ter-like for 7.50 Virgin ptember. 3.00 in Glory sh-brown 13.50 19.00 25.00 Summe otember.	22.50 27.50 35.00 rflower liage. Bower 25.00 ybower calyx.
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick ar 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum Flowers white with conspicuous Bright blue fruit. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CLETHRA alnifolia, 4'-5' Spikes of very fragrant flowers. moist, shady places. Also called 12 to 18 in. 18 to 24 in. 2 to 2½ ft.	.35 .40 .50 and leather .90 July-Sep .37 .45 .55	2.75 3.50 4.00 Leather er-like fo 7.50 Virgin ptember. 3.00 in Glory sh-brown 13.50 19.00 25.00 Summe ptember. epperbus 3.00 3.75 4.75	22.50 27.50 35.00 rflower liage. Bower 25.00 ybower calyx. ersweet Prefers oh. 25.00 30.00
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick ar 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum Flowers white with conspicuous Bright blue fruit. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CLETHRA alnifolia, 4'-5' Spikes of very fragrant flowers. moist, shady places. Also called 12 to 18 in. 18 to 24 in.	.35 .40 .50 and leather .90 July-Sep .37 .45 3.00 July-Sep Sweet P	2.75 3.50 4.00 Leather er-like fo 7.50 Virgin ptember. 3.00 in Glory sh-brown 13.50 19.00 25.00 Summe ptember. epperbus 3.00 3.75	22.50 27.50 35.00 rflower liage. Bower 25.00 ybower calyx. ersweet Prefers ch. 25.00 30.00

	Each	Per 10	Per 100
COLUTEA arborescens, 8'-10' Co			
Yellow flowers. June-August. Usef			
3 to 4 ft	.60	5.00	
4 to 5 ft	.75	6.50	50.00
5 to 6 ft	.90	7.50 8.50	
6 to 8 ft	1.00	0.50	70.00
COMPTONIA asplenifolia, 3'-5'		Swee	t Fern
Leaves are fern-like. Have punge			
Splendid in masses for covering neglect. Stands severe exposures a			
	.55		
2 to 3 ft., collected clumps			50.00
			1
CORNUS alba (sibirica), 8'-10' Re			
Bright red bark, porcelain blue useful for winter effect.	Truits.	Quick g	grower;
	.30	_	
2 to 3 ft	-3 5	3.00	25.00
—elegantissima, 6'-8'	Silverbl	lotch Do	gwood
Leaves are edged with creamy wh	ite.		
2 to 3 ft	.60	5.00	
3 to 4 ft	.80 1.00	6.50 8.50	52.50 67.50
alternifolia, 15'-18'		Blue Do	
Branches spread horizontally; n black fruit. Also called Pagoda De	nost pi ogwood	cturesque .	. Blue-
2 to 3 ft	-45	3.70	30.00
3 to 4 ft	.60 .80	5.00 6.50	40.00
4 to 5 ft 5 to 6 ft	1.10	9.50	52.50 75.00
6 to 7 ft	1.45	12.00	97.50
amomum (sericea), 8'-9'		Silky Do	gwood
Pale blue fruits; young twigs	purple	. Prefers	moist
places.			
2 to 3 ft	.35	2.80	22.50
3 to 4 ft	.45 .50	3.70 4.50	30. 00 3 5. 00
5 to 6 ft	.60	5.00	40.00
6 to 7 ft	.80	6.50	
*florida, 15'-25' Whi	teflowe	ering Do	gwood
Among the best of the spring- Nursery grown, well-formed stoc		ng, small	trees.
2 to 3 ft	.70	5.50	45.00
3 to 4 ft	.90	7.50	60.00
4 to 5 ft 5 to 6 ft	1. 35 1.90	11.00 14.50	90.00 125.00
6 to 8 ft	3.00	25.00	200.00
8 to 10 ft	5.00	41.00	325.00
10 to 12 ft	7.50	60.00	
Extra heavy, bushy specimens 50%	o addit	ionai.	
_		ering Do	
Double-flowering form of the nati	ve Whi	te Dogwo	ood. In-
5 to 6 ft			
6 to 8 ft	7.00	-	

CORNUS—continued	Each	Per 10	Per 100	
*florida rubra, 15'-20'	Redflow	ering Do	gwood	
The pink flowers are more persistent than the white.				
2 to 3 ft		12.50	100.00	
3 to 4 ft		19.00	150.00	
4 to 5 ft		30.00	250.00	
5 to 6 ft		45.00 62.50	350.00 500.00	
8 to 10 ft		95.00	750.00	
10 to 12 ft		125.00		
Extra heavy, bushy specimens 3		_		
*kousa, 16'-18'	Ţ,	Kousa Do	owood	
White flowers in June. Conspi			_	
fruits, attractive to birds.				
18 to 24 in		4.70	37.50	
2 to 3 ft		5.50	45.00 67.50	
3 to 4 ft		8.50 12.50	100.00	
5 to 6 ft		19.00	150.00	
6 to 7 ft		25.00	200.00	
7 to 8 ft		31.00	250.00	
8 to 9 ft		47.00		
	_			
mas, 20'-25'		ornelian.	-	
Handsome, large shrub. Small Shining scarlet fruit in fall.	, yellow	flowers in	April.	
18 to 24 in	55	4.50	35.00	
2 to 3 ft		6.50		
3 to 4 ft	. 1.05	9.00	70.00	
paniculata, 10'-12'		Gray Do	gwood	
Numerous, small, white flower white fruits on red stems.	ers in M	ay, follo	wed by	
18 to 24 in	· •35	3.00	25.00	
2 to 3 ft		4.75	37.50	
3 to 4 ft	60	5.00		
paucinervis, 5'-6'		leleaf Do		
From Central China. Half ever character. Handsome refined sh	rub for th	ne lawn b	tinctive order.	
12 to 18 in				
18 to 24 in	. 1.00	0.50		
stolonifera, 7'-8'	Red-	osier Do	gwood	
Spreading habit; dark red bar in moist ground.	k, white	fruits. Do	es well	
18 to 24 in		3.00		
2 to 3 ft		3.75	30.00	
—lutea, 6'-7'		ntwice De	arread	
		ntwig Do	ng wood	
Has distinct yellow bark; fine				
18 to 24 in		3.00		
2 to 3 ft				
3 to 4 ft	• •55	4.50	35.00	

	Each	Per 10	Per 100
CORYLUS americana, 8'-9'	Ame	rican Ha	azelnut
One of our native, nut-bearing		that ma	ikes an
attractive addition to natural pla	nting.		
2 to 3 ft	45		
3 to 4 ft	.60	5.00	40.00
4 to 5 ft		7.00	-
5 to 6 ft		7.50	
		Purple !	
Purple-leaved form. Useful for oc	ccasion	al accents	in the
shrub border.	0.55	00.00	
3 to 4 ft		30.00	
COTONEASTER acuminata, 10'-1			
Erect shrub. Deciduous. Large dee	p-scarle	et fruits.	Similar
to Cotoneaster simonsi.	1.60		
2 to 3 ft., B. & B	1.50	17.00	
		·	
acutifolia, 10'-12'		ng Cotor	
Small pink flowers in clusters, foll		•	ruits.
12 to 15 in., 4 in. pots		4.00 5.50	
4 to 5 ft		7.50	
5 to 6 ft	1.10	9.50	75.00
6 to 7 ft	1.50	13.50	
adpressa, 18"-24"	Creepi	ng Cotor	neaster
Most prostrate of the Cotoneast	ers. E		
Flowers and fruit red. Leaves persi	istent.		
9 to 12 in., 3 in. pots			
12 to 15 in., 4 in. pots			
15 to 18 in., 6 in. pots	2.25	20.00	150.00
12 to 15 in., B. & B	1.50 2.00	12.50 17.00	135.00
18 to 24 in., B. & B	2.50	20.00	165.00
apiculata, 5'	- J -		
Glossy foliage; spreading habit; b	right r	ed berries	.
6 to 9 in., 3 in. pots	1.25		
9 to 12 in., 4 in. pots	_	12.50	
12 to 15 in., 5 in. pots	1.75	15.00	
dielsiana, 6'-8'	Die	els Cotor	neaster
Bright red fruit.			
9 to 12 in., 3 in. pots	. 75	6.00	
12 to 15 in., 4 in. pots	.90	7.50	•
15 to 18 in., 5 in. pots	1.10	9.50	
		ig Cotor	neaster
Handsome shrub bearing bright r	_		
	.60	5.00	
9 to 12 in., 4 in. pots	.90		
	1.2)	10.00	
foveolata, 6'-10' Fruits black; foliage turns bright	scarlet	in the fa	all.
9 to 12 in., 3 in. pots			30.00
12 to 15 in., 4 in. pots	.75	6.50	
15 to 18 in., 5 in. pots			
francheti, 5'-6'	Franch	iet Cotor	neaster
Evergreen. Upright-growing van	riety	with spi	reading
branches. Leaves dark green, w	hite to	mentum	under-
neath. Berries bright orange, freel			
9 to 12 in., 3 in. pots			
12 to 15 in., 4 in. pots			
15 to 18 in., 5 in. pots	1.05	9.00	70.00

COTONEASTER—continued frigida, 16'-18'	Each	Per 10	Per 100
Tall, handsome shrub or small tro			
fall and early winter with its la	arge cl	usters of	bright
red berries. 6 to 9 in., 3 in. pots	1.00	8.00	***************************************
horizontalis (davidiana), 2'-3'	Ro	ck Coto	neaster
Evergreen. Small, box-like leave	s; brig	ght red	berries;
effective among rocks.			
6 to 9 in., 3 in. pots	·35	3.00	25.00
9 to 12 in., 4 in. pots	.60 .90	5.00 7.50	40.00 60.00
—perpusilla, 2'-3'		• 3	
Smaller leaves and larger fruit the	an the t	type.	
6 to 9 in., 3 in. pots	-45	3.75	30.00
9 to 12 in., 4 in. pots	.90	7.50	60.00
12 to 15 in., 5 in. pots	1.05	9.00	70.00
—prostrata, 8'-10'			1
Evergreen shrub with long archin dense mass. Attractive foliage wit			g a low
6 to 9 in., 3 in pots	40	3.50	30.00
9 to 12 in., 4 in. pots	.70	5.50	45.00
12 to 15 in., 5 in. pots	.90	7.50	60.00
microphylla, 1½'-2'	1		kspray
Evergreen. Very small leaves, very more bushy than the Rock Cotone		p green.	Rather
6 to 9 in., 3 in. pots	-45	3 . 75	30.00
9 to 12 in., 4 in. pots	-75	6.50	
12 to 15 in., 5 in. pots	1.10	9.50 14.00	75.00 125.00
—thymifolia	1.90	14.00	723.00
Evergreen prostrate form; very	small l	eaves; e	xcellent
for rocks; red fruited.			
6 to 9 in., 3 in. pots	.60 .80	5.00 6.50	40.00
9 to 12 in., 4 in. pots	1.00	8.00	52.50 65.00
racemiflora, 8'			,
Hardy, deciduous, white flowerin	g: red	fruited.	One of
the best.	6 ,		
9 to 12 in., 4 in. pots	.90	7.50	60.00
rotundifolia (buxifolia), 11/2'-2' R	Roundle	eaf Coto	neaster
Evergreen. Prostrate-growing. Sen			
small, round green foliage and br			
6 to 9 in., 3 in. pots 9 to 12 in., 4 in. pots	.45 .60	3.7 <i>5</i> 5.00	30.00 40.00
12 to 15 in., 5 in. pots	. 75	6.50	50.00
15 to 18 in., 6 in. pots	.90	7.50	60.00
18 to 24 in., 7 in. pots	1.10	9.50 7.50	75.00 60.00
15 to 18 in., B. & B	.90 1.10	9.50	75.00
18 to 24 in., B. & B	1.65	13.50	110.00
salicifolia, 10'-12'	illowle	eaf Coto	neaster
Hardy. Partly evergreen. Graceful			
Beautiful in autumn when covere			
6 to 9 in., 3 in. pots	-4 <i>5</i> -70	3.7 <i>5</i> 5.50	30.00 45.00
12 to 15 in., 5 in. pots	.90	7.50	60.00

COTONEASTER—continued	Each	Per 10	Per 100
simonsi, 5'-6'	Simo	ns Coto	neaster
Almost evergreen. Good grower	with loc	se habit.	
6 to 9 in., 3 in. pots	45	3.75	30.00
9 to 12 in., 3½ in. pots	.60	5.00	40.00
12 to 15 in., 5 in. pots	.90	7.50	60.00
15 to 18 in., 5 in. pots	1.05 2.25	9.00	70.00
15 to 18 in., B. & B	1.65	19.00 14.50	150.00
18 to 24 in., B. & B	2.00	17.00	Minimple
2 to 3 ft., B. & B	2.25	19.00	150.00
3 to 3½ ft., B. & B	3.00	25.00	
tenuipes, 5'-6' Shrub with slender branches, black fruits.	lustrous	leaves a	and jet
6 to 9 in., 3 in. pots	1.00	8.00	65.00
9 to 12 in., 4 in. pots	1.25	10.00	
12 to 15 in., 4 in. pots	1.50	12.50	
*CRATAEGUS arnoldiana, 20'	Arı	nold Ha	wthorn
An open-headed tree having wl	nite flow	ers in M	ay and
bright crimson fruit in August.			
2 to 3 ft	1.10	9.50	75.00
3 to 4 ft	1.50	12.50	100.00
4 to 5 ft	1.90	14.50	125.00
5 to 6 ft	2.25	19.00	150.00
6 to 7 ft	3.00 4.00	25.00 35.00	200.00
8 to 9 ft	5.25	45.00	
*carrierei, 15'-20'		iere Ha	
A variety of Hawthorn very selection large with red disc and follows			
bright orange or brick red.			
2 to 3 ft	1.10	9.50	75.00
3 to 4 ft	1.50	12.50	100.00
4 to 5 ft	1.90	14.50	125.00
5 to 6 ft	3.00	25.00	200.00
6 to 7 ft	3.40	28.00	
*coccinea, 15'-20'	Thi	cket Ha	wthorn
Shrubby habit with long curved	_		_
leaves. Has large, white flowers a in autumn.	and large	, dull re	d fruits
- · · · · · ·			100.00
3 to 4 ft	1.50	12.50	
3 to 4 ft	1.50	12.50 15.00	125.00
3 to 4 ft			125.00 150.00
4 to 5 ft	1.90 2.25 3.00	15.00 19.00 25.00	
4 to 5 ft	1.90 2.25 3.00 4.50	15.00 19.00 25.00 37.50	150.00
4 to 5 ft	1.90 2.25 3.00	15.00 19.00 25.00	150.00
4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft., heavy *coccinioides, 15'-20'	1.90 2.25 3.00 4.50 5.50	15.00 19.00 25.00 37.50 47.00	150.00
4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft., heavy *coccinioides, 15'-20' Tree branches spreading, formi	1.90 2.25 3.00 4.50 5.50	15.00 19.00 25.00 37.50 47.00	150.00 200.00 ——— ndsome
4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft., heavy *coccinioides, 15'-20'	1.90 2.25 3.00 4.50 5.50	15.00 19.00 25.00 37.50 47.00	150.00 200.00 ——— ndsome
4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft., heavy *coccinioides, 15'-20' Tree branches spreading, formi head; foliage tinged red, turnin fall.	1.90 2.25 3.00 4.50 5.50	15.00 19.00 25.00 37.50 47.00	150.00 200.00 ——— ndsome
4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft., heavy *coccinioides, 15'-20' Tree branches spreading, formi head; foliage tinged red, turnin	1.90 2.25 3.00 4.50 5.50 ng a bi	15.00 19.00 25.00 37.50 47.00	150.00 200.00 ——— ndsome
4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft., heavy *coccinioides, 15'-20' Tree branches spreading, formi head; foliage tinged red, turnin fall. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft.	1.90 2.25 3.00 4.50 5.50 a bring scarlet 2.25 3.00 3.75	15.00 19.00 25.00 37.50 47.00 road, ha and ora	ndsome
4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft., heavy *coccinioides, 15'-20' Tree branches spreading, formi head; foliage tinged red, turnin fall. 5 to 6 ft. 6 to 7 ft.	1.90 2.25 3.00 4.50 5.50 ang a br g scarlet	15.00 19.00 25.00 37.50 47.00 road, ha and ora	150.00 200.00 ————————————————————————————

CRATAEGUS—continued	Each	Per 10	Per 100
*cordata, 12'-15'		gton Ha	wthorn
Berries are small, brilliant red, winter. Brilliant autumn foliage.	and pe	ersist nea	arly all
3 to 4 ft	2.20	19.00	150.00
4 to 5 ft	2.70	22.50	
6 to 8 ft	5.50 8.00	47.50	
8 to 10 ft		64.00	
*crusgalli, 15'	С	ockspur	Thorn
Deep green, shiny leaves make the white flowers are also conspicuo		norn dist	inctive;
2 to 3 ft	.90	7.50	60.00
3 to 4 ft	1.35	11.00	90.00
4 to 5 ft	1.70	14.00	110.00
5 to 6 ft	2.10	17.50 28.00	135.00
7 to 8 ft	3.50 4.50	37.50	225.00
8 to 9 ft., heavy	5.50	47.00	
9 to 10 ft., heavy	7.50	60.00	
*mollis, 15'		wny Ha	wthorn
Vigorous, large leaves; red berrie	es.		
4 to 5 ft	1.90	14.50	125.00
5 to 6 ft	2.25	19.00	150.00
6 to 7 ft 7 to 8 ft	3.00	25.00 31.00	200.00
8 to 9 ft	3.7 <i>5</i> 4.50	37.50	
9 to 10 ft	6.00	50.00	
*oxycantha, 12'-15'	Eng	lish Hav	wthorn
Single, white flowers.	Eng	nsn ma	Wthoin
2 to 3 ft	.70	5.50	45.00
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.35	11.00	90.00
5 to 6 ft	1.90	14.50	125.00
6 to 7 ft 7 to 8 ft	2.25 3.75	19.00 30.00	150.00
8 to 9 ft	5.50		
9 to 10 ft., heavy	7.50		
10 to 12 ft., heavy	10.00		
	ul Eng	lish Ha	wthorn
Double, scarlet flowers.			
3 to 4 ft	1.90 2.25	14.50 19.00	
5 to 6 ft	3.00	25.00	
6 to 7 ft	3.75	31.00	
7 to 8 ft	4.50	37.50	
*—double white, 12'-15'			
3 to 4 ft	1.90	14.50	
4 to 5 ft	2.25	19.00	
5 to 6 ft	3.00	25.00	
6 to 7 ft 7 to 8 ft	3.50 5.25		
*double pink, 12'-15'	<i>y•</i> 23		
3 to 4 ft	1.90		
4 to 5 ft	2.25		
5 to 6 ft	3.00		
6 to 7 ft	3.50	-	

CRATAEGUS—continued	Each	Per 10	Per 100
*pedicellata, 15'-20'			
Small tree having slender, sp	reading	and as	cending
branches, forming a symmetrical 2 to 3 ft	1.35	11.00	90.00
3 to 4 ft	1.90	14.50	125.00
4 to 5 ft	2.25	19.00	150.00
5 to 6 ft	3.00	25.00	
*punctata, 25'-30'	Do	tted Ha	wthorn
Broad-headed, small tree with		white flo	wers in
May; dull red, spotted fruit in (
3 to 4 ft	1.10	9.50	
4 to 5 ft	1.90	14.50	125.00
5 to 6 ft 6 to 7 ft	2.2 <i>5</i> 3.00	_	150.00
*succulenta, 15'	F	lesh Ha	wthorn
Heavily thorned; oval shape	leaves a	nd large	e white
flowers; red fruited.			
4 to 5 ft	1.75	15.00	125.00
5 to 6 ft	2.50	20.00	175.00
6 to 7 ft	3.00	25.00	200.00
pyracantha lalandi (See PYRAC	CANTE	(A)	
CRYPTOMERIA japonica lobbi,			
ortalia ominica ioobi,	Lob	b Crypt	omeria
Forms narrow, irregular column			
esque, rich bronze winter color.			
drained location.			
2 to 3 ft., B. & B	1.90	14.50	
3 to 4 ft., B. & B	3.50	28.00	225.00
4 to 5 ft., B. & B	5.50 8.00	47.00	375.00
5 to 6 ft., B. & B 6 to 7 ft., B. & B	10.00	65.00 85.00	525.00 675.00
7 to 8 ft., B. & B	13.50	110.00	
8 to 9 ft., B. & B	19.00	145.00	
CYDONIA japonica, 4'-5'	Flo	wering	Quince
Scarlet flowers in April, May.			~
12 to 18 in	.22	1.90	15.00
18 to 24 in	.30	2.50	
2 to 3 ft	-3 5	3.10	25.00
-HYBRIDS, 4'-5'			
alba, whiteflowering.			
atrococcinea plena, double redflo	wering.		
cardinalis, redflowering.	C.		
nivalis, large white flowers.			
superba atrosanguinea, redflowe	ring.		
vermilion, redflowering.			
18 to 24 in	1.10	9.50	The state of the s
2 to 3 ft	1.65	13.50	-
CYTISUS praecox alba		0 3	
Of garden origin. Slender uprig	tht or a	rching b	ranches.
Flowers yellowish-white.			
12 to 18 in., pot grown	.90		
scoparius, 4'-6'			
Scoparius, 4 -0		Scotch'	Broom
	ow flowe	Scotch'	Broom
Slender, arching shrub with yelle 6 to 9 in., 3 in. pot		ers.	Broom 20.00

——≼ D >>—

	Fach	Per 10	Der 100
DAPHNE cneorum, 1'	Each	Rose I	
Evergreen. Gray-green foliage, pink flowers in April-May. Deligh			Pretty,
6 to 9 in., B. & B	1.00 1.50	8.50 12.00	67.50 100.00
mezereum, 4' Deciduous, flowers lilac purple,		oruary I nt. Very	•
10 to 12 in	•55 •75 1.00	4.75 6.50 8.50	37.50 50.00
DAVIDIA involucrata		Dov	e Tree
Rare and choice flowering tree floral bracts. Our strain not reliab York City. Makes a fine accent tree	oly hard		
2 to 3 ft., 5-in. pots	13.50 19.00	110.00 145.00	-
DESMODIUM (See LESPEDEZ	(A)		
DEUTZIA gracilis, 3'	S	lend er I	Deutzia
Profuse bloomer, pure white, May			
12 to 15 in	.30	2.50	20.00
15 to 18 in	•3 <i>5</i> •40	3.00 3.20	
	•	_	30.00
2 to 2½ ft	· 4 5	3.75	30.00
2 to 2½ ft	•45		Panicle
		Rose 1	Panicle
—rosea, 3' Similar in growth to above but w		Rose 1	Panicle ers.
-rosea, 3' Similar in growth to above but we see that to 15 in	vith pinl .30	Rose I kish flow 2.50 3.00	Panicle ers.
-rosea, 3' Similar in growth to above but w 12 to 15 in	vith pinl •30 •35 •45	Rose I sish flow 2.50 3.00 3.70	Panicle ers.
-rosea, 3' Similar in growth to above but we 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2 ¹ / ₂ ft.	vith pinl .30 .35 .45 .50	Rose 3 sish flow 2.50 3.00 3.70 4.20	Panicle ers. 20.00 25.00
-rosea, 3' Similar in growth to above but we 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft.	vith pinl .30 .35 .45 .50	Rose I sish flow 2.50 3.00 3.70	Panicle ers. 20.00 25.00
-rosea, 3' Similar in growth to above but we 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. lemoinei, 4'-5' Large, white flowers, June, grace	rith pinl .30 .35 .45 .50 Le	Rose I sish flow 2.50 3.00 3.70 4.20 moine I	Panicle ers. 20.00 25.00 ———————————————————————————————————
-rosea, 3' Similar in growth to above but we 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. lemoinei, 4'-5' Large, white flowers, June, grace 15 to 18 in.	vith pinl .30 .35 .45 .50 Le ful.	Rose I sish flow 2.50 3.00 3.70 4.20 moine I	Panicle ers. 20.00 25.00 ——————————————————————————————————
-rosea, 3' Similar in growth to above but we 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. lemoinei, 4'-5' Large, white flowers, June, grace 15 to 18 in. 18 to 24 in.	vith pinl •30 •35 •45 •50 Le ful. •25 •37	Rose I sish flow 2.50 3.00 3.70 4.20 moine I 2.00 3.00	Panicle ers. 20.00 25.00 ———————————————————————————————————
-rosea, 3' Similar in growth to above but we 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. lemoinei, 4'-5' Large, white flowers, June, grace 15 to 18 in. 18 to 24 in.	vith pinl .30 .35 .45 .50 Le ful.	Rose I sish flow 2.50 3.00 3.70 4.20 moine I	Panicle ers. 20.00 25.00 ——————————————————————————————————
-rosea, 3' Similar in growth to above but we 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. lemoinei, 4'-5' Large, white flowers, June, grace 15 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	vith pinl .30 .35 .45 .50 Le ful. .25 .37 .45	Rose 3.50 3.00 3.70 4.20 moine I 2.00 3.00 3.75	Panicle ers. 20.00 25.00 ——— Deutzia 18.00 25.00 30.00
-rosea, 3' Similar in growth to above but we 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. lemoinei, 4'-5' Large, white flowers, June, grace 15 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. -mont rose, 4'-5' Very desirable new shrub of for	rith pinl .30 .35 .45 .50 Le ful. .25 .37 .45 .50	Rose 3 sish flow 2.50 3.70 4.20 moine I 2.00 3.75 4.50	Panicle ers. 20.00 25.00 —— Deutzia 18.00 25.00 30.00 35.00
-rosea, 3' Similar in growth to above but we 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. lemoinei, 4'-5' Large, white flowers, June, grace 15 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. -mont rose, 4'-5' Very desirable new shrub of for dium grower with attractive pink	vith pinl .30 .35 .45 .50 Le ful. .25 .37 .45 .50	Rose 3 sish flow 2.50 3.70 4.20 moine I 2.00 3.75 4.50 stroduction	Panicle ers. 20.00 25.00 Deutzia 18.00 25.00 30.00 35.00
-rosea, 3' Similar in growth to above but we 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. lemoinei, 4'-5' Large, white flowers, June, grace 15 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. -mont rose, 4'-5' Very desirable new shrub of for dium grower with attractive pink 18 to 24 in.	rith pinl .30 .35 .45 .50 Le ful. .25 .37 .45 .50	Rose 3 sish flow 2.50 3.00 3.70 4.20 moine I 2.00 3.05 4.50 stroduction	Panicle ers. 20.00 25.00 Deutzia 18.00 25.00 30.00 35.00 Me- 45.00
-rosea, 3' Similar in growth to above but we 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. lemoinei, 4'-5' Large, white flowers, June, grace 15 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. -mont rose, 4'-5' Very desirable new shrub of for dium grower with attractive pink 18 to 24 in. 2 to 2½ ft. 2 to 2½ ft. 2½ to 3 ft.	vith pinl .30 .35 .45 .50 Leful. .25 .37 .45 .50 reign in flowers	Rose 3 sish flow 2.50 3.70 4.20 moine I 2.00 3.75 4.50 stroduction	Panicle ers. 20.00 25.00 Deutzia 18.00 25.00 30.00 35.00
-rosea, 3' Similar in growth to above but we 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. lemoinei, 4'-5' Large, white flowers, June, grace 15 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. -mont rose, 4'-5' Very desirable new shrub of for dium grower with attractive pink 18 to 24 in. 2 to 2½ ft.	rith pinl .30 .35 .45 .50 Le ful25 .37 .45 .50 reign in flowers .70 .80	Rose 3 sish flow 2.50 3.00 3.70 4.20 moine I 2.00 3.00 3.75 4.50 stroduction 5.50 6.50	Panicle ers. 20.00 25.00 ——— Deutzia 18.00 25.00 30.00 35.00 on. Me- 45.00 52.50
-rosea, 3' Similar in growth to above but we 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. lemoinei, 4'-5' Large, white flowers, June, grace 15 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. -mont rose, 4'-5' Very desirable new shrub of for dium grower with attractive pink 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. scabra candidissima, 9'-10'	rith pinl .30 .35 .45 .50 Le ful25 .37 .45 .50 reign in flowers .70 .80 .90 1.10 Snow	Rose 3 sish flow 2.50 3.70 4.20 moine I 2.00 3.00 3.75 4.50 stroduction 6.50 7.50	Panicle ers. 20.00 25.00 Deutzia 18.00 25.00 30.00 35.00 Me- 45.00 52.50 60.00
Similar in growth to above but we 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. lemoinei, 4′-5′ Large, white flowers, June, grace 15 to 18 in. 2 to 3 ft. 3 to 4 ft. —mont rose, 4′-5′ Very desirable new shrub of for dium grower with attractive pink 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. scabra candidissima, 9′-10′ Graceful habit, double white, June	rith pinl .30 .35 .45 .50 Le ful25 .37 .45 .50 reign in flowers .70 .80 .90 1.10 Snowers	Rose I sish flow 2.50 3.00 3.70 4.20 moine I 2.00 3.00 3.75 4.50 stroduction 5.50 6.50 7.50 9.00 wflake I	Panicle ers. 20.00 25.00 —— Deutzia 18.00 25.00 30.00 35.00 On. Me- 45.00 60.00 Deutzia
Similar in growth to above but we 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. lemoinei, 4′-5′ Large, white flowers, June, grace 15 to 18 in. 2 to 3 ft. 3 to 4 ft. —mont rose, 4′-5′ Very desirable new shrub of for dium grower with attractive pink 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. scabra candidissima, 9′-10′ Graceful habit, double white, June 18 to 24 in.	rith pinl .30 .35 .45 .50 Leful. .25 .37 .45 .50 reign in flowers .70 .80 .90 1.10 Snowners	Rose 3 sish flow 2.50 3.00 3.70 4.20 moine I 2.00 3.05 4.50 stroduction 5.50 6.50 7.50 9.00 wflake I 2.00	Panicle ers. 20.00 25.00 ——————————————————————————————————
Similar in growth to above but we 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. lemoinei, 4′-5′ Large, white flowers, June, grace 15 to 18 in. 2 to 3 ft. 3 to 4 ft. —mont rose, 4′-5′ Very desirable new shrub of for dium grower with attractive pink 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. scabra candidissima, 9′-10′ Graceful habit, double white, June 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	rith pinl .30 .35 .45 .50 Leful. .25 .37 .45 .50 reign in flowers .70 .80 .90 1.10 Snowners	Rose I sish flow 2.50 3.00 3.70 4.20 moine I 2.00 3.00 3.75 4.50 stroduction 5.50 6.50 7.50 9.00 wflake I 2.00 3.50	Panicle ers. 20.00 25.00 25.00 30.00 35.00 On. Me- 45.00 52.50 60.00 Deutzia 18.00 27.50
Similar in growth to above but we 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. lemoinei, 4′-5′ Large, white flowers, June, grace 15 to 18 in. 2 to 3 ft. 3 to 4 ft. —mont rose, 4′-5′ Very desirable new shrub of for dium grower with attractive pink 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. scabra candidissima, 9′-10′ Graceful habit, double white, June 18 to 24 in.	rith pinl .30 .35 .45 .50 Leful. .25 .37 .45 .50 reign in flowers .70 .80 .90 1.10 Snowners	Rose 3 sish flow 2.50 3.00 3.70 4.20 moine I 2.00 3.05 4.50 stroduction 5.50 6.50 7.50 9.00 wflake I 2.00	Panicle ers. 20.00 25.00 ——————————————————————————————————

DEUTZIA—continued	Each	Per 10	Per 100
—crenata fl. pl., 6'-8'	Double	Pink	Deutzia
Pink, slightly fragrant, June.	Donbie	I IIIK	Deutzia
18 to 24 in	.25	2.00	18.00
2 to 3 ft	•40	3.50	27.50
3 to 4 ft	.50	4.00	32.50
4 to 5 ft	.60	5.00	***************************************
5 to 6 ft	-7 5	6.50	
—magnifica, 9'-10'			
One of the most desirable newer	sorts of	robust	growth
and very showy panicles of larg	e, double	white	flowers.
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.40	3.50	
3 to 4 ft	.50 .60	4.00	
4 to 5 ft		5.00	
—Pride of Rochester, 9'-10'		Flwd.	Deutzia
Vigorous, large flower tinged pin	k, June.		
18 to 24 in	.25	2.00	18.00
2 to 3 ft	.40	3.50	27.50
3 to 4 ft	.50 .60	4.00 5.00	32.50
4 to 5 ft 5 to 6 ft	.75	6.50	
<i>y</i> to 0 tu	775		
DIERVILLA sessilifolia (lutea), a South	4'-5' ern Bus	h - hone	ysuckle
Yellow, more vigorous than trific	da, June-	July.	
18 to 24 in	·3 <i>5</i>	3.00	
2 to 3 ft	-45	3.70	
3 to 4 ft	-55	4.70	37.50
trifida, 3' Dw	arf Busl	h-hone	ysuckle
Yellow, June-July. A good low sh	rub for	shady p	olaces.
12 to 18 in	-45	3.70	30.00
18 to 24 in	-55	4.70	
DIOSPYROS virginiana, 15'	Commo	n Pers	simmon
Handsome foliage.			
2 to 3 ft	. 75	6.25	
3 to 4 ft	.90	7.50	
4 to 5 ft	1.10 1.65	9.50	
5 to 6 ft	3.00		***************************************
	3,00	T . (1	1
DIRCA palustris, 6'	11		erwood
Oblong, glaucous foliage. Will do			
18 to 24 in	·3 <i>5</i>	3.00	25.00
2 to 3 ft	•55	4.75	37.50



MERCER MANOR

The columns and front of this old house were originally part of the Newkirk Mansion in Philadelphia

	Each	Per 10	Per 100
ELAEAGNUS angustifolia, 15'-18		Russia	
Silver-gray leaves and branchlets for massing.			
2 to 3 ft	-45	3.70	30.00
3 to 4 ft	.55	4.70	37.50
4 to 5 ft	.80	6.50	52.50
5 to 6 ft	1.00	8.50	67.50
6 to 7 ft	1.25	10.00	82.50
7 to 8 ft	1.50	12.50	100.00
8 to 9 ft	1.75	15.00	125.00
longipes, 6'-8'		erry Ela	
Silvery leaves, fragrant, yellow for berries ripe in July.	lowers.	May. La	rge, red
18 to 24 in	-45	3.70	30.00
2 to 3 ft	.60	5.00	40.00
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.10	9.50	75.00
5 to 6 ft	1.50	12.00	
pungens reflexa, 8'	Bro	nze Ela	eagnus
Evergreen. Foliage somewhat l smaller. Delightful, fragrant blos			es but
2 to 3 ft., B. & B	3.00	25.00	
3 to 4 ft., B. & B	4.50	37.00	
4 to 5 ft., B. & B	5.50	47.00	
umbellata, 8'-10'	Autu	ımn Ela	e agnus
Attractive, silvery foliage and ye flowers in May or June, followed in September.			
2 to 3 ft	.80	6.50	
3 to 4 ft	1.00	8.50	
5 to 6 ft	1.35	11.00	
6 to 8 ft	1.50	12.00	
ELSHOLTZIA stauntoni, 4'-5'			
Very attractive, late summer she flowers. Very showy.	rub, de	nse, lil a c	-purple
	يم مم	4.70	07.50
18 to 24 in	.5 <i>5</i> .80	4.70 6.50	37.50 52.50
ENKIANTHUS campanulatus, 20)'-25'		
		ein Enki	anthus
Handsome erect shrub of great of	rnameni	al value	Excel-
lent when associated in planting			
broadleaved evergreens. Prefers a			
15 to 18 in., B. & B		19.00	150.00
18 to 24 in., B. & B	3.00		200.00
2 to 2½ ft., B. & B	3.50	_	225.00
EUONYMUS alatus, 9'-10'		ged Euc	
Interesting, corky bark, warm cri			
Makes fine specimen shrub.			
18 to 24 in	-45	3.70	30.00
2 to 3 ft	-55	4.50	35.00
3 to 4 ft	.70	5.50	45.00
4 to 5 ft	.90	7.50	60.00
5 to 6 ft	1.35	11.00	90.00
	1.05	11100	90.00

EUONYMUS—continued	Each	Per 10	Per 100
alatus compacta Dwa	rf Wing	ged Euc	nymus
Dwarf, compact form of the type	. Splendi	d for he	edge.
2½ to 3 ft	1.10	9.50	-
3 to 3½ ft	1.35	11.00	90.00
3½ to 4 ft	_	13.50	110.00
4 to 4½ ft	2.25	19.00	
americanus, 7'-8'	Bro	ook Euc	nymus
Pink fruits; prefers moist location	ons.		
2 to 3 ft	.50	4.00	35.00
3 to 4 ft	.70	5.50	45.00
4 to 5 ft	.90	7.50	60.00
5 to 6 ft	1.10	9.50	75.00
atropurpureus, 20'-25'	Wal	noo Euc	nymus
Similar to Euonymus europaeus Purple flowers. Crimson fruits wh			
18 to 24 in	. 45	3.70	
2 to 3 ft		4.70	
3 to 4 ft	.70	5.50	
bungeanus, 12'-14'	Vinterbe	rry Euc	nymus
Fruits profusely. The orange and on bush for a long time. Good a			persist
2 to 3 ft	.40		27.50
3 to 4 ft		4.70	
4 to 5 ft	.75	6.50	50.00
5 to 6 ft	1.00	8.00	65.00
6 to 7 ft	1.15	9.50	75.00
7 to 8 ft	1.35 1.65	11.00	
	,	23.50	
	Europeai •		
Pink fruits on long stalks, persis	ting a lo	ong time	•
2 to 3 ft	. 45	3.70	30.00
3 to 4 ft	.70 .90	5.50 7.50	45.00 60.00
5 to 6 ft	1.10	9.50	75.00
6 to 7 ft	1.35	11.00	
7 to 8 ft	1.65	13.50	
*patens (sieboldianus), 6'-8'	Spread	ing Euc	nymus
Evergreen. Grows vigorously, for			
shrub; leaves persist until la fruits. Effective among denser co free from all insect attacks.			
	15	2.70	20.00
12 to 15 in	·4 <i>5</i> ·55	3.70 4.70	30.00 37.50
18 to 24 in	•33 •70	5.50	45.00
2 to 2½ ft	.90	7.50	60.00
radicans, climbing to 15'		Winter	creeper
Evergreen. Self-clinging vine. (walls, also useful for under plan			
6 to 9 in., 2 year			22.50
9 to 12 in., 3 year	·33 ·45	3.75	30.00

EUONYMUS—continued	Each	Per 10	Per 100
radicans acutus, 6'-12'	Sharpleaf	Winter	creeper
Evergreen. A graceful form, white veins, purplish underne		narrow	leaves,
9 to 12 in., 2 year		1.90	15.00
12 to 15 in., 3 year		2.80 3.70	30.00
—carrieri, 3'-4'	Glossy	Winter	creeper
Evergreen. Has large, shiny, p	ointed leav	es; bush	y habit.
9 to 12 in., 2 year		2.80	25.00
12 to 15 in., 2 year	45	3.70 4.70	-
18 to 24 in., 4 year	70	5.50	
2 to 3 ft., 5 year	80	6.50	52.00
—colorata, 6'-12'	Redleaved	Winterd	reeper
Evergreen. Long, narrow le tinged purple above. Very effe	eaves purp ective in wi	le unde nter.	erneath,
9 to 12 in., 2 year		2.80	~
12 to 15 in., 3 year		3.75	30.00
—minimus (kewensis), 6"-12"	•		_
Evergreen. Has tiny, evergreen habit. Charming rock subject.	leaves and	dainty,	trailing
3 in. pots	· · ·35	2.80	22.00
-variegatus, 12"-15" Varie	gatedleaf	Winter	creeper
Evergreen. Leaves veined and and pink. Clinging vine.			
9 to 12 in., 2 year	• •45	3.75	30.00 37.00
12 to 15 in., 3 year		4.70	
-vegetus, 3'-4'	Bigleaf		_
Evergreen. Bushy, interesting dull green; bright scarlet frui some among evergreens. Also sweet.	ts, freely p	roduced.	Hand-
9 to 12 in., 2 year	. 45	3.70	30.00
12 to 15 in., 3 year	55	4.70	37.00
15 to 18 in., 3 year	70	5.50	45.00
18 to 24 in., 4 year	80	6.50 7.50	52.50 60.00
2½ to 3 ft., 6 year	. 1.10	9.50	75.00
Wilsoni, 15'-20'	Wil	son Euo	nvmus
Climbing shrub with lance-s flowers and fruit. Tender spec	shaped lea		
2 to 3 ft	80	6.50	
yedoensis, 10'	Yed	ido Euo	nvmus
Tall upright shrubs; attractive			
2 to 3 ft		3.75	
3 to 4 ft	70	5.50	
EXOCHORDA grandiflora, 6'-	g' Comn	non Pea	rlbush
Dazzling, white flowers, May.	Is improved	d by pru	ning.
2 to 3 ft		2.80	22.50
3 to 4 ft		3.70	30.00
4 to 5 ft 5 to 6 ft	· ·55	4.70 6.50	37.50 52.50
6 to 7 ft		9.50	75.00

— ≪ F >>--

FAGUS americana, 75'-100'	A	merican	Beech
Beautiful spreading native tree o	f incom	parable	beauty.
Clean, smooth, gray bark. Excell	lent as	a hedge	or for
windbreaks.	Each		Per 100
18 to 24 in., B. & B	2.25 2.70	19.00 22.50	150.00 180.00
3 to 4 ft., B. & B	3.50	28.00	
4 to 5 ft., B. & B	5.00	42.50	325.00
5 to 6 ft., B. & B	7.00	55.00	450.00
6 to 7 ft., B. & B	9.00	75.00	600.00
sylvatica, 75'-100'		uropean	Beech
Slow-growing. Makes a large, han			00.00
18 to 24 in., B. & B	1.35 1.65	11.00 13.50	90.00 110.00
3 to 4 ft., B. & B	2.25	19.00	150.00
4 to 5 ft., B. & B	3.50	28.00	225.00
5 to 6 ft., B. & B	5.50	42.50	350.00
6 to 7 ft., B. & B	7.50	60.00	500.00
-asplenifolia, 20'-30'		Fernleaf	
Graceful. Slow of growth. Make			by tree
with finely cut leaves. Desirable 3 to 4 ft., B. & B	5.00	40.00	
	7.50	60.00	
5 to 6 ft., B. & B	10.00	_	
—pendula, 25'-40'		Veeping	Beech
The green-leaved European W			
2 to 3 ft. B. & B	4.50		
3 to 4 ft., B. & B	6.00 8.2 <i>5</i>	50.00 70.00	
5 to 6 ft., B. & B			
6 to 8 ft., B. & B			
—purpurea, 60'-75'	urple E	uropean	Beech
The purple-leaved European Beed	ch. Graf	ted plant	s.
2 to 3 ft., B. & B			
3 to 4 ft., B. & B			
-Riversi, 40'-60'	iver's E	uropean	Beech
Compact of habit. Darker purp purpurea.	le leave	s than 1	the var.
2 to 3 ft., B. & B	3.00	25.00	
3 to 4 ft., B. & B	5.00	42.50	
4 to 5 ft., B. & B	7.00		
FORSYTHIA intermedia, 6'-8'		order Fo	
Bright yellow flowers in April be fuse and beautiful.	etore lea	ives unfo	old. Pro-
18 to 24 in	.22	2.00	15.00
2 to 3 ft	·35	2.80	22.50
3 to 4 ft	.40	3.50	27.00
4 to 5 ft	-45	3.75	30.00
5 to 6 ft	•55	4.75	
intermedia spectabilis, 6'-8' Sh			
Most profuse of all, with large ers.	rich gol	den yello	ow now-
18 to 24 in	.22	2.00	15.00
2 to 3 ft	-3 <i>5</i>	2.80	22.50
3 to 4 ft	.40	3.50	27.00
4 to 5 ft 5 to 6 ft	•4 <i>5</i> •5 <i>5</i>	3.7 <i>5</i> 4.70	30.00 37.50
) 10 0 11	•55	4.70	01.50

FORSYTHIA—continued	Each	Per 10	Per 100
ovata, 6'-8'	Ko	rean Fo	rsythia
An introduction from Northern Ko			
Forsythias. Flowers pale primrose	-yellow	, produc	ed later
than the other varieties.			
18 to 24 in	.70	5.50	45.00
2 to 3 ft	1.00	8.00	
3 to 4 ft	1.50	12.50	
suspensa, 4'-6'		ping Fo	
Graceful, drooping habit; exceller			
18 to 24 in	.22	1.90	15.00
2 to 3 ft	·3 <i>5</i>	2.80	~
3 to 4 ft	·45	3.75	-
5 to 6 ft	•55 •80	4.70 6.50	37.50 52.50
—fortunei, 7'-8'		tune Fo	rsythia
Good habit; arching branches; vi	_		1.500
18 to 24 in	.22 ·35	2.00 2.80	15.00 22.50
3 to 4 ft	•33 40	3.50	27.00
4 to 5 ft	.45	3.75	30.00
5 to 6 ft	.55	4.70	37.50
6 to 7 ft	.80	6.50	52.50
viridissima, 7'-8'	Greens	stem Fo	rsvthia
Most vigorous; has green bark			
leaves. Last to flower.			Ü
18 to 24 in	.22	2.00	15.00
2 to 3 ft	•3 <i>5</i>	2.80	22.50
3 to 4 ft	.40	3.50	27.00
4 to 5 ft	-45	3.75	30.00
FOTHERGILLA major			
Hardy, densely branched shrub, li			
siderable garden merit. Fragrant	white r	lowers. E	rilliant
autumnal foliage. 6 to 12 in	1.10	9.00	
		9.00	
FRANKLINIA alatamaha (Gordor		II.	
Choice ornamental tree. Large whe shining foliage.	lite no	wers. Ha	nasome
3 in. pots	1.10	9.00	-
	1.10		te Ash
FRAXINUS americana, 70'-80'	eaging		
Fairly rapid grower; assumes plantum; good in moist soils.	casing	gorden t	ones in
6 to 8 ft	1.35	11.00	90.00
8 to 10 ft	1.90	14.50	110.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.25	19.00	150.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	25.00	190.00
12 to 14 ft., 13/4 to 2 in	4.00	35.00	
13 to 15 ft., 2 to $2\frac{1}{2}$ in	5.25	44.00	340.00
2½ to 3 in	6.00	50.00	
excelsior, 75'-100'		Europea	
Large spreading tree. A desirabl	e lawn	specime	n with
prominent black buds.	70	7 70	
4 to 5 ft 5 to 6 ft	.70 .90	5.50 7.50	
6 to 8 ft	1.35	7.50	
ornus, 35'-50'		Flowerin	og Ash
Valuable small tree with interes			
flowers.			
3 to 4 ft	1.35		
4 to 5 ft	1.90		
5 to 6 ft	2.25		

——— ← G >>---

	Each	Per 10	Per 100
GALAX aphylla			Galax
Transplanted collected clumps	.30	2.50	20.00

GENISTA scoparia (See CYTISUS)

dental A scopalia (See C111808	<i>'</i>		
—tinctoria, 3'-5'		Woad	waxen
Excellent low branching shrub as naturalize in dry locations. Light yellow pea-shaped flowers.			
18 to 24 in	•4 <i>5</i> •5 <i>5</i>	3.70 4.70	30.00 37.00

GINKGO biloba (Salisburia), 50'-75' Maidenhair-tree Picturesque, interesting, quite distinct leaves shaped like maidenhair fern; immune from insects.

6 to 8 ft	4.00	35.00	270.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	6.50	52.50	435.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	8.25	67.50	550.00
13/4 to 2 in	10.00	82.50	665.00
2 to $2^{\frac{1}{4}}$ in	13.50	112.50	900.00
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	16.00	145.00	

GLEDITSIA triacanthos, 60'-70' Common Honeylocust Thorny tree with fragrant, white flowers in May; good for gravelly soil. Not affected by borers.

4 to 6 ft	1.10	9.50	75.00
6 to 8 ft	1.90	14.50	110.00
8 to 10 ft	2.25	19.00	-
8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	25.00	
10 to 12 ft., 13/4 to 2 in	4.00	35.00	
12 to 14 ft., 2 to 2 ¹ / ₄ in	5.00	45.00	

GYMNOCLADUS dioica, 40'-50' Kentucky Coffeetree Light, blue-green foliage of slow growth; picturesque outline.

2	to	3	ft.	 .70	5.50	45.00
				 1.10	9.50	75.00
				 1.90	14.00	110.00
5	to	6	ft.	 3.00	25.00	200.00
6	to	7	ft.	 3.50	27.50	-
				 4.00	35.00	
8	to	10	ft.	 6.50	52.50	



PEEP-0'-DAY

Home of the late Laurence Hutton

	Each	Per 10	Per 100
HALESIA monticola, 60'-80'	Mour	tain Sil	verbell
Large growing tree, covered v flowers—May-June.		nspicuous	white
3 to 4 ft	1.10	8.50	
tetraptera, 12'-15'		Great Sil	
Snow-white, bell-shaped flowers			
along the branchlets. Can be grown massed.	wn as sn		
2 to 3 ft	.40	3.50	27.00
3 to 4 ft	.55 .80	4.70 6.50	37.00 52.00
5 to 6 ft	1.10	9.00	75.00
6 to 8 ft	1.50	12.00	97.00
8 to 10 ft	2.00	17.00	135.00
10 to 12 ft	3.25		
HAMAMELIS japonica, 20'-30'			
Interesting Japanese form, blosso Lemon-yellow flowers often purp			er.
2 to 3 ft		19.00	
3 to 4 ft	3.00	_	
4 to 5 ft	4.00		
virginiana, 10'-12'		on Witch	
Yellow, ribbon-like flowers, Octo habit, good foliage. Succeeds be places.			
2 to 3 ft	.70	5.50	45.00
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.10	9.00	75.00
5 to 6 ft	1.35	11.00	90.00
6 to 8 ft	2.25	14.50 19.00	110.00
HEDERA colchica dentata, 20'-50'			ch Tyy
Evergreen. Strong growing climb			
heart-shaped leaves, very decora		iaigo ov	
12 to 18 in., 3 in. pots	-45	3.75	30.00
helix, 20'-50'		Engli	sh Ivy
Evergreen. Good ground cover ideal wall cover.	in shad	y locatio	ns. An
12 to 18 in., 3 in. pots	-3 5	2.80	22.00
—baltica, 15'-25'	Har	dy Engli	sh Ivy
Small-leaved form differing little in its greater hardiness.			_
12 to 18 in., 3 in. pots	45	3.70	
—gracilis, 8'-10'	Miniatu	re Engli	sh Ivv
Evergreen. Similar to English Ivy foliage. A most graceful vine.			_
2 year, 3 in. pots	45	3.70	
HIBISCUS syriacus (Althea), 10)'-I2'	Shrub	althea
Our stock all Eastern grown.			
Rather formal in outline, flower tember. Pink, purple, red, white double. Also called Rose-of-Share	e, and b		
anemonaeflorus, double pink.	OII.		
ardens, double rose violet.			
Boule de feu, double bright red. coelestis, single blue.			
coereuleus plena, semi-double p	urple.		
•			

Comte de Hainault, double pint Duchess de Brabant, double red. Jeanne d'Arc, semi-double white. puniceus plenus, small double pint purpureus plenus, double purple. rubis, single red. Snowdrift, pure white single. totus albus, single white. violet, clair. W. R. Smith, single white.	c, whi	Per 10 te mottle	
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft.	.35 .45 .65 .80 1.10	2.80 3.75 5.50 6.50 9.00 12.50	22.50 30.00 45.00 52.50 75.00 100.00
8 to 10 ft	2.50	20.00	175.00
variegated, 6'-8' Variegated Le Leaves striped yellow; compact g			Snaron
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	.45 .80 1.10 1.35	3.70 6.50 9.00 11.00	50.00 75.00
HYDRANGEA arb. grandiflora al	ba (ste		
Large double white flower panicle	es, very		owhill August.
18 to 24 in	·35 ·45 ·55	3.00 3.70 4.70	_
4 to 5 ft	.65	5.50	
paniculata (type), 8'-9' Bears long, loose panicles of white		icle Hyd rs. August	
18 to 24 in	.27	2.25	18.00
2 to 3 ft	•35 • <u>5</u> 5	3.00 4.70	25.00 37.50
4 to 5 ft	.80	6.50	52.50
—grandiflora, 8'-9'	Pee	gee Hyd	rangea
Very showy, blooming in August.	20	2 50	20.00
18 to 24 in	.30 .40	2.50 3.50	20.00 27.00
3 to 4 ft	.55 .65	4.70 5.50	37.50
4 to 5 ft		ree Hyd	
Useful for formal effects in the ga	_	ice ilyu	angca
2 to 3 ft., medium	.70	5.50	45.00
3 to 4 ft., first class	1.00	8.50 11.00	67.50 90.00
petiolaris, 30'-50' Attractive, rampant-growing vine against large brick or stone buildi 3 in. pots, 3 year	Climb . Spleings. Cl	ing Hydi idid when ings by re	rangea n used
quercifolia, 3'-4'		eaf Hydi	rangea
Leaves shaped like an oak leaf. B ing; succeeds in shade. Very desir	eautifu		
18 to 24 in	.55	4.70	
2 to 3 ft	.80 1.10	6.50 9.00	50.00 75.00

	Each	Per 10	Per 100
HYPERICUM aureum, 3'-4'	Golden	St. Joh	nswort
Yellow. July-August. Blue-green	foliage;	dense h	abit.
18 to 24 in	·3 <i>5</i>	2.80	22.50
2 to 3 ft	.40	3.50	26.00
3 to 4 ft	.55 .80	4.70 6.50	37.50
4 to 5 ft			52.50
	Lountair		
Low spreading plant from the			
Likes a sunny, well-drained posi Rich yellow flowers about one inc			garden.
8 to 10 in	·55	4.70	37.50
10 to 12 in	.80	6.50	
densiflorum, 4'-5'			
Yellow, July-Sept. Free flowering	; good f	or sandy	soil.
18 to 24 in	.45	3.75	30.00
2 to 2½ ft	·55	4.70	37.50
2½ to 3 ft	.70	5.50 6.00	45.00
3 to 3½ ft	·7 <i>5</i>		
kalmianum, 3'-5'	Ka	ılm Hyp	ericum
18 to 24 in	•3 <i>5</i>	2.80	22.50
2 to 3 ft	•45	3.70	30.00
3 to 4 ft	.55 .80	4.70	37.50
	.00	C 1	10
moserianum, 2'			dflower
Hybrid form. Useful in the pe yellow flowers over two inches a		border.	Golden
9 to 12 in., 3½ in. pots	.45	3.75	30.00
12 to 15 in., 4 in. pots	.60	5.00	40.00
15 to 18 in., 5 in. pots	.90	7.50	
18 to 24 in., 6 in. pots			
prolificum, 4'-5'	Shrubby	St. Joh	inswort
Strong, vigorous grower. Masses very dry or sandy soils.	well as	ground (cover in
	.45	3.75	30.00
2 to 3 ft	.55	4.70	
3 to 4 ft	.80	6.50	



THE BARRACKS

Now the residence of Dr. J. D. Spaeth

AL TES

	•		
	Each	Per 10	Per 100
ILEX crenata, 8'-10'			Holly
Evergreen. Box-like leaves, rich,			
ing, makes a good hedge. Black h			
12 to 15 in., B. & B	1.10	9.00	75.00
15 to 18 in., B. & B	1.90	14.50	110.00
18 to 24 in., B. & B	3.00	25.00	190.00
2 to 2½ ft., B. & B	3.75	30.00	250.00 300.00
3 to 3½ ft., B. & B	4.50 5.50	37.50 47.50	300.00
			~~ 44
—convexa (bullata), 4'-5'	Convex		•
Choice evergreen form of slow foliage. Makes a distinctive specim		Shiny	convex
9 to 12 in., B. & B	1.65	13.50	110.00
12 to 15 in., B. & B	2.00	16.50	130.00
15 to 18 in., B. & B	2.70	22.50	180.00
crenata microphylla, 6'-8' Lit	tleleaf Ja	ipanese	Holly
Evergreen. Smaller leaves and ming.	nore hard	y than	preced-
12 to 15 in., B. & B	1.90	14.50	110.00
15 to 18 in., B. & B	2.25	19.00	150.00
18 to 24 in., B. & B	3.00	25.00	190.00
2 to 2½ ft., B. & B	4.50	37.50	300.00
$2\frac{1}{2}$ to 3 ft., B. & B	6.00	50.00	400.00
glabra, 5'-6'		In	kberry
Evergreen. Shining, dark green l	eaves, pu	rplish i	n win-
ter; black berries. Useful for sha in sun.			
15 to 18 in., B. & B	3.00	25.00	190.00
18 to 24 in., B. & B	3.50	28.00	225.00
2 to 2½ ft., B. & B	4.50	37.00	300.00
2½ to 3 ft., B. & B	5.50	47.50	-
3 to 3½ ft., B. & B	6.50	55.00	
	Mountain -		_
Deciduous shrub. Light brown learner large leaves. Fruit scarlet, the Black Alder.			
3 to 4 ft	1.65		
4 to 5 ft	1.90		
5 to 6 ft	3.00	25.00	
6 to 7 ft	3.40	28.00	
7 to 8 ft	4.00		
opaca, 45'-50'	An	nerican	Holly

Evergreen. Does best in moist, partially shaded place. Rather difficult to transplant.

2.25

3.50

5.00

7.2*5* 9.00

11.00

15.00 20.00 150.00

225.00

20.00

28.00


40.00

60.00

75.00

90.00

ILEX—continued	Each	Per 10	Per 100
verticillata (primos), 6'-8'		Wint	erberry
Bright red berries persisting to m	id mine		•
birds. Prefers moist soil. Also cal			
	ied Bra		
18 to 24 in	·3 <i>5</i>	2.80	22.50
2 to 3 ft	·5 <i>5</i>	4.50	35.00
3 to 4 ft	.70	5.50	45.00
4 to 5 ft	1.00	8.50	67.50
5 to 6 ft	1.35	11.00	90.00
6 to 7 ft	1.65	13.50	110.00
INDIGOFERA amblyantha, 6'		Pink	Indigo
Low growing shrub bearing pea	-like, ro	ose pink	flowers
abundantly produced over a long			
3 to 4 ft		9.50	
notonini 6'		Dotonin	Indico
potanini, 6'		Potanin	_
A native of China. Has rosy pur			_
A native of China. Has rosy pur tractive when used in masses.	ple flow	ers in J	_
A native of China. Has rosy pury tractive when used in masses. 2 to 3 ft	ple flow	vers in Jones 8.50	_
A native of China. Has rosy pury tractive when used in masses. 2 to 3 ft	ple flow 1.00 1.35	ers in Jones 11.00	_
A native of China. Has rosy pury tractive when used in masses. 2 to 3 ft	ple flow	vers in Jones 8.50	_
A native of China. Has rosy pury tractive when used in masses. 2 to 3 ft	ple flow 1.00 1.35	8.50 11.00 13.50	_
A native of China. Has rosy pury tractive when used in masses. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. ITEA virginica, 3'-4'	1.00 1.35 1.65	8.50 11.00 13.50 Sw	veetspire
A native of China. Has rosy pury tractive when used in masses. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. ITEA virginica, 3'-4' Spikes of fragrant, white flower	1.00 1.35 1.65	8.50 11.00 13.50 Sw	veetspire
A native of China. Has rosy pury tractive when used in masses. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. ITEA virginica, 3'-4' Spikes of fragrant, white flower places; brilliant autumn coloring	1.00 1.35 1.65	8.50 11.00 13.50 Sw. Good	reetspire for low
A native of China. Has rosy pury tractive when used in masses. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. ITEA virginica, 3'-4' Spikes of fragrant, white flower places; brilliant autumn coloring 18 to 24 in.	1.00 1.35 1.65 rs, July	8.50 11.00 13.50 Sw. Good	veetspire for low
A native of China. Has rosy pury tractive when used in masses. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. ITEA virginica, 3'-4' Spikes of fragrant, white flower places; brilliant autumn coloring 18 to 24 in. 2 to 2 ¹ / ₂ ft.	1.00 1.35 1.65 rs, July	8.50 11.00 13.50 Sw. Good 4.75 6.50	veetspire for low
A native of China. Has rosy pury tractive when used in masses. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. ITEA virginica, 3'-4' Spikes of fragrant, white flower places; brilliant autumn coloring 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft.	1.00 1.35 1.65 rs, July	8.50 11.00 13.50 Sw. Good 4.75 6.50 7.50	reetspire for low 37.50 50.00 60.00
A native of China. Has rosy pury tractive when used in masses. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. ITEA virginica, 3'-4' Spikes of fragrant, white flower places; brilliant autumn coloring 18 to 24 in. 2 to 2 ¹ / ₂ ft.	1.00 1.35 1.65 rs, July .55 .75	8.50 11.00 13.50 Sw. Good 4.75 6.50	veetspire for low



THE GRADUATE COLLEGE

This view shows the western end of Procter Hall, as seen from the garden of Wyman House, the residence of the Dean of the Graduate School

→ → J >> →

		Each	Per 10	Per 100
JASMINUI	M nudiflorum, 3'		Winter J	asmine
Yellow. One of th	April-May. Needs protene first to bloom in the sp	ection in oring.	northern	States.
	in	-3 <i>5</i>	2.80	22.50
	n	•45	3.75	30.00
2 to 3 ft		-55	4.70	37.50
stephanen	sis, 3'			
	agrant flowers of soft p	ale pink	. Tender	species.
	in	·55 .70	4.70 5.50	
JUGLANS	nigra, 80'-100'		Black V	Va.lnut
Tall, ere compoun	ct native tree, with wide d foliage. Edible fruit.	espreadi	ng branch	es. Has
	ft., 2 to $2\frac{1}{2}$ in	4.00		
	ft., $2\frac{1}{2}$ to 3 in	5.25		
12 to 14	ft., 3 to 3½ in	6.75		
JUNIPERU	JS chinensis, 15'-20'	(Chinese J	uniper
hardy ev		reen fol	iage. A sp	olendid,
2 to 2½	ft., B. & B	2.00	15.00	125.00
$\frac{2\frac{1}{2}}{2}$ to 3	ft., B. & B	2.75	22.50 28.00	175.00 225.00
1 to 5 f	t., B. & B t., B. & B	3.50 5.25	45.00	350.00
	t., B. & B	6.75	55.00	
—albovarie	g ata, 6' to 7' Whi	iteleaf (Chinese J	uniper
	luish foliage interming making very distinctive pe.			
	in., B. & B	.90	7.50	60.00
	in., B. & B	1.35	11.00	90.00
	ft., B. & B	1.80	15.00	
_	ft., B. & B	2.20	19.00	17500
3 to 4 ft	., В. & В	2.75	22.50	175.00
—columnar	is (pyramidalis), 15'-2		Chinese]	luniner
_			•	
of gray-	en. Grows rapidly, form green foliage. Spire-lik en planting.	e effect.	, narrow . Very us	eful in
	in., B. & B	1.35	11.00	90.00
	ft., B. & B	1.65	13.50	110.00
	ft., B. & B	2.75	22.50	175.00
	., B. & B	3.50	28.00	225.00
	., B. & B	4.50	37.50	300.00
	:., B. & B	6.00 7.50	50.00 60.00	400.00
	t., B. & B	9.50	80.00	
	t., B. & B	12.50	100.00	
0 10 10 1	., 2 2			

JUNIPERUS—continued	Each	Per 10	Per 100
chinensis columnaris viridis, 15'	20'	1	r:
A light green form of the algrowth.			
2 to 2½ ft., B. & B	2.25	19.00	150.00
2½ to 3 ft., B. & B	2.75	22.50	175.00
3 to 4 ft., B. & B	3.50	28.00	
4 to 5 ft., B. & B	5.00	40.00	
5 to 6 ft., B. & B	6.00	50.00	400.00
6 to 7 ft., B. & B	7.50 9.00	65.00 75.00	500.00
8 to 9 ft., B. & B	12.00	90.00	
9 to 10 ft., B. & B	15.00	125.00	
—femina, 5'-6']	Reeves	Juniper
Spreading type. Slender branches female flowers and fruit.	. Scale-lil	ke foliag	ge. Bears
2 to 2½ ft., B. & B	3.00	25.00	
2½ to 3 ft., B. & B	4.00	35.00	
3 to 4 ft., B. & B	5.50	47.00	
—neaboriensis, 7'-8'	Conical		_
Evergreen. Very formal, narrow Useful accent plant.	pyramid	. Prickly	leaves.
18 to 24 in., B. & B	2.00	15.00	125.00
2 to 2½ ft., B. & B	2.50	20.00	
2½ to 3 ft., B. & B	3.50	28.00	
3 to 4 ft., B. & B	4.50	37.50	
	5.50	47.50	
-oblonga, 7'-8'			
	1		1 (1
Evergreen. Forms a broad, irreg	ular pyra	mid wit	h feath-
Evergreen. Forms a broad, irregery branches. Grayish foliage.			h feath-
Evergreen. Forms a broad, irregery branches. Grayish foliage. 18 to 24 in., B. & B	1.10	9.00	
Evergreen. Forms a broad, irregrery branches. Grayish foliage. 18 to 24 in., B. & B			110.00 175.00
Evergreen. Forms a broad, irregrery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.10 1.65 2.50 3.50	9.00 13.50 20.00 28.00	110.00
Evergreen. Forms a broad, irregrery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.10 1.65 2.50 3.50 4.50	9.00 13.50 20.00 28.00 37.50	110.00
Evergreen. Forms a broad, irregrery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.10 1.65 2.50 3.50 4.50 6.00	9.00 13.50 20.00 28.00 37.50 50.00	110.00 175.00
Evergreen. Forms a broad, irregrery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	1.10 1.65 2.50 3.50 4.50 6.00 7.50	9.00 13.50 20.00 28.00 37.50 50.00 65.00	110.00
Evergreen. Forms a broad, irregrery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	1.10 1.65 2.50 3.50 4.50 6.00 7.50	9.00 13.50 20.00 28.00 37.50 50.00 65.00	110.00 175.00 ———————————————————————————————————
Evergreen. Forms a broad, irregrery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. Evergreen. Broad, bushy habit.	1.10 1.65 2.50 3.50 4.50 6.00 7.50	9.00 13.50 20.00 28.00 37.50 50.00 65.00 Pfitzer en folia	Juniper .ge, giv-
Evergreen. Forms a broad, irregrery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended.	1.10 1.65 2.50 3.50 4.50 6.00 7.50	9.00 13.50 20.00 28.00 37.50 50.00 65.00 Pfitzer en folia	Juniper .ge, giv-
Evergreen. Forms a broad, irregrery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —pfitzeriana, 5'-6' Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended. 15 to 18 in., B. & B.	1.10 1.65 2.50 3.50 4.50 6.00 7.50 Gray-great adaptal	9.00 13.50 20.00 28.00 37.50 50.00 65.00 Pfitzer en folia	Juniper ge, giv-dy ever-
Evergreen. Forms a broad, irregery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	1.10 1.65 2.50 3.50 4.50 6.00 7.50 Gray-great adaptal	9.00 13.50 20.00 28.00 37.50 50.00 65.00 Pfitzer en folia ble, hard	Juniper age, giv-dy ever-
Evergreen. Forms a broad, irregery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —pfitzeriana, 5'-6' Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1.10 1.65 2.50 3.50 4.50 6.00 7.50 Gray-great adaptal	9.00 13.50 20.00 28.00 37.50 50.00 65.00 Pfitzer en folia ble, hard	Juniper sge, giv-dy ever-
Evergreen. Forms a broad, irregrery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —pfitzeriana, 5'-6' Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 3 ft., B. & B.	1.10 1.65 2.50 3.50 4.50 6.00 7.50 Gray-greet adaptal	9.00 13.50 20.00 28.00 37.50 50.00 65.00 Pfitzer en foliable, hard 12.00 14.50 19.00 22.50	Juniper ge, giv-dy ever- 97.50 125.00 175.00
Evergreen. Forms a broad, irregery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —pfitzeriana, 5'-6' Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B.	1.10 1.65 2.50 3.50 4.50 6.00 7.50 Gray-greet adaptal	9.00 13.50 20.00 28.00 37.50 50.00 65.00 Pfitzer en folia ble, hard 12.00 14.50 19.00 22.50 37.50	Juniper ge, giv-ly ever- 97.50 125.00 175.00 300.00
Evergreen. Forms a broad, irreggery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —pfitzeriana, 5'-6' Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	1.10 1.65 2.50 3.50 4.50 6.00 7.50 Gray-greet adaptal	9.00 13.50 20.00 28.00 37.50 50.00 65.00 Pfitzer en foliable, hard 12.00 14.50 19.00 22.50	Juniper ge, giv-dy ever- 97.50 125.00 175.00
Evergreen. Forms a broad, irregrery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —pfitzeriana, 5'-6' Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to ½ ft., B. & B. 2 to ½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.10 1.65 2.50 3.50 4.50 6.00 7.50 Gray-greet adaptal	9.00 13.50 20.00 28.00 37.50 50.00 65.00 Pfitzer en folia ble, hard 12.00 14.50 19.00 22.50 37.50 55.00	Juniper ge, giv- 175.00 175.00 125.00 175.00 175.00 300.00 450.00
Evergreen. Forms a broad, irregrery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 6 to 7 ft., B. & B. —pfitzeriana, 5'-6' Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 6 ft., B. & B. 8 to 6 ft., B. & B. 9 to 7 ft., B. & B. 10 to 7 ft., B. & B.	1.10 1.65 2.50 3.50 4.50 6.00 7.50 Gray-greet adaptal	9.00 13.50 20.00 28.00 37.50 50.00 65.00 Pfitzer en foliable, hard 12.00 14.50 19.00 22.50 37.50 55.00 75.00 argent	Juniper ge, giv- 175.00 175.00 125.00 175.00 175.00 300.00 450.00
Evergreen. Forms a broad, irregrery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. —pfitzeriana, 5'-6' Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 6 to 7 ft., B. & B. —sargenti (green), 1½' Evergreen. Prostrate habit, grass	1.10 1.65 2.50 3.50 4.50 6.00 7.50 Gray-greet adaptal 1.45 2.00 2.25 2.75 4.50 6.75 9.00 12.00	9.00 13.50 20.00 28.00 37.50 50.00 65.00 Pfitzer en foliable, hard 12.00 14.50 19.00 22.50 37.50 55.00 75.00 argent	Juniper ge, giv-ly ever- 97.50 125.00 175.00 300.00 450.00 600.00
Evergreen. Forms a broad, irregrery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —pfitzeriana, 5'-6' Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	1.10 1.65 2.50 3.50 4.50 6.00 7.50 Gray-greet adaptal 1.45 2.00 2.25 2.75 4.50 6.75 9.00 12.00 Segreen fock plant.	9.00 13.50 20.00 28.00 37.50 50.00 65.00 Pfitzer en foliable, hard 12.00 14.50 19.00 22.50 37.50 55.00 75.00 argent oliage.	Juniper ge, giv-ly ever- 97.50 150.00 175.00 300.00 450.00 500.00
Evergreen. Forms a broad, irregrery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —pfitzeriana, 5'-6' Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	1.10 1.65 2.50 3.50 4.50 6.00 7.50 Gray-greet adaptal 1.45 2.00 2.25 2.75 4.50 6.75 9.00 12.00	9.00 13.50 20.00 28.00 37.50 50.00 65.00 Pfitzer en folia ble, hard 12.00 14.50 19.00 22.50 37.50 55.00 75.00 argent oliage.	Juniper ge, giv- iy ever- 97.50 125.00 175.00 300.00 450.00 600.00 Juniper
Evergreen. Forms a broad, irregrery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —pfitzeriana, 5'-6' Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 6 to 7 ft., B. & B. 7 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 16 to 18 in., B. & B. 17 to 18 in., B. & B. 18 to 24 in., B. & B.	1.10 1.65 2.50 3.50 4.50 6.00 7.50 Gray-greet adaptal 1.45 2.00 2.25 2.75 4.50 6.75 9.00 12.00 Segreen fock plant. 1.50	9.00 13.50 20.00 28.00 37.50 50.00 65.00 Pfitzer en foliable, hard 12.00 14.50 19.00 22.50 37.50 55.00 75.00 argent oliage.	Juniper ge, giv-ly ever- 97.50 150.00 175.00 300.00 450.00 500.00
Evergreen. Forms a broad, irregrery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —pfitzeriana, 5'-6' Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 15 in., B. & B. 6 to 7 ft., B. & B. 7 to 15 in., B. & B. 18 to 24 in., B. & B. 19 to 15 in., B. & B. 10 to 15 in., B. & B. 11 to 15 in., B. & B. 12 to 15 in., B. & B. 13 to 24 in., B. & B. 14 to 24 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 17 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1.10 1.65 2.50 3.50 4.50 6.00 7.50 Gray-greet adaptal 1.45 2.00 2.25 2.75 4.50 6.75 9.00 12.00 Segreen fock plant. 1.50 2.00 3.50 5.50	9.00 13.50 20.00 28.00 37.50 50.00 65.00 Pfitzer en folia ble, hard 12.00 14.50 19.00 22.50 37.50 55.00 75.00 argent cliage. 12.50 17.00 28.00 47.50	Juniper ge, giv- 150.00 175.00 125.00 175.00 300.00 450.00 600.00 Juniper 100.00 135.00
Evergreen. Forms a broad, irregrery branches. Grayish foliage. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —pfitzeriana, 5'-6' Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 6 to 7 ft., B. & B. 7 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 16 to 18 in., B. & B. 17 to 18 in., B. & B. 18 to 24 in., B. & B.	1.10 1.65 2.50 3.50 4.50 6.00 7.50 Gray-greet adaptal 1.45 2.00 2.25 2.75 4.50 6.75 9.00 12.00 Segreen for the ck plant. 1.50 2.00 3.50	9.00 13.50 20.00 28.00 37.50 50.00 65.00 Pfitzer en folia ble, hard 12.00 14.50 19.00 22.50 37.50 55.00 75.00 argent oliage. 12.50 17.00 28.00	Juniper ge, giv- iy ever- 97.50 125.00 175.00 300.00 450.00 600.00 Juniper

JUNIPERUS—continued		Per 10	
communis, 15'-25'		ommon	Juniper
Evergreen. Forms a vase-shaped p	lant.		
15 to 18 in., B. & B	.90	7.50	60.00
18 to 24 in., B. & B	1.10	9.00	
2½ to 3 ft., B. & B	2.25	20.00	
3 to 4 ft., B. & B	3.50	28.00	
4 to 5 ft., B. & B	4.50	37.50	
5 to 6 ft., B. & B	5.50	47.50	
communis aurea, 6'-10'		Golden	
Evergreen. Low-spreading habit. (larly bright in spring.	Golden	foliage,	particu-
2 to 2½ ft., B. & B	2.25	_	150.00
2½ to 3 ft., B. & B	3.00	25.00	190.00
3 to 3½ ft., B. & B	4.00	35.00	
—canadensis, 5'-6'		Canada :	
Evergreen. Forms a low vase-sha green above, bluish underneath.		sh. Leav	es dark
2 to 2½ ft., B. & B	1.65	13.50	110.00
3 to 4 ft., B. & B	3.50 4.50	28.00 37.50	
	4.30		
—cracovica, 20'-30'		Polish .	_
Evergreen. Upright, branching fro narrow column.	m grou	ınd, maki	ng very
18 to 24 in., B. & B	1.10	9.00	75.00
2 to 2½ ft., B. & B	1.65	13.50	110.00
3 to 4 ft., B. & B	3.00	25.00 28.00	190.00 225.00
4 to 5 ft., B. & B	3.50 Dr		
—depressa (prostrata), 2'-3' Evergreen. Branches spread almos		ostrate [
ful ground cover and rock plant.			. A use-
18 to 24 in., B. & B	1.10	9.00	
2 to 2½ ft., B. & B	1.6 5 3.00	13.50 25.00	190.00
3 to 4 ft., B. & B	3.75	30.00	250.00
4 to 5 ft., B. & B	4.50	37.50	300.00
		eading]	
New, exceedingly hardy, assumes a		ttractive,	purple
color in winter. Transplants readi		7.70	60.00
12 to 15 in., B. & B	.90 1.35	7.50 11.00	90.00
18 to 24 in., B. & B	1.90	15.00	125.00
2 to 2½ ft., B. & B	2.50	20.00	175.00
2½ to 3 ft., B. & B	3.75	30.00	250.00
3 to 4 ft., B. & B	4.50	37.50	
4 to 5 ft., B. & B	6.00	50.00	
—hibernica, 20'-30'		Trich	uniper
Erranges A many names and		111011	
Evergreen. A very narrow pyrami like effect.	d. Usef		s spire-
like effect.	d. Usef		75.00
like effect. 18 to 24 in., B. & B		ul for it	
like effect. 18 to 24 in., B. & B	1.10	ful for it	75.00
like effect. 18 to 24 in., B. & B	1.10 1.35	9.00 11.00 13.50 20.00	75.00 90.00 110.00 175.00
like effect. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.10 1.35 1.65 2.50 3.75	9.00 11.00 13.50 20.00 30.00	75.00 90.00 110.00 175.00 250.00
like effect. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	1.10 1.35 1.65 2.50 3.75 5.25	9.00 11.00 13.50 20.00	75.00 90.00 110.00 175.00

JUNIPERUS—continued	Each	Per 10	Per 100
communis suecica, 20'-30'	5	Swedish	Juniper
Quick growing. Narrow, upright f			
18 to 24 in., B. & B	.90	7.50	60.00
2 to 2½ ft., B. & B	1.35	11.00	90.00
2½ to 3 ft., B. & B	2.00	17.00	135.00
3 to 4 ft., B. & B	2.75	22.50	200.00
4 to 5 ft., B. & B	3.75	30.00	250.00
_		Swedish	
Evergreen. A narrow, compact co		of slow	growth.
Good foundation or rockery plant			
15 to 18 in., B. & B	.80	6.50	
18 to 24 in., B. & B 2 to 2½ ft., B. & B	1.10	9.00 12.50	100.00
2½ to 3 ft., B. & B	2.25	20.00	150.00
excelsa stricta, 4'-5'	Spin	y Greek	Tuniner
Evergreen. Compact, well-shaped			-
green. Most useful for formal eff			9, 9, 4,
9 to 12 in., B. & B	.65	5.50	45.00
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.10	9.00	75.00
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 2½ ft., B. & B	1.90	15.00	125.00
2½ to 3 ft., B. & B	2.50	20.00	175.00
3 to 3½ ft., B. & B	3.50	28.00	225.00
3½ to 4 ft., B. & B	4.50 6.00	37.50	
4 to 4½ ft., B. & B	7.50	50.00 65.00	
5 to 6 ft., B. & B	9.00	75.00	
6 to 7 ft., B. & B	12.00	90.00	
horizontalis (sabina prostrata), re Evergreen. Branches trail along gr work and ground covering.	round.	Adapted	to rock-
12 to 15 in., B. & B	1.00	8.50	67.50
15 to 18 in., B. & B	1.50	12.50	97.50
18 to 24 in., B. & B	2.25	19.00	150.00
2 to 2½ ft., B. & B	3.00	25.00 28.00	
3 to 3½ ft., B. & B	3.50 4.50	37.50	
—douglasi. 1'-1½'		ukegan	Tuniner
Evergreen. Long branches trailing blue foliage. A splendid ground among rocks. Distinct purple hue	d cove in win	g ground. r; also onter.	Steely- effective
15 to 18 in., B. & B	1.65	0 0	110.00
18 to 24 in., B. & B	2.25		150.00
2 to 2½ ft., B. & B	3.00 3.75		
3 to 3½ ft., B. & B	5.00		
—glauca, 1'-1½'		Creeping	g Savin
18 to 24 in., B. & B	2.50 3.50	28.00	
2½ to 3 ft., B. & B	5.00		
3 to 4 ft., B. & B	6.75	55.00	
hudsonica, 1'-11/2')	Hudson [Juniper
Excellent, trailing plant useful rapid growth.			
12 to 15 in., B. & B	1.10	9.00	75.00
and the soline D. St. D.			
15 to 18 in., B. & B	1.50	12.50	100.00

JUNIPERUS—continued	Each	Per 10	Per 100
japonica, 6'-8'	_	apanese J	·-
Evergreen. Low grower, spreadin leaves. Adapted to rock planting.			k green
15 to 18 in., B. & B	1.35	11.00	90.00
18 to 24 in., B. & B	2.2 <i>5</i> 3.50	20.00 28.00	150.00
2½ to 3 ft., B. & B	4.50	37.50	300.00
3 to 3½ ft., B. & B	5.50	47.00	
—aurea variegata, 5'-6'			
Variegated Dw Low growing form. Tips of brance			
18 to 24 in., B. & B	2.50 4.00	20.00 35.00	
sabina, 6'-7'	4.00	Savin J	uniper
Evergreen. Dense, dark green folia	ige. Sp		-
forming irregular, vase-shaped pl		o o	·
12 to 15 in., B. & B	.80	6.50	
15 to 18 in., B. & B	1.10	9.50	
18 to 24 in., B. & B	1.90 2.25	15.00 19.00	150.00
2½ to 3 ft., B. & B	3.00	25.00	200.00
3 to 3½ ft., B. & B	3.75	31.00	250.00
3½ to 4 ft., B. & B	4.50	37.50	300.00
4 to 4½ ft., B. & B	5.50	47.50	
		ix Savin J	
Evergreen. A prostrate-growing ty of soft texture.		_	
15 to 18 in., B. & B	2.00	17.00	135.00
2 to 2½ ft., B. & B	3.00 3.50	25.00 28.00	
2½ to 3 ft., B. & B	4.50	37.50	
scopolorum, 35'-50'		olorado J	uniper
Native of Colorado. Forms a broad ing branches. Foliage yellowish g	head v		
18 to 24 in., B. & B	3.50	28.00	
2 to 2½ ft., B. & B	4.50		
sphaerica (fortunei), 20'-30' Densely branched upright form.			
2½ to 3 ft., B. & B	3.50		
3 to 4 ft., B. & B	3.75	31.00	
squamata meyeri, 3'-4' A beautiful, deep blue evergreer	of d	Meyer] warf habi	
desirable.	. 01 0	Wall 11401	e, very
9 to 12 in., B. & B	.90	7.50	60.00
12 to 15 in., B. & B	1.65	13.50	90.00
15 to 18 in., B. & B	2.00	17.00	110.00
2 to 2½ ft., B. & B	3.75 5.25	31.00 45.00	250.00 350.00
3 to 3½ ft., B. & B	6.75	55.00	450.00
virginiana, 35'-50'		Re	dcedar
Our native Redcedar, all nursery g Evergreen. Forms a dense colum		ep green	foliage.
purplish in winter. Useful in for plantings.			
5 to 6 ft., B. & B	5.00	40.00	325.00
6 to 8 ft., B. & B	7.50	65.00	500.00
8 to 10 ft., B. & B	9.00	75.00	600.00
10 to 12 ft., B. & B	12.50	110.00 125.00	900.00
12 to 14 Iti, D. & D	13.00	123.00	

JUNIPERUS—continued	Fach'	Per 10	Der 100
virginiana special selected blue s			rei 100
We offer a selected strain of Ceda uniformity of shape and even, blu	ars rem	arkable fo	or their
5 to 6 ft., B. & B	6.00	50.00	400.00
6 to 8 ft., B. & B	9.00	75.00	
8 to 10 ft., B. & B	12.00	90.00	
-burki, 10'-12'	a dana	Burks J e column.	_
Evergreen. Distinct blue, forming 18 to 24 in., B. & B	1.65	13.50	110.00
2 to 2½ ft., B. & B	2.00	15.00	125.00
2½ to 3 ft., B. & B	2.50	20.00	175.00
3 to 4 ft., B. & B	3.2 <i>5</i> 4.00	27.50 35.00	200.00
5 to 6 ft., B. & B	5.50	47.50	375.00
6 to 7 ft., B. & B	7.50	65.00	
7 to 8 ft., B. & B	9.00	75.00	
—cannarti, 12'-15'	Ca	nnart Re	dcedar
Evergreen. Very deep, rich blacki		n foliage.	Dense-
growing columnar form. An aris	1.65	10.50	110.00
18 to 24 in., B. & B	2.00	13.50 15.00	110.00
2½ to 3 ft., B. & B	2.50	20.00	175.00
3 to 4 ft., B. & B	3.50	28.00	
4 to 5 ft., B. &. B 5 to 6 ft., B. & B	4.50 5.50	37.50 47.50	
			1 - 1
—elegantissima, 12'-15'		oldtip Re	
Evergreen. Bright yellow tips to be in winter. Pyramidal habit.	ranche	s, turning	Dronze
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 2½ ft., B. & B	2.00	15.00	125.00
2½ to 3 ft., B. & B	2.50 3.50	20.00 28.00	225.00
4 to 5 ft., B. & B	4.50	37.50	
— glauca, 15'-20'		Silver Re	dcedar
Evergreen. Distinct, blue-gray fol			
a tall, narrow column.	8		•
18 to 24 in., B. & B	1.65	13.50	110.00
2 to 2½ ft., B. & B	2.00	15.00 20.00	125.00
3 to 4 ft., B. & B	3.25	27.50	200.00
4 to 5 ft., B. & B	4.50	37.50	300.00
5 to 6 ft., B. & B	6.00	50.00	400.00
6 to 7 ft., B. & B 8 to 10 ft., B. & B., specimen	7.50 15.00	65.00	500.00
—globosa, 3'-4'		Globe Re	deedar
Dwarf compact form with bright			ucedai
18 to 24 in., B. & B	4.00	35.00	
2 to 2½ ft., B. & B	5.00		
—keteleeri, 15'-18'	Ke	teleer Re	dcedar
A splendid evergreen of pyramid			
green, scale-like leaves. Compact	_	•	
18 to 24 in., B. & B	1.65 2.00	13.50 15.00	110.00
2½ to 3 ft., B. & B	2.50	20.00	175.00
3 to 4 ft., B. & B	3.25	27.50	200.00
4 to 5 ft., B. & B	4.00		275.00
5 to 6 ft., B. & B	5.50 7.50	47.50 65.00	375.00
7 to 8 ft., B. & B	9.00	75.00	

JUNIPERUS—continued	Each	Per 10	Per 100
virginiana Kosteriana, 3'-4'	Ko	oster Re	edcedar
Semi-dwarf type of horizontal grov foliage.			
18 to 24 in., B. & B	3.75	31.00	
2 to 2½ ft., B. & B	5.00	40.00	
2½ to 3 ft., B. & B	6.75	55.00	
3 to 3½ ft., B. & B	8.00 9.00	65.00	
-pendula, 25'-30'	Wee	ping Re	dcedar
A weeping form of the Redcedar branches.	with sle	nder per	ndulous
3 to 4 ft., B. & B	5.50	47.00	
4 to 5 ft., B. & B	6.75	55.00	
—pyramidalis, 35'-50' Columnar in outline with dense co	-	nidal Re	edcedar
18 to 24 in., B. & B			100.00
2 to 2½ ft., B. & B	1.50 2.25	12.50 20.00	100.00
2½ to 3 ft., B. & B	3.00	25.00	200.00
3 to 4 ft., B. & B	4.00	35.00	275.00
—schotti, 12'-15'		hott Re	
Evergreen. Has fresh green foli	age. Co	mpact.	formal.
Evergreen. Has fresh green foli columnar habit. Good winter colo			formal,
columnar habit. Good winter colo	r, quite	hardy.	
columnar habit. Good winter colo		hardy. 12.50	100.00
columnar habit. Good winter colo	r, quite 1.50	hardy. 12.50	
columnar habit. Good winter colo 18 to 24 in., B. & B	1.50 2.25 3.00 3.50	hardy. 12.50 20.00	100.00
columnar habit. Good winter colo 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.50 2.25 3.00 3.50 5.00	12.50 20.00 25.00 28.00 42.50	100.00 150.00 200.00
columnar habit. Good winter colo 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	1.50 2.25 3.00 3.50 5.00 6.00	hardy. 12.50 20.00 25.00 28.00	100.00 150.00 200.00
columnar habit. Good winter colo 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.50 2.25 3.00 3.50 5.00	12.50 20.00 25.00 28.00 42.50	100.00 150.00 200.00
columnar habit. Good winter colo 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	1.50 2.25 3.00 3.50 5.00 6.00 7.50	hardy. 12.50 20.00 25.00 28.00 42.50 50.00 ——	100.00 150.00 200.00 ————————————————————————————
columnar habit. Good winter colo 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —smithi, 6′-8′ Choice variety. Compact pyramid	1.50 2.25 3.00 3.50 5.00 6.00 7.50	hardy. 12.50 20.00 25.00 28.00 42.50 50.00 ——	100.00 150.00 200.00 ————————————————————————————
columnar habit. Good winter colo 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —smithi, 6′-8′ Choice variety. Compact pyramid 18 to 24 in., B. & B.	1.50 2.25 3.00 3.50 5.00 6.00 7.50 Simbilar	hardy. 12.50 20.00 25.00 28.00 42.50 50.00 mith Ret	100.00 150.00 200.00 ————————————————————————————
columnar habit. Good winter colo 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. Choice variety. Compact pyramid 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1.50 2.25 3.00 3.50 5.00 6.00 7.50 Si —bright 2.00 2.50	hardy. 12.50 20.00 25.00 28.00 42.50 50.00 mith Ret	100.00 150.00 200.00 ————————————————————————————
columnar habit. Good winter colo 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —smithi, 6′-8′ Choice variety. Compact pyramid 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	1.50 2.25 3.00 3.50 5.00 6.00 7.50 Si —brigh 2.00 2.50 3.00	hardy. 12.50 20.00 25.00 28.00 42.50 50.00 —— mith Ret t green 17.00 20.00 25.00	100.00 150.00 200.00 ————————————————————————————
columnar habit. Good winter colo 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. Choice variety. Compact pyramid 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1.50 2.25 3.00 3.50 5.00 6.00 7.50 Si —bright 2.00 2.50	hardy. 12.50 20.00 25.00 28.00 42.50 50.00 mith Ret	100.00 150.00 200.00 ————————————————————————————
columnar habit. Good winter colo 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —smithi, 6′-8′ Choice variety. Compact pyramid 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	1.50 2.25 3.00 3.50 5.00 6.00 7.50 Simplify	hardy. 12.50 20.00 25.00 28.00 42.50 50.00 —— mith Ret t green 17.00 20.00 25.00	100.00 150.00 200.00 ————————————————————————————
columnar habit. Good winter colo 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. Choice variety. Compact pyramid 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. -tripartita, 4'-5' Evergreen. A bushy, half-upright branches.	1.50 2.25 3.00 3.50 5.00 6.00 7.50 Si —brigh 2.00 2.50 3.00 3.50	hardy. 12.50 20.00 25.00 28.00 42.50 50.00 —— mith Ret green 17.00 20.00 25.00 28.00	100.00 150.00 200.00 edcedar foliage edcedar
columnar habit. Good winter colo 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —smithi, 6′-8′ Choice variety. Compact pyramid 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. —tripartita, 4′-5′ Evergreen. A bushy, half-upright branches. 3 to 4 ft., B. & B.	1.50 2.25 3.00 3.50 5.00 6.00 7.50 Si-bright 2.00 2.50 3.00 3.50 Four grower	hardy. 12.50 20.00 25.00 28.00 42.50 50.00 —— mith Ret green 17.00 20.00 25.00 28.00 ntain Ret 37.50	100.00 150.00 200.00 edcedar foliage edcedar
columnar habit. Good winter colo 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. -smithi, 6′-8′ Choice variety. Compact pyramid 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. -tripartita, 4′-5′ Evergreen. A bushy, half-upright branches. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.50 2.25 3.00 3.50 5.00 6.00 7.50 Si —bright 2.00 2.50 3.00 3.50 Four grower	hardy. 12.50 20.00 25.00 28.00 42.50 50.00 —— mith Ret green 17.00 20.00 25.00 28.00 ntain Ret 37.50 55.00	100.00 150.00 200.00 edcedar foliage edcedar
columnar habit. Good winter colo 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —smithi, 6′-8′ Choice variety. Compact pyramid 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. —tripartita, 4′-5′ Evergreen. A bushy, half-upright branches. 3 to 4 ft., B. & B.	1.50 2.25 3.00 3.50 5.00 6.00 7.50 Si-bright 2.00 2.50 3.00 3.50 Four grower	hardy. 12.50 20.00 25.00 28.00 42.50 50.00 —— mith Ret green 17.00 20.00 25.00 28.00 ntain Ret 37.50	100.00 150.00 200.00 edcedar foliage edcedar

——≼ K ≽——

Rather an open growing bush with pretty small pink flowers June-July. Each Per 10 Per 100 12 to 15 in, B. & B	KALMIA angustifolia, 3'-4'		Sheep	-laurel
12 to 15 in., B. & B.				
latifolia, 8'-10' Mountain-laurel Evergreen. Most effective in June when the clusters of pink flowers open. Good foliage; likes shade. This stock is semi nursery grown. 15 to 18 in., B. & B.				Per 100
Evergreen. Most effective in June when the clusters of pink flowers open. Good foliage; likes shade. This stock is semi nursery grown. 15 to 18 in., B. & B.				
pink flowers open. Good foliage; likes shade. This stock is semi nursery grown. 15 to 18 in., B. & B	latifolia, 8'-10'	1	Mountain	-laurel
pink flowers open. Good foliage; likes shade. This stock is semi nursery grown. 15 to 18 in., B. & B	Evergreen. Most effective in June	when	the clus	sters of
15 to 18 in., B. & B. 1.50 12.00 97.50 18 to 24 in., B. & B. 2.00 17.00 135.00 2 to 2½ ft., B. & B. 3.00 25.00 200.00 2½ to 3 ft., B. & B. 3.75 31.00 250.00 3 to 3½ ft., B. & B. 5.50 47.00 — KERRIA japonica, 4′-5′ Single Kerria Golden-yellow flowers. June-September. Green branches. 18 to 24 in55 4.75 37.50 2 to 3 ft. 80 6.50 52.50 —fl. pl., 4′-5′ Double Kerria Similar to the preceding variety but with double flowers. 18 to 24 in75 6.50 50.00 KOELREUTERIA paniculata, 25′-30′ Varnishtree Has bright yellow flowers in July; is a valuable small flowering tree. Also called Goldenrain-tree. 3 to 4 ft. 90 7.50 60.00 4 to 5 ft. 1.35 11.00 90.00 5 to 6 ft. 1.65 13.50 110.00 6 to 7 ft. 2.25 19.00 150.00 7 to 8 ft. 3.00 25.00 200.00 8 to 9 ft. 3.75 31.00 — KOLKWITZIA amabilis, 6′-8′ Beautybush A beautiful shrub somewhat similar but much finer than any of the Weigelas. Covered in early May with mass of pink flowers. 2 to 3 ft. 45 3.70 30.00 3 to 4 ft55 4.70 37.50 4 to 5 ft55 4.70 37.50	pink flowers open. Good foliage;			
18 to 24 in., B. & B. 2.00 17.00 135.00 2 to 2½ ft., B. & B. 3.00 25.00 200.00 2½ to 3 ft., B. & B. 3.75 31.00 250.00 3 to 3½ ft., B. & B. 5.50 47.00 — KERRIA japonica, 4′-5′ Single Kerria Golden-yellow flowers. June-September. Green branches. 18 to 24 in				
2 to 2½ ft., B. & B. 3.00 25.00 200.00 2½ to 3 ft., B. & B. 3.75 31.00 250.00 3 to 3½ ft., B. & B. 5.50 47.00 — KERRIA japonica, 4'-5' Single Kerria Golden-yellow flowers. June-September. Green branches. 18 to 24 in55 4.75 37.50 2 to 3 ft. 80 6.50 52.50 —fl. pl., 4'-5' Double Kerria Similar to the preceding variety but with double flowers. 18 to 24 in75 6.50 50.00 KOELREUTERIA paniculata, 25'-30' Varnishtree Has bright yellow flowers in July; is a valuable small flowering tree. Also called Goldenrain-tree. 3 to 4 ft90 7.50 60.00 4 to 5 ft. 1.35 11.00 90.00 5 to 6 ft. 1.65 13.50 110.00 6 to 7 ft. 2.25 19.00 150.00 7 to 8 ft. 3.75 31.00 — KOLKWITZIA amabilis, 6'-8' Beautybush A beautiful shrub somewhat similar but much finer than any of the Weigelas. Covered in early May with mass of pink flowers. 2 to 3 ft. 45 3.70 30.00 3 to 4 ft55 4.70 37.50 4 to 5 ft55 4.70 37.50	15 to 18 in., B. & B	1.50	12.00	97.50
2½ to 3 ft., B. & B	18 to 24 in., B. & B	2.00	•	
Sto 3½ ft., B. & B.	2 to 2½ ft., B. & B	3.00		
KERRIA japonica, 4'-5' Single Kerria Golden-yellow flowers. June-September. Green branches. 18 to 24 in. .55 4.75 37.50 2 to 3 ft. .80 6.50 52.50 —fl. pl., 4'-5' Double Kerria Similar to the preceding variety but with double flowers. 18 to 24 in. .75 6.50 50.00 KOELREUTERIA paniculata, 25'-30' Varnishtree Has bright yellow flowers in July; is a valuable small flowering tree. Also called Goldenrain-tree. 3 to 4 ft. .90 7.50 60.00 4 to 5 ft. 1.35 11.00 90.00 5 to 6 ft. 1.65 13.50 110.00 6 to 7 ft. 2.25 19.00 150.00 7 to 8 ft. 3.00 25.00 200.00 8 to 9 ft. 3.75 31.00 — KOLKWITZIA amabilis, 6'-8' Beautybush A beautiful shrub somewhat similar but much finer than any of the Weigelas. Covered in early May with mass of pink flowers. 2 to 3 ft. 45 3.70 30.00 3 to 4 ft. .55 4.70 37.50 4 to 5 ft. .55 <t< td=""><td>2½ to 3 ft., B. & B</td><td></td><td></td><td>250.00</td></t<>	2½ to 3 ft., B. & B			250.00
Golden-yellow flowers. June-September. Green branches. 18 to 24 in	3 to 3½ ft., B. & B	5.50	47.00	***************************************
18 to 24 in	KERRIA japonica, 4'-5'		Single	Kerria
2 to 3 ft	Golden-yellow flowers. June-Septe	mber.	Green bi	ranches.
—fl. pl., 4'-5' Similar to the preceding variety but with double flowers. 18 to 24 in. .75 6.50 50.00 KOELREUTERIA paniculata, 25'-30' Has bright yellow flowers in July; is a valuable small flowering tree. Also called Goldenrain-tree. 3 to 4 ft. .90 7.50 60.00 4 to 5 ft. 1.35 11.00 90.00 5 to 6 ft. 1.65 13.50 110.00 6 to 7 ft. 2.25 19.00 150.00 7 to 8 ft. 3.00 25.00 200.00 8 to 9 ft. 3.75 31.00 KOLKWITZIA amabilis, 6'-8' Beautybush A beautiful shrub somewhat similar but much finer than any of the Weigelas. Covered in early May with mass of pink flowers. 2 to 3 ft. 45 3.70 30.00 3 to 4 ft. .55 4.70 37.50 4 to 5 ft. 80 6.50 52.50	18 to 24 in	-55		
Similar to the preceding variety but with double flowers. 18 to 24 in	2 to 3 ft	.80	6.50	52.50
18 to 24 in	—fl. pl., 4'-5'		Double	Kerria
KOELREUTERIA paniculata, 25'-30' Varnishtree Has bright yellow flowers in July; is a valuable small flowering tree. Also called Goldenrain-tree. 3 to 4 ft. .90 7.50 60.00 4 to 5 ft. 1.35 11.00 90.00 5 to 6 ft. 1.65 13.50 110.00 6 to 7 ft. 2.25 19.00 150.00 7 to 8 ft. 3.00 25.00 200.00 8 to 9 ft. 3.75 31.00 — KOLKWITZIA amabilis, 6'-8' Beautybush A beautiful shrub somewhat similar but much finer than any of the Weigelas. Covered in early May with mass of pink flowers. 2 to 3 ft. 45 3.70 30.00 3 to 4 ft. .55 4.70 37.50 4 to 5 ft. .80 6.50 52.50	Similar to the preceding variety by	it with	double:	flowers.
Has bright yellow flowers in July; is a valuable small flowering tree. Also called Goldenrain-tree. 3 to 4 ft	18 to 24 in	.75	6.50	50.00
Has bright yellow flowers in July; is a valuable small flowering tree. Also called Goldenrain-tree. 3 to 4 ft	KOELREUTERIA paniculata, 25'-	30′	Varn	ishtre e
flowering tree. Also called Goldenrain-tree. 3 to 4 ft			a valuabl	e small
4 to 5 ft				
4 to 5 ft. 1.35 11.00 90.00 5 to 6 ft. 1.65 13.50 110.00 6 to 7 ft. 2.25 19.00 150.00 7 to 8 ft. 3.00 25.00 200.00 8 to 9 ft. 3.75 31.00 — KOLKWITZIA amabilis, 6'-8' Beautybush A beautiful shrub somewhat similar but much finer than any of the Weigelas. Covered in early May with mass of pink flowers. 2 to 3 ft. 45 3.70 30.00 3 to 4 ft. 55 4.70 37.50 4 to 5 ft. 80 6.50 52.50	3 to 4 ft	.90	7.50	60.00
5 to 6 ft. 1.65 13.50 110.00 6 to 7 ft. 2.25 19.00 150.00 7 to 8 ft. 3.00 25.00 200.00 8 to 9 ft. 3.75 31.00 — KOLKWITZIA amabilis, 6'-8' Beautybush A beautiful shrub somewhat similar but much finer than any of the Weigelas. Covered in early May with mass of pink flowers. 2 to 3 ft. 45 3.70 30.00 3 to 4 ft. .55 4.70 37.50 4 to 5 ft. 80 6.50 52.50		_		90.00
6 to 7 ft. 2.25 19.00 150.00 7 to 8 ft. 3.00 25.00 200.00 8 to 9 ft. 3.75 31.00 KOLKWITZIA amabilis, 6'-8' Beautybush A beautiful shrub somewhat similar but much finer than any of the Weigelas. Covered in early May with mass of pink flowers. 2 to 3 ft. 45 3.70 30.00 3 to 4 ft. 55 4.70 37.50 4 to 5 ft. 80 6.50 52.50				_
7 to 8 ft		2.25	19.00	150.00
KOLKWITZIA amabilis, 6'-8' A beautiful shrub somewhat similar but much finer than any of the Weigelas. Covered in early May with mass of pink flowers. 2 to 3 ft	7 to 8 ft	3.00	25.00	200.00
A beautiful shrub somewhat similar but much finer than any of the Weigelas. Covered in early May with mass of pink flowers. 2 to 3 ft	8 to 9 ft	3.75	31.00	
A beautiful shrub somewhat similar but much finer than any of the Weigelas. Covered in early May with mass of pink flowers. 2 to 3 ft	KOLKWITZIA amabilis, 6'-8'		Beau	tybush
any of the Weigelas. Covered in early May with mass of pink flowers. 2 to 3 ft	A beautiful shrub somewhat simila	ar but		
3 to 4 ft	any of the Weigelas. Covered in ea			
3 to 4 ft	2 to 3 ft	45	3.70	30.00
4 to 5 ft				_
		.80		
7	5 to 6 ft	1.10	9.00	75.00



MERCER HEIGHTS

In this house General Mercer died, January 12, 1777, from wounds received in the Battle of Princeton

	Each	Per 10	Per 100
LABURNUM vulgare, 30'		Golde	enchain
Attractive, small tree with yello in long racemes.	w, pea	-shaped	flowers,
2 to 3 ft	.90	7.50	
3 to 4 ft	1.15	9.50	
4 to 5 ft	1.65	13.50	-
LARIX europaea (decidua), 50'-60		Curopean	
Especially good for spring effects;	grows	rapidly.	
3 to 4 ft., B. & B	3.00	25.00	
4 to 5 ft., B. & B	3.50	28.00	
5 to 6 ft., B. & B	4.25	35.00	
6 to 8 ft., B. & B	5.25	45.00	
8 to 10 ft., B. & B	6.25	52.50	
10 to 12 ft., B. & B	7.50	62.50	
leptolepis (kaempferi), 50'-60' Fast-growing, handsome tree, simi		Tapanese	Larch
3 to 4 ft., B. & B	2.25	19.00	150.00
4 to 5 ft., B. & B	3.00	25.00	200.00
5 to 6 ft., B. & B	3 . 75	31.00	250.00
6 to 8 ft., B. & B	5.25	45.00	350.00
8 to 10 ft., B. & B	6.75	55.00	
10 to 12 ft., B. & B	7.25	60.00	
LEIOPHYLLUM buxifolium, 1'-2'	E	Box Sand	imyrtle
Interesting low-spreading shrub similar to Boxwood. Flowers are May-June. Prefers peaty soil.			
6 to 8 in., B. & B	.90	7.50	60.00
8 to 10 in., B. & B LESPEDEZA bicolor, 8'-10'	1.10	9.50 rub Busi	75.00
Rose and white flower, July-Aug shrub; attractive clover-like folia		lender, g	graceful
2 to 3 ft	-35	3.00	25.00
3 to 4 ft	-55	4.70	37.50
4 to 5 ft	.65	5.50	45.00
5 to 6 ft	.90	7.50	60.00
formosa (Desmodium penduliflor	Pui	rple Bus	
Rosy, purple flower conspicuous in tive, herbaceous shrub.	n Septe	mber. Ar	attrac-
2 year	·3 <i>5</i>	2.80	22.50
3 year	-45	3.70	30.00
4 year	-55	4.70	37.50
4 year, extra heavy	.90	7.50	60.00
LEUCOTHOE catesbaei, 3'-4'			
Evergreen. Attractive, white flow lustrous leaves, rich autumn color planting in shade.	wers, ling. Sp	May. Ha lendid fo	or under
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.10	9.00	75.00
18 to 24 in., B. & B	1.90	15.00	125.00
2 to 2½ ft., B. & B	3.00	25.00	
2 to 2/2 tti, Di tt Di	3.00	27.00	


	Each	Per 10	Per 100
LIBOCEDRUS decurrens, 60'-75'		Incense	Cedar
Handsome tall growing tree for head. Bark reddish. Deep green tree.			
2 to 3 ft., B. & B	5.50 8.00	47.50 65.00	
3 to 4 ft., B. & B	11.00	95.00	
5 to 6 ft., B. & B	15.00	125.00	
6 to 7 ft., B. & B	19.00	145.00	
7 to 8 ft., B. & B	22.50 30.00		
	30.00	A	Daireat
Half evergreen; very hardy.		Amur	Privet
18 to 24 in	.18	1.50	12.00
2 to 3 ft	.22	1.90	15.00
3 to 4 ft	.30	2.50	20.00
ibolium, 8'-10'		Ibolium	Privet
Upright, vigorous grower, simil	ar to Ca	alifornia	Privet,
but much hardier.	0		
18 to 24 in	.18	1.50 2.00	12.00 15.00
3 to 4 ft	.30	2.50	20.00
ibota, 9'-10'		Ibota	Privet
Good dense habit; flowers and f	ruits fr		
black berries. Very hardy.			,
18 to 24 in	.22	2.00	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.45 .65	3·7 <i>5</i> 5.50	30.00 45.00
-regelianum (cuttings), 5'-6'		Regal	
Makes a splendid, low, dense her	dge: also		
bery or evergreen plantings. Ver			
12 to 15 in	.27	2.25	18.00
15 to 18 in	·3 <i>5</i>	3.00	25.00
18 to 24 in	.45 .55	3.7 <i>5</i> 4.70	30.00 37.50
2½ to 3 ft	.75	6.00	50.00
—vicary, 8'-10'	Golde	en Ibota	Privet
Striking foliage of clear, even ye			
18 to 24 in	45	3.75	30.00
2 to 3 ft	•55	4.70	37.50
3 to 4 ft	.70	5.50	45.00
lodense (nana), 2½' Very compact, dwarf form.		Pygmy	Privet
12 to 15 in	·3 <i>5</i>	2.80	22.50
15 to 18 in	-45 -55	3.70 4.70	30.00
lucidum (macrophyllum), 20'-25'			
Evergreen. Very attractive privet Hardy in the North in sheltered Waxleaf Privet.			
9 to 12 in., 3½ in. pots	.60	5.00	40.00
12 to 15 in., 4 in. pots	.75	6.50	50.00
15 to 18 in., 5 in. pots	1.10	8.50 11.00	
	1.05	11.00	

LIGUSTRUM—continued			
ovalifolium, 12'-15'	С	alifornia	Privet
Most popular hedge plant. We o stock well worth the price.			
	er 10 I	Per 100	Per 1000
12 to 18 in	•55	4.75	37.50
18 to 24 in	.65	5.50	45.00
2 to 3 ft	1.00	8.50	67.50
3 to 4 ft	1.35	11.00	90.00
4 to 5 ft	2.00	15.00	
5 to 6 ft., hvy. trsp	7.50	60.00	
-Globes			
Sheared, compact specimens.	Each	Per 10	Per 100
15 to 18 in., B. & B	1.10	9.50	75.00
15 to 10 mi, b. a. b	1.10	9.50	75.00
ovalifolium aureum, 8'-9'		Golder	Privet
, ,		Gorder	1 111100
Grows rather slowly.	0.5	2.22	
12 to 18 in	.27	2.20	18.00
18 to 24 in	·35	2.80	22.50
2 to 3 ft	.45	3.70	30.00
3 to 4 ft	-55	4.70	37.50
vulgare, 10'-12'		Europear	Privet
Creamy-white flowers. June-July.	Black		
2 to 3 ft	.27	2.20	18.00
3 to 4 ft	-35	2.80	22.50
4 to 5 ft	45	3.75	30.00
5 to 6 ft	.80	6.50	52.50
-4			
—atrovirens, 10'-12'			
Strong grower. Small-leaved form	n. Good	hedge pl	ant.
3 to 4 ft	.30	2.50	
4 to 5 ft	•5 <i>5</i>	4.70	
*LIQUIDAMBAR styraciflua, 50'	-60′	Sw	eetgum
One of the best trees for autum	n color	; grows	well in
moist places; has corky bark; r			
5 to 6 ft			
	2.75	22.50	175.00
6 to 8 ft	2.75 3.75	22.50 30.00	175.00
6 to 8 ft	3.75	30.00	250.00
6 to 8 ft		_	
6 to 8 ft	3.7 <i>5</i> 4.50	30.00 37.50	250.00
6 to 8 ft	3.75 4.50 5.75	30.00 37.50 47.50	250.00
6 to 8 ft	3.75 4.50 5.75 6.50	30.00 37.50 47.50 55.00	250.00
6 to 8 ft	3.75 4.50 5.75 6.50 7.50 10.00	30.00 37.50 47.50 55.00 65.00 82.50	250.00
6 to 8 ft. 8 to 10 ft., 1½ to 1¾ in. 1¾ to 2 in. 2 to 2¼ in. 2¼ to 2½ in. 2½ to 3 in. *LIRIODENDRON tulipifera, 66 A quick grower; the yellow, tu	3.75 4.50 5.75 6.50 7.50 10.00	30.00 37.50 47.50 55.00 65.00 82.50	250.00 300.00 ————————————————————————————
6 to 8 ft. 8 to 10 ft., 1½ to 1¾ in. 1¾ to 2 in. 2 to 2¼ in. 2¼ to 2½ in. 2½ to 3 in. *LIRIODENDRON tulipifera, 60 A quick grower; the yellow, tu duced in June.	3.75 4.50 5.75 6.50 7.50 10.00 o'-8o' lip-like	30.00 37.50 47.50 55.00 65.00 82.50 T	250.00 300.00 ————————————————————————————
6 to 8 ft. 8 to 10 ft., 1½ to 1¾ in. 1¾ to 2 in. 2 to 2¼ in. 2¼ to 2½ in. 2½ to 3 in. *LIRIODENDRON tulipifera, 66 A quick grower; the yellow, tu duced in June. 6 to 8 ft.	3.75 4.50 5.75 6.50 7.50 10.00 o'-8o' lip-like	30.00 37.50 47.50 55.00 65.00 82.50 T flowers	250.00 300.00 ————————————————————————————
6 to 8 ft. 8 to 10 ft., 1½ to 1¾ in. 1¾ to 2 in. 2 to 2¼ in. 2¼ to 2½ in. 2½ to 3 in. *LIRIODENDRON tulipifera, 66 A quick grower; the yellow, tu duced in June. 6 to 8 ft. 8 to 10 ft.	3.75 4.50 5.75 6.50 7.50 10.00 o'-8o' lip-like	30.00 37.50 47.50 55.00 65.00 82.50 T flowers	250.00 300.00 ————————————————————————————
6 to 8 ft. 8 to 10 ft., 1½ to 1¾ in. 1¾ to 2 in. 2 to ½¼ in. 2¼ to 2½ in. 2½ to 3 in. *LIRIODENDRON tulipifera, 66 A quick grower; the yellow, tu duced in June. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in.	3.75 4.50 5.75 6.50 7.50 10.00 o'-80' lip-like 1.65 2.25 3.50	30.00 37.50 47.50 55.00 65.00 82.50 T flowers	250.00 300.00 ————————————————————————————
6 to 8 ft. 8 to 10 ft., 1½ to 1¾ in. 1¾ to 2 in. 2 to 2¼ in. 2¼ to 2½ in. 2½ to 3 in. *LIRIODENDRON tulipifera, 66 A quick grower; the yellow, tu duced in June. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in.	3.75 4.50 5.75 6.50 7.50 10.00 o'-8o' lip-like 1.65 2.25 3.50 4.50	30.00 37.50 47.50 55.00 65.00 82.50 T flowers	250.00 300.00 ————————————————————————————
6 to 8 ft. 8 to 10 ft., 1½ to 1¾ in. 1¾ to 2 in. 2 to ½¼ in. 2¼ to 2½ in. 2½ to 3 in. *LIRIODENDRON tulipifera, 66 A quick grower; the yellow, tu duced in June. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in.	3.75 4.50 5.75 6.50 7.50 10.00 o'-80' lip-like 1.65 2.25 3.50	30.00 37.50 47.50 55.00 65.00 82.50 T flowers	250.00 300.00 ————————————————————————————
6 to 8 ft. 8 to 10 ft., 1½ to 1¾ in. 1¾ to 2 in. 2 to 2¼ in. 2¼ to 2½ in. 2½ to 3 in. *LIRIODENDRON tulipifera, 66 A quick grower; the yellow, tu duced in June. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 2 to 2½ in. LONICERA belgica, 12′-15′ LONICERA belgica, 12′-15′	3.75 4.50 5.75 6.50 7.50 10.00 o'-80' lip-like 1.65 2.25 3.50 4.50 5.50	30.00 37.50 47.50 55.00 65.00 82.50 T flowers 13.50 19.00 28.00 37.50 47.50 outch W	250.00 300.00 ————————————————————————————
6 to 8 ft. 8 to 10 ft., 1½ to 1¾ in. 1¾ to 2 in. 2 to 2¼ in. 2¼ to 2½ in. 2½ to 3 in. *LIRIODENDRON tulipifera, 66 A quick grower; the yellow, tu duced in June. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 2 to 2½ in	3.75 4.50 5.75 6.50 7.50 10.00 o'-80' lip-like 1.65 2.25 3.50 4.50 5.50	30.00 37.50 47.50 55.00 65.00 82.50 T flowers 13.50 19.00 28.00 37.50 47.50 outch W	250.00 300.00 ————————————————————————————
6 to 8 ft. 8 to 10 ft., 1½ to 1¾ in. 1¾ to 2 in. 2 to 2¼ in. 2¼ to 2½ in. 2½ to 3 in. *LIRIODENDRON tulipifera, 66 A quick grower; the yellow, tu duced in June. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 2 to 2½ in. *LONICERA belgica, 12′-15′ Thick, dark green leaves, und creamy flowers, purple outside.	3.75 4.50 5.75 6.50 7.50 10.00 o'-80' lip-like 1.65 2.25 3.50 4.50 5.50	30.00 37.50 47.50 55.00 65.00 82.50 The flowers 13.50 19.00 28.00 37.50 47.50 Outch Webluish. In the second se	250.00 300.00 ————————————————————————————
6 to 8 ft. 8 to 10 ft., 1½ to 1¾ in. 1¾ to 2 in. 2 to 2¼ in. 2½ to 3 in. *LIRIODENDRON tulipifera, 66 A quick grower; the yellow, tu duced in June. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 2 to 2½ in. LONICERA belgica, 12′-15′ Thick, dark green leaves, und	3.75 4.50 5.75 6.50 7.50 10.00 o'-80' lip-like 1.65 2.25 3.50 4.50 5.50	30.00 37.50 47.50 55.00 65.00 82.50 The flowers 13.50 19.00 28.00 37.50 47.50 Outch Webluish. In the second se	250.00 300.00 uliptree are pro- 110.00 150.00 coodbine fragrant,

LONICERA—continued	Each	Per 10	Per 100
bella albida, 8'-9' W	hite Bello	e Honey	suckle
Grows vigorously.			
2 to 3 ft	·3 <i>5</i>	3.00	25.00
3 to 4 ft		3.70	30.00
4 to 5 ft	.55 .65	4.70 5.50	37.50 42.50
fragrantissima, 6'-8' Fragrant, white flower, April-1	Winte:		
18 to 24 in	viay. Hall •35	3.00	25.00
2 to 3 ft	•35 •45	3.75	
3 to 4 ft	.55	4.75	_
4 to 5 ft	.75	6.50	
·	rblooming		
Flowers purple outside, yellow	inside, Ju	ly-Septer	nber.
2 year	-45	3.75	
3 year		4.7 <i>5</i> 5.50	
• • •	Japanes	_	
Rapid growing vine, blooming tember. Almost evergreen an			
valuable for covering steep ba		oc Tours	ı very
2 year	.25	2.25	18.00
3 year		3.00	25.00
4 year	•45	3.70	30.00
-aureoreticulata Yellownet Leaves veined with golden-yell		Honey	suckle
2 year	.25	2.25	18.00
3 year	-35	3.00	25.00
—halliana, 15'-25' Hall	Japanes	e Honev	suckle
Grows rampantly. Blooms freel			
2 year		2.25	18.00
3 year	·3 <i>5</i>	3.00	25.00
korolkowi floribunda Broa	d Bluelea	f Honey	suckle
18 to 24 in	•3 <i>5</i>	2.80	_
2 to 3 ft		4.70	
3 to 4 ft	1.00	6.50 8.50	
maacki, 12'-15' Vigorous grower. Thrives und		r Honey	
spreading. White flowers in Ma	ay followe	ed by red	d fruit
ripening in September.			
3 to 4 ft	·55	4.70	
5 to 6 ft	.70 .90	5.50 7.50	
			_ 1 1
—podocarpa, 8'-9' Smaller, pinkish flowers, bette		e Honey	
maacki and holds leaves longer	. Vigorous	S.	variety
18 to 24 in	.40	3.00	25.00
2 to 3 ft	.45	3.70	30.00
3 to 4 ft	.55 .80	4.70 6.50	37.50
5 to 6 ft	1.00	8.00	
6 to 7 ft	1.10	9.50	

LONICERA—continued	Each	Per 10	Per 100
minutiflora, 7'-8'	nchberry	Honey	suckle
Attractive bush form, with red f		0	
18 to 24 in	•35	2.80	22.50
2 to 3 ft	.40	3.00	25.00
3 to 4 ft	.45	3.70	30.00
4 to 5 ft	.55 .80	4.70 6.50	37.50
			1.1.
morrowi, 7'-8'		v Honey	
Spreading habit, white, May-Jur	ne; good	foliage.	Either
red or yellow fruited plants.	.30	2.50	20.00
2 to 3 ft	·35	3.00	25.00
3 to 4 ft	.45	3.70	30.00
4 to 5 ft	.6ó	5.00	40.00
nitida, 3'	Shin	y Honey	suckle
A neat evergreen for the rock g			
leaves. Needs protection.	aruen wi	in Sinair	grossy
6 to 9 in., 3 in. pots	.45	3.75	30.00
9 to 12 in., 4 in. pots	.70	5.50	
12 to 15 in., 4 in. pots	1.00	8.50	
15 to 18 in., 5 in. pots	1.35	11.00	
pileata, 1½'-2'	Prive	t Honey	suckle
An evergreen prostrate form wit			
and purple fruits. Suitable for the location.			
6 to 9 in., 4 in. pots	.60	5.00	40.00
9 to 12 in., 5 in. pots	.90	7.50	60.00
	• • • • • • • • • • • • • • • • • • • •	7.50	
punicea			
Moderate-growing vine. Twining flower with orange-red corolla.	g by st	ems. Att	ractive
18 to 24 in	.45	3.70	30.00
2 to 3 ft	.55	4.70	_
3 to 4 ft	.70	5.50	45.00
ruprechtiana, 8'-9' Ma	nchuriar	Honey	suckle
Creamy-white flowers, June.		-	
orange.	DCTTTCU	, bon	
18 to 24 in	.25	2.25	18.00
2 to 3 ft	·35	2.80	22.50
3 to 4 ft	.40	3.35	26.50
4 to 5 ft	.45	3.70	30.00
5 to 6 ft	.55	4.70	37.50
6 to 7 ft	.80	6.50	52.50
sempervirens, 15'-20'	Trumpe	t Honey	suckle
Thrifty, high climbing vine. Shin	y foliage	. Flowers	scarlet
or orange-red.	,		
2 year	. 35	2.80	
3 year	-45	3.70	
syringantha, 4'-5'	Lila	Honey	suckle
Attractive, but little known, sl grant, pale, rosy-lilac flowers.	ow-grow	ing shru	b. Fra-
18 to 24 in	45	3.70	-
2 to 2½ ft	.55	4.70	
—Wolfi, 4'-5'	Wol	f Honey	suckle
Graceful refined shrub for the la			
prostrate branches. Bluish-green			dowers.
18 to 24 in		5.00	
2 to 3 ft	.75	6.00	

LONICERA—continued	Each	Per 10	Per 100	
tatarica, Pink and White, 9'-10'	Tataria	n Honey	ysuckle	
Flowers and fruit freely produced. A most adaptable				
shrub.			•	
18 to 24 in	.30	2.50	20.00	
2 to 3 ft	•35	3.00	25.00	
3 to 4 ft	.40	3.35	26.50	
4 to 5 ft	45	3.70	30.00	
5 to 6 ft	-55	4.70	37.50	
-pulcherrima, 9'-10' Bright Red	l Tataria	n Hone	vsuckle	
Handsome red-flowered form of				
18 to 24 in	·3 <i>5</i>	2.80	22.50	
2 to 3 ft	-45	3.70	30.00	
3 to 4 ft	.55	4.70	37.50	
4 to 5 ft	.80	6.50		
-sibirica, 9'-10' Red	Tataria	n Hone	ysuckle	
2 to 3 ft	-45			
3 to 4 ft	.55	4.70		
4 to 5 ft	.65	5.50		
thibetica, 3'-4'	Tibeta	n Hone	vsuckle	
Small, gray-green foliage and				
Handsome, small shrub for rock		Parpro		
12 to 15 in	-45	3.75	30.00	
15 to 18 in	.80	6.50		
18 to 24 in	1.10	9.50		
LYCIUM chinense, 10'-12'	hinese N		n w_win e	
Violet flowers in June, followed			_	
ful for holding banks or hang				
18 to 24 in	.22	2.00	15.00	
2 to 3 ft	.25	2.25	~	
3 to 4 ft	·3 <i>5</i>	2.80		
*LYONIA ligustrina, 10'-12'	H	Ie-Huck	leberry	
Has attractive white flowers May-July.				
18 to 24 in	• •	5.50		
2 to 3 ft	1.00	8.50		



THE STONY BROOK BRIDGE

This triple-arched bridge on the Lincoln Highway, just west of the town, was erected in 1792 to replace the bridge built in 1738 and destroyed in the Battle of Princeton

——≼ M ≽——

	Fach	Per 10	Per 100
MAGNOLIA acuminata, 70'-80'	Lacii	Cucum	
Pyramidal habit, vigorous growth greenish-yellow; pink fruit.	; large		
3 to 4 ft	1.65		
4 to 5 ft	2.25		
5 to 6 ft	3.00		
6 to 7 ft	3.50	-	
conspicua, 25'-30'			Yulan
Tree with spreading branches; large flowers before leaves in April or 1		te, sweet	scented
2 to 3 ft., B. & B	3 . 75	30.00	250.00
3 to 4 ft., B. & B	5.50	47.50 65.00	375.00
4 to 5 ft., B. & B	7.50		500.00
glauca, 15'-20' Delightfully fragrant, creamy flo		May. G	reetbay laucous
leaves, nearly evergreen. Prefers			
18 to 24 in., B. & B	1.50 2.00	12.50 17.50	100.00
3 to 4 ft., B. & B	3.00	25.00	200.00
4 to 5 ft., B. & B	4.50	37.50	300.00
5 to 6 ft., B. & B	6.00	50.00	400.00
	13.50	110.00	
	16.50	135.00	
grandiflora, 60'-75' Handsome evergreen specimen tre		hern Ma	_
shiny, leathery leaves. Flowers cr			
grant.		•	
3 to 4 ft., B. & B	3.00	25.00	
4 to 5 ft., B. & B	4.50	37.50	
5 to 6 ft., B. & B 6 to 8 ft., B. & B	6.7 <i>5</i>	55.00 85.00	
—lanceolata, 60'-75' Narrowles			agnolia
Similar to the type, with narrow la			
2 to 3 ft., B. & B	2.25		
3 to 4 ft., B. & B	4.50		
kobus, 20'-30'	K	obus Ma	gnolia
White flowers in April or May bed hardiest magnolias.	fore lea	ves; one	of the
2 to 3 ft., B. & B	2.00	17.50	135.00
3 to 4 ft., B. & B	3.00	25.00	200.00
5 to 6 ft., B. & B	4.50 6.75	37.50 55.00	300.00 4 <i>5</i> 0.00
6 to 7 ft., B. & B	9.00	75.00	600.00
lilliflora nigra, 8'-10' Purple	leaved	Lilv Ma	gnolia
Large shrub with conspicuous flow outside and pink on the inside.			-
2 to 2½ ft., B. & B	2.25	19.00	
2½ to 3 ft., B. & B	3.00	-	
macrophylla, 25'-40'	Bi	gleaf Ma	gnolia
Rapid-growing, medium-sized tr large, from 1-3' long. Flowers al			
across.	0.00	2500	
18 to 24 in., B. & B	3.00 3.75	25.00 30.00	
3 to 4 ft., B. &. B	5.25	45.00	
4 to 5 ft., B. & B	6.00	50.00	
5 to 6 ft., B. & B	8.00	65.00	And the second second


MAGNOLIA—continued	Each	Per 10	Per 100	
parviflora, 25'-30'	CO	yama Ma	agnolia	
A native of Japan. Small tree with fragrant white cupshaped flowers produced in June. A fine accent and specimen tree.				
2 to 3 ft., B. & B	5.50 7.50	47.50 65.00		
soulangeana, 15'-18'	Sa	aucer M	agnolia	
Large, purplish-pink and white transplanted in early spring.	flower	s in Ma	y. Best	
2 to 3 ft., B. & B	2.00	17.00	135.00	
3 to 4 ft., B. & B	3.00	25.00	200.00	
4 to 5 ft., B. & B	5.00 8.00	40.00 65.00	325.00	
5 to 6 ft., B. & B	10.50	97.50	525.00 700.00	
7 to 8 ft., B. & B	12.50	110.00		
soulangeana alba superba, 15'-18'			o an olio	
	_	aucer M	_	
White to light pink flowers; in clangeana.	other r	espects 1.	ike sou-	
2 to 3 ft., B. & B	3.75	31.00	250.00	
3 to 4 ft., B. & B	6.00	50.00	400.00	
4 to 5 ft., B. & B	9.00	75.00	Secretary Secret	
5 to 6 ft., B. & B	12.50			
—alexandrina, 15'-18'	Alexa	ander M	agnolia	
This variety is very similar to soul later and slightly deeper color.	angean	a, but a f	ew days	
18 to 24 in., B. & B	3.00	25.00		
2 to 3 ft., B. & B	4.00	35.00	***************************************	
—lennei, 15'-18'	I	Lenne M	agnolia	
Rich, deep purple flowers in April	l .			
2 to 3 ft., B. & B	4.00	35.00	275.00	
3 to 4 ft., B. & B	6.00	50.00	400.00	
4 to 5 ft., B. & B 5 to 6 ft., B. & B	9.00	75.00	600.00	
6 to 7 ft., B. & B	13.50 16.50			
-rustica, 15'-18'	irnle S	aucer M	agnolia	
Hybrid variety of soulangeana. F	_		_	
2 to 3 ft., B. & B	4.50	37.50		
3 to 4 ft., B. & B	6.75	55.00		
4 to 5 ft., B. & B	9.00	75.00	-	
5 to 6 ft., B. & B	11.00	95.00	*****	
6 to 7 ft., B. & B	13.50	110.00		
stellata, 8'-10'		Star M	lagnolia	
Spreading, shrubby habit, fragra	ant, sei		•	
flowers appearing long before the	e leave	S.	-, WILLE	
18 to 24 in., B. & B	2.00	17.00	135.00	
2 to 2½ ft., B. & B	2.75	22.50	175.00	
2½ to 3 ft., B. & B	4.2 <i>5</i> 6.50	35.00 55.00	275.00 425.00	
4 to 5 ft., B. & B	9.75	. 80.00	650.00	
5 to 6 ft., B. & B	13.50	110.00		

MAGNOLIA—continued	Each	Per 10	Per 100
tripetala, 30'-40'	Umb	rella Ma	gnolia
Very large leaves; flowers white,	and see	ed pods a	re pink.
3 to 4 ft	1.35	11.00	90.00
4 to 5 ft	1.65	13.50	110.00
5 to 6 ft	2.00	17.00	135.00
6 to 7 ft	3.00	25.00 28.00	200.00
7 to 8 ft	3.50 3.75	31.00	225.00
9 to 10 ft	4.50	37.50	
MAHONIA aquifolium, 4'-5'			
Evergreen. Shining, green leaves tumn; striking in May when y blue-black fruits. Best in half-sh	rellow		
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.25	9.50	75.00
18 to 24 in., B. & B	1.65	13.50	110.00
2 to 2½ ft., B. & B	2.25	19.00	
2½ to 3 ft., B. & B	3.00	25.00	
3 to $3\frac{1}{2}$ ft., B. & B., specimen $3\frac{1}{2}$ to 4 ft., B. & B., specimen	3.75	31.00	
372 to 4 ft., B. & B., specimen	5.50		
bealei (japonica), 8'-10' Native of the Orient. Holly-like is the leaves are much larger than of a sheltered location.	n appe	arance, al	though
6 to 12 in., B. & B	1.50	12.50	
MALUS aldenhamensis, 25'-40' A variety popular in Europe. Red- Fine tree for the border screen.	dish ca	st to the :	foliage.
5 to 6 ft	2.25		-
6 to 8 ft	3.00	25.00	
8 to 10 ft	3.50	28.00	-
arnoldiana, 8'-10'		Arnol	d Crab
White flowers. Compact habit.			
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.20	9.00	75.00
5 to 6 ft	1.50	12.50	100.00
6 to 8 ft	2.00		
atrosanguinea, 10'-15' Single, red flowers freely borne.		Carmin	e Crab
3 to 4 ft		7.50	60.00
4 to 5 ft	.90 1.20	9.00	75.00
5 to 6 ft	1.50	12.50	100.00
6 to 8 ft	2.00	17.00	
8 to 9 ft	3.00		
baccata, 20'-25'		Siberia	n Crab
Very hardy; one of the earliest blossoms in great profusion, follow or red fruit.	to blowed by	oom. Pure wax-like,	white yellow
3 to 4 ft	1.00	8.00	70.00
4 to 5 ft	1.35	11.00	90.00
5 to 6 ft	1.90	15.00	125.00
6 to 8 ft	2.50	20.00	175.00
8 to 10 ft	3.50	28.00	

MALUS—continued		Per 10	
coronaria, 15'-20'		ild Swee	
Fragrant, blush-pink flowers in ear			le.
4 to 5 ft	1.50	12.50 15.00	
6 to 8 ft	2.50	20.00	
8 to 10 ft	4.50		
dekoni echtermeyer, 10'-15'			
4 to 5 ft	2.00	17.00	
5 to 6 ft	3.00 3.50	25.00	
floribunda, 10'-15' Japa	nese]	Flowerin	g Crab
Literally covered with single, r early spring. Yellow fruits.			
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.20	9.00 12.50	75.00
6 to 7 ft	2.00	17.00	
—purpurea, 10'-15'			e Crab
A very attractive, purple-foliaged	type	of the ab	ove.
3 to 4 ft	.90	7.50	
4 to 5 ft	1.20	9.00 12.50	100.00
6 to 8 ft	2.00	17.00	135.00
8 to 10 ft	3.00	25.00	
10 to 12 ft	4.50	37.50	
———eleyii, 10'-15'	Ely	Flowerin	g Crab
A free-blossoming Crab with red	ldish f	oliage. V	igorous
grower.			
	. 6 .		
6 to 7 ft	1.65		
7 to 8 ft	1.65 2.25 3.00		
7 to 8 ft	2.25	Parkma	n Crab
7 to 8 ft	2.25 3.00		
7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft.	2.25 3.00		
7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft.	2.25 3.00 ng ste ly. .90	7.50 12.00	60.00 90.00
7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft.	2.25 3.00 ng stelly.	ems; good	d, com- 60.00
7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	2.25 3.00 ng stelly. .90 1.35 2.00 2.25	7.50 12.00 15.00	60.00 90.00 125.00
7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Bright, rose-red, double flowers i	2.25 3.00 ng stelly. .90 1.35 2.00 2.25 Red 1	7.50 12.00 15.00 19.00 Flowerin	60.00 90.00 125.00 g Crab
7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Bright, rose-red, double flowers i inside and out, making this new, tremely attractive.	2.25 3.00 ng stelly. .90 1.35 2.00 2.25 Red 1	7.50 12.00 15.00 19.00 Flowerin fusion. Fr	60.00 90.00 125.00 g Crab ruit red
7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Bright, rose-red, double flowers i inside and out, making this new, tremely attractive. 4 to 5 ft.	2.25 3.00 ng stelly. .90 1.35 2.00 2.25 Red in professors here	7.50 12.00 15.00 19.00 Flowerin fusion. Fr	60.00 90.00 125.00 g Crab
7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Bright, rose-red, double flowers i inside and out, making this new, tremely attractive.	2.25 3.00 ng stelly. .90 1.35 2.00 2.25 Red 1	7.50 12.00 15.00 19.00 Flowerin fusion. Finardy vari	60.00 90.00 125.00 g Crab ruit red lety ex-
7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Bright, rose-red, double flowers i inside and out, making this new, tremely attractive. 4 to 5 ft. 5 to 6 ft.	2.25 3.00 ang stelly. .90 1.35 2.00 2.25 Red in professors here	7.50 12.00 15.00 19.00 Flowerin fusion. Fr	60.00 90.00 125.00 g Crab
7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Bright, rose-red, double flowers i inside and out, making this new, tremely attractive. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft.	2.25 3.00 ng stelly. .90 1.35 2.00 2.25 Red 1 n production has a second to the second	7.50 12.00 15.00 19.00 Flowerin fusion. Fr ardy vari	60.00 90.00 125.00 g Crab ruit red lety ex-
7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Bright, rose-red, double flowers i inside and out, making this new, tremely attractive. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	2.25 3.00 ng stelly. .90 1.35 2.00 2.25 Red 1 n production in the stellar in the	7.50 12.00 15.00 19.00 Flowerin fusion. Frady variately variately 12.00 14.50 19.00 28.00 Bechter	60.00 90.00 125.00 g Crab ruit red lety ex- 125.00 150.00 225.00
halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Bright, rose-red, double flowers i inside and out, making this new, tremely attractive. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. ioensis plena, 10'-15' Large, double, pure pink flowers	2.25 3.00 ng stelly. .90 1.35 2.00 2.25 Red 1 n production in the second	7.50 12.00 15.00 19.00 Flowerin fusion. Frady variately variately 12.00 14.50 19.00 28.00 Bechter	60.00 90.00 125.00 g Crab ruit red lety ex- 125.00 150.00 225.00 el Crab ole fra-
halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Bright, rose-red, double flowers i inside and out, making this new, tremely attractive. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. ioensis plena, 10'-15' Large, double, pure pink flower grance; vigorous growers—last to 2 to 3 ft. 3 to 4 ft.	2.25 3.00 ang stelly. .90 1.35 2.00 2.25 Red : n professor very h	7.50 12.00 15.00 15.00 19.00 Flowerin fusion. Frardy variately var	60.00 90.00 125.00 g Crab ruit red lety ex- 125.00 150.00 225.00 el Crab ole fra- 52.50 75.00
7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Bright, rose-red, double flowers i inside and out, making this new, tremely attractive. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. ioensis plena, 10'-15' Large, double, pure pink flower grance; vigorous growers—last to 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	2.25 3.00 ng stelly. .90 1.35 2.00 2.25 Red 1 n professor has been seen as with flower to the seen as well as well as with flower to the seen as well a	7.50 12.00 15.00 19.00 Flowerin fusion. Frady variately variately 12.00 14.50 19.00 28.00 Bechter noticeal	60.00 90.00 125.00 g Crab ruit red lety ex- 125.00 150.00 225.00 el Crab ole fra- 52.50 75.00 100.00
halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Bright, rose-red, double flowers i inside and out, making this new, tremely attractive. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. ioensis plena, 10'-15' Large, double, pure pink flower grance; vigorous growers—last to 2 to 3 ft. 3 to 4 ft.	2.25 3.00 ang stelly. .90 1.35 2.00 2.25 Red : n professor very h	7.50 12.00 15.00 15.00 19.00 Flowerin fusion. Frardy variately var	60.00 90.00 125.00 g Crab ruit red lety ex- 125.00 150.00 225.00 el Crab ole fra- 52.50 75.00

MALUS—continued micromalus, 15'	Each	Per 10	Per 100
Upright growing tree; deep pink of red fruit.	flowers	s; large	clusters
6 to 8 ft	3.00	25.00	
8 to 10 ft	4.50 6.00	37.50 50.00	
neidzwetzkyana, 15'-25' The twigs, flowers and fruits o reddish hue. Free-growing type.	of this	Redvei variety	
4 to 5 ft	1.20	9.00	75.00
5 to 6 ft	1.50	12.50 15.00	100.00
8 to 10 ft	3.00	25.00	
New Red, 10'-15'			
Double flowers of deep crimson. L		_	
5 to 6 ft	3.50 3.75	28.00 31.00	-
8 to 10 ft	4.50	37.50	
Oekonomierat Echtermeyer, 10'-1	15'		
Carmine-rose flowers. Dark brown form of Crab.		fruit. V	Veeping
3 to 4 ft	1.35	11.00	
4 to 5 ft	2.00	15.00 19.00	
6 to 8 ft	3.00	25.00	
pumila pendula, 10'-15' Flowering Crab of weeping or dro	oping l	Weepin	g Crab
2 to 3 ft	1.25	10.00	
3 to 4 ft	1.65 2.00	13.50 17.00	
sargenti, 6'-8'		Sarger	t Crab
Low growing form with rigid sp flowering.	reading	_	
2 to 3 ft	.90 1.35	7.50 11.00	90.00
scheideckeri, 10'-15'	Sc	heidecke	r Crab
Lasting, double, pink flowers in ha yellow fruits.	andsome	clusters	
3 to 4 ft	.90 1.20	7.50 9.00	60.00 75.00
4 to 5 ft	1.50	12.50	100.00
6 to 8 ft	1.90	15.00	125.00
8 to 9 ft	3.00	25.00	***************************************
-		Flowerin	g Crab
Beautiful, double pink flowers; s		ented.	
4 to 5 ft	1.10	12.50	
6 to 8 ft.	1.50 2.00	17.00	***************************************
theifera, 15'-20'		Te	a Crab
Sturdy, spreading tree with entire flowers which are white or tinte of the finest.			
3 to 4 ft	2.00	17.00	
4 to 5 ft	3.00	25.00	
5 to 6 ft	3.50	28.00	***************************************

	Each	Per 10	Per 100
MITCHELLA repens		Partrid	geberry
2-in. pots	-35		22.50
2 m. pous	رن-	0.00	,
MORUS alba, 35'-50'	V	Vhite M	ulberry
The Mulberry cultivated in China	for the	e Silk wor	m. Usu-
ally thick-topped, rapid-growing as			
fruits attractive to birds.			
6 to 8 ft	1.25	_	75.00
8 to 10 ft	1.65		110.00
10 to 12 ft	2.25		
12 to 14 ft	3.00	25.00	
—pendula, 8'-10' Tea	o Wa	oning M	ulborry
			urberry
The most popular, small "weeping			
2 year heads	_	17.00	
3 year heads	2.75	_	* ~
4 year heads	3.75	30.00	250.00
—tartarica, 35'-50'	Rı	ıssian M	ulberry
Rather spreading tree with frui	it that	varies	from a
creamy-white to almost black.			
6 to 8 ft	.90	7.50	
8 to 10 ft	1.35	11.00	90.00
MYRICA carolinensis, 4'-5'	Nor	thern B	avberry
Does well in poor, gravelly soil			
berries, and glossy, green foliage.			
15 to 18 in	. Good 45	3.75	
18 to 24 in		5.50	
2 to 2½ ft		7.50	
2½ to 3 ft	-	9.50	
2 to 4 ft		12.50	



ALEXANDER HALL, PRINCETON THEOLOGICAL SEMINARY

The Seminary, which has no corporate relation with the University, is the oldest and largest theological seminary in the country

----≪ N >>----

	Each	Per 10	Per 100
NANDINA domestica, 4'-6'		N	andina
Evergreen. One of the handsome greens in the South. Foliage is lifall coloring. Has large trusses of	ght in	effect. Be	
6 to 9 in., 4½ in. pots	-55	4.50	
9 to 12 in., 5 in. pots	.7 <i>5</i> .90	6.00 7.50	
2 to 3 ft., B. & B	2.75	22.50	
NEMOPANTHUS mucronata, 10'	M	lountain	Holly
Deciduous shrub. Handsome glossy bluish-pink berries during the fall			
2 to 3 ft	.75	6.50	•
3 to 4 ft	1.00	8.50	
*NYSSA sylvatica, 40'-60'		So	urgum
One of our finest, ornamental tree			
age, assuming brilliant autumn ti places. Also called Tupelo.	iiits. Wi	II grow	in wet
2 to 3 ft	1.50	12.50	90.00
3 to 4 ft	2.00	15.00	125.00
4 to 5 ft 5 to 6 ft	2.2 <i>5</i> 3.00	20.00	
6 to 7 ft	3.50		
→ (0)	•		
OSMANTHUS aquifolium, 3'-4'	Hol	ly Osm	anthus
	leaves,		
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like liglossy. Suitable for protected local 6 to 9 in., own roots, 3 in. pots	leaves, tions.	dark gre	
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like liglossy. Suitable for protected local	leaves, tions.	dark gre	en and
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like liglossy. Suitable for protected local 6 to 9 in., own roots, 3 in. pots	leaves, tions. 1.10 1.35	dark gre	75.00
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like light glossy. Suitable for protected location of to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3 ¹ / ₂ in. pots	leaves, tions. 1.10 1.35 handsomooth,	g.00 11.00 Hophorime, bee	75.00 ———————————————————————————————————
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like siglossy. Suitable for protected located to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3½ in. pots OSTRYA virginiana, 25'-30' Slender, spreading branches; foliage, clear yellow in autumn. State hop-like fruits. Useful for dry located to 6 ft.	leaves, tions. 1.10 1.35 handsomooth, ations.	9.00 11.00 Hophorime, bee	75.00 ———————————————————————————————————
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like a glossy. Suitable for protected locate 6 to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3½ in. pots OSTRYA virginiana, 25'-30' Slender, spreading branches; foliage, clear yellow in autumn. Suit hop-like fruits. Useful for dry locate 4 to 6 ft	handson mooth, ations.	9.00 11.00 Hophorime, been blue-grade	75.00 ———————————————————————————————————
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like siglossy. Suitable for protected locate 6 to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3½ in. pots OSTRYA virginiana, 25'-30' Slender, spreading branches; foliage, clear yellow in autumn. Signorphic fruits. Useful for dry locate 4 to 6 ft	leaves, tions. 1.10 1.35 handsomooth, ations.	9.00 11.00 Hophorime, bee	75.00 ———————————————————————————————————
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like siglossy. Suitable for protected locate 6 to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3½ in. pots OSTRYA virginiana, 25'-30' Slender, spreading branches; foliage, clear yellow in autumn. Schop-like fruits. Useful for dry locate 4 to 6 ft. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft.	handson mooth, ations. 2.00 2.25 3.00 3.50	9.00 11.00 Hophora me, bee blue-gra 15.00 20.00 25.00 28.00	75.00 ———————————————————————————————————
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like siglossy. Suitable for protected locate 6 to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3½ in. pots OSTRYA virginiana, 25'-30' Slender, spreading branches; foliage, clear yellow in autumn. Signorphic fruits. Useful for dry locate 4 to 6 ft	handson mooth, ations. 2.00 2.25 3.00 3.50	9.00 11.00 Hophorime, been blue-graded 15.00 20.00 25.00 28.00	nbeam ch-like y bark,
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like a glossy. Suitable for protected located to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3½ in. pots OSTRYA virginiana, 25'-30' Slender, spreading branches; foliage, clear yellow in autumn. Schop-like fruits. Useful for dry located to 6 ft. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. OXYDENDRUM arboreum, 25'-30' Graceful clusters of white flowers ery foliage. Fine autumn coloring. 2 to 3 ft., B. & B.	handson mooth, ations. 2.00 2.25 3.00 3.50	9.00 11.00 Hophorime, been blue-graded 15.00 20.00 25.00 28.00	nbeam ch-like y bark,
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like siglossy. Suitable for protected local 6 to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3½ in. pots OSTRYA virginiana, 25'-30' Slender, spreading branches; foliage, clear yellow in autumn. Schop-like fruits. Useful for dry local 4 to 6 ft. 6 to 8 ft 8 to 10 ft. 10 to 12 ft. OXYDENDRUM arboreum, 25'-30' Graceful clusters of white flowers ery foliage. Fine autumn coloring. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B.	leaves, tions. 1.10 1.35 handson mooth, ations. 2.00 2.25 3.00 3.50 s. Augu	9.00 11.00 Hophorime, been blue-graded bl	rwood leath-
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like siglossy. Suitable for protected local 6 to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3½ in. pots OSTRYA virginiana, 25'-30' Slender, spreading branches; foliage, clear yellow in autumn. Shop-like fruits. Useful for dry local 4 to 6 ft. 6 to 8 ft 8 to 10 ft. 10 to 12 ft. OXYDENDRUM arboreum, 25'-30' Graceful clusters of white flowers ery foliage. Fine autumn coloring. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B.	leaves, tions. 1.10 1.35 handson mooth, ations. 2.00 2.25 3.00 3.50	9.00 11.00 Hophorime, been blue-grain 15.00 20.00 25.00 28.00 Sou st. Good	rwood leath- 90.00 150.00
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like siglossy. Suitable for protected local 6 to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3½ in. pots OSTRYA virginiana, 25'-30' Slender, spreading branches; foliage, clear yellow in autumn. Schop-like fruits. Useful for dry local 4 to 6 ft. 6 to 8 ft 8 to 10 ft. 10 to 12 ft. OXYDENDRUM arboreum, 25'-30' Graceful clusters of white flowers ery foliage. Fine autumn coloring. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B.	leaves, tions. 1.10 1.35 handson mooth, ations. 2.00 2.25 3.00 3.50 s. Augu	9.00 11.00 Hophorime, been blue-graded bl	rwood leath-

——— → P >>	• 1		
PACHISTIMA canbyi, 1'		Per 10 by Pac	
Native of the Alleghanies. A low- ground-cover with tiny dark-gree plant for wall crevices.	en leave	es. An e	
1 year, 2 in. pots	.30	3.75	20.00
PACHYSANDRA terminalis, 6"-8	s" Ja	panese	Spurge
Evergreen. One of the best bed	lding p	-	r green
2 in. pot grown			90.00
PERIPLOCA graeca, 25'-40'			Silkvine
Ornamental vine. Vigorous. Hand			
by stems. Fragrant flowers followed seed-pods.	d by con	spicuous	slender
	Each		Per 100
2 to 3 ft	45	3.75	
3 to 4 ft	.60 .80	5.00 6.50	37.50
PHELLODENDRON chinense, 2	25'-30'		0,11-4,1100
A		inese C	orktree
A rapid-growing, tropical-appeari			
4 to 6 ft	1.65	0 2	
8 to 10 ft., $1\frac{1}{2}$ to 2 in	2.2 <i>5</i> 3.50	~	150.00
10 to 12 ft., 2 to 2½ in	4.50	37.50	300.00
sacchalinense, 40'-50'	Sal	halin C	orktree
The most handsome tree of this ge			
with wide-spreading branches for head. Has compound foliage.	rming a	well de	veloped
6 to 8 ft	3.50	28.00	225.00
8 to 10 ft	4.50 5.50	37.50 47.00	300.00
		47.00	
PHILADELPHUS coronarius, 9'		et Mocl	7 0
White, fragrant flowers profusely			
2 to 3 ft	_		22.00
3 to 4 ft	-35 -45	3.00 3.7 <i>5</i>	30.00
4 to 5 ft	•55	4.75	_
5 to 6 ft	•99 •70	5.50	
6 to 7 ft	.80	6.50	52.50
—aureus, 4'-5' Gompact form. Yellow lea		af Mocl	corange
12 to 15 in	.22	2.00	15.00
15 to 18 in	.25	2.25	18.00
18 to 24 in	.30	2.50	20.00
2 to 2 ¹ / ₂ ft	.40	3.00	25.00
2½ to 3 ft	•55	4.75	37.50
3 to 3½ ft	.70	5.50	45.00
	Scentle	ss Mocl	corange
Large flowers lacking fragrance. 2 to 3 ft	2.5	2.25	18.00
3 to 4 ft	.25	2.25	18.00
4 to 5 ft	•3 <i>5</i> •4 <i>5</i>	3.00 3.75	22.50 30.00
5 to 6 ft	•43 •55	• • •	37.50
6 to 7 ft	•33 •70	4·7 <i>5</i> 5.50	37.30
	.,,	٠,٠,٠	

PHILADELPHUS—continued sericanthus		Per 10	
Late-flowering variety—large lea ally large.	ves and	flowers	unusu-
4 to 5 ft	.55 .80	4.7 <i>5</i> 6. <i>5</i> 0	
PHILADELPHUS HYBRIDS atlas			
Tall variety with enormous flower	·s. ·55 .80	4.7 <i>5</i> 6.50	
5 to 6 ft		rf Mocke	orange
Graceful, arching habit.			0
18 to 24 in	.2 <i>5</i> ·3 <i>5</i>	2.2 <i>5</i> 3.00	18.00
3 to 4 ft	•4 <i>5</i>	3.75	30.00
4 to 5 ft	·55	4.75	
New, early, semi-double, pure whi	te.		
2 to 3 ft	·3 <i>5</i>	3.00	
3 to 4 ft	.45	3.75	
4 to 5 ft	.5 <i>5</i> .80	4.75 6.50	
bouquet blanc, 4'-5' White Low, dense habit. Blooms freely.	_		orange
18 to 24 in	.25	-	
2 to 3 ft	·35 •45	3.00 3.7 <i>5</i>	22.50 30.00
enchantment, 7'-8' Double white flowers in thick par	icles sin	nilar to B	ouquet
Blanc. 2 to 3 ft	•35	3.00	
3 to 4 ft	•33 •45	3.7 <i>5</i>	
4 to 5 ft	•55	4.75	*********
girandole, 7'-8' Strikingly handsome variety, pro	fuce in	flower	
18 to 24 in	.25	2.25	
2 to 3 ft	·3 <i>5</i>	3.00	
3 to 4 ft			
laxus, 7'-8' Similar to Grandiflora in flower. I	_	g Mocke	
4 to 5 ft		-	. •
	1.50	_	
lemoine, 7'-8' Good, compact habit. Flowers swe		ie Mocko	orange
18 to 24 in	.25	2.25	18.00
2 to 3 ft	·3 <i>5</i>		22.50
3 to 4 ft	.45 .55		30.00 37.50
maximus, 7'-8'			
Large-flowered variety.			
4 to 5 ft	.55 .80	4.7 <i>5</i> 6.50	
5 to 6 ft	1.25	9.00	

PHILADELPHUS HYBRIDS—	continu	ed	
rosace, 7'-8'	Each	Per 10	Per 100
New French introduction.			
3 to 4 ft	.45	3.75	
4 to 5 ft	-55	4.75	
5 to 6 ft	.80	6.50	***************************************
voie lactee, 7'-8'			
Large, single, white flowers, pure	white.		
2 to 3 ft	•3 <i>5</i>		
_	·45	3.75	
4 to 5 ft	.55	4.75	
virginalis, 7'-8'	Virgin	al Mock	orange
Beautiful, semi-double flowers p			
all summer.			
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.40	3.00	25.00
3 to 4 ft	.50	4.00	32.50
4 to 5 ft	.55	4.70	37.50
PHOTINIA subumbellata, 10'			
Slender branched shrub. Similar shrubby in character. Attractive so			t more
2 to 3 ft	.70	5.50	45.00
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.20	9.00	75.00
5 to 6 ft	1.50	12.50	
6 to 7 ft	2.00 3.00	17.50 25.00	13 <i>5</i> .00 200.00
8 to 9 ft	4.00	35.00	
villosa, 12'-15'	Redbo	erried P	hotinia
Flowers white, June. Rich scarlet in autumn. Splendid foliage for c			
4 to 5 ft	1.25	9.50	75.00
5 to 6 ft	1.50	12.50	100.00
6 to 7 ft	2.00	17.00	135.00
7 to 8 ft	3.00	25.00	
PHYSOCARPUS opulifolius, 9'-10			nebark
Creamy-white, June. Vigorous. G			22
2 to 3 ft	•35	2.70	22.50 26.50
4 to 5 ft	.40 .45	3.3 <i>5</i> 3.70	30.00
5 to 6 ft	• • •55	4.70	37.50
—aureus, 9'-10'		dleaf Ni	
Golden-leaved variety; white flow			
2 to 3 ft	· 35	2.70	22.50
3 to 4 ft	.40	3.35	
4 to 5 ft	.55	3.70	
PICEA alcockiana, 75'-100'		Alcock	_
Introduction from Japan. Pyra spreading or ascending branches serves wider recognition.			
18 to 24 in., B. & B	3.50	28.00	
2 to 2½ ft., B. & B	4.50	37.50	
$2\frac{1}{2}$ to 3 ft., B. & B	5.50	47.00	

PICEA—continued	Each	Per 10	Per 100
canadensis (alba), 50'-60'		White S	Spruce
Evergreen. Silvery foliage; devel- men of close texture.	ops int	o shapely	y speci-
15 to 18 in., B. & B	.80	6.50	52.50
18 to 24 in., B. & B	1.10	9.00	75.00
2 to 2½ ft. B. & B	1.50	12.50	100.00
2½ to 3 ft., B. & B	2.25	19.00	150.00
3 to 4 ft., B. & B	3.50	28.00	225.00
4 to 5 ft., B. & B	4.50	37.50	300.00
5 to 6 ft., B. & B	5.50	47.50	
canadensis glauca conica, 4'-6'	Dwarf.	Alberta	Spruce
Narrow pyramid. Slow of grow branches. Bright green leaves. Use	th with ful in	n short, the rock ;	twiggy garden.
9 to 12 in., B. & B	1.35	11.00	90.00
12 to 15 in., B. & B	1.90	15.00	125.00
15 to 18 in., B. & B	2.25	19.00	150.00
engelmanni, 75'-100' Foliage bluish-green to steel-blutree.	_	elmann dsome sp	
3 to 4 ft., B. & B	6.75	55.00	
4 to 5 ft., B. & B	8.00	65.00	
5 to 6 ft., B. & B	10.00	85.00	
6 to 7 ft., B. & B	12.50		
excelsa, 80'-100'	1	Vorway	Spruce
Evergreen. Has dark green folia			
Makes a good windbreak, and al trimmed hedges. SPECIAL NOTE—Our Norway Spruce as symmetrical plants as they are shaped	re all e up every	xceptionall year. Do	y dense, not com-
pare these plants with those grown by t			
15 to 18 in., B. & B	-55	4.50	37.50
18 to 24 in., B. & B	.90	7.50	60.00
2 to 2½ ft., B. & B	1.10	9.00	75.00
2½ to 3 ft., B. & B	1.50	12.00	97.50
3 to 4 ft., B. & B	2.25	19.00	150.00
4 to 5 ft., B. & B	3.75	31.00	250.00
5 to 6 ft., B. & B	5.50	47.00 62.50	375.00
6 to 7 ft., B. & B	7.50 9.00	75.00	
			~
-conica, 12'-15' Arrow Compact-growing, cone-shaped py		Norway	Spruce
6 to 9 in., B. & B	1.75	13.50	
9 to 12 in., B. & B	2.25	15.00	125.00
12 to 15 in., B. & B	2.50	20.00	
—erecta, 15'-20'		Dwarf	Spruce
A dwarf form of excelsa with dist	inct up	right hab	it.
8 to 10 in., B. & B	1.75	13.50	
—inverta, 3'-5'			
Densely-branched pendulous form	l•		
9 to 12 in., B. & B	1.75		
12 to 15 in., B. & B	3.00		
15 to 18 in., B. & B	3.50		
		faxwell	Spruce
—maxwelli, 3'-5'	V	faxwell	Spruce
—maxwelli, 3'-5' Low, rounded, dense form. Leaves	N bright	green.	Spruce
—maxwelli, 3'-5'	N bright	green. 19.00	Spruce

PICEA—continued	Each	Per 10	Per 100
excelsa pumula			
Compact, dwarf habit. Splendid foliage.	for ro	ckery. H	as dark
4 to 6 in., B. & B	1.75		
6 to 8 in., B. & B	3.00		
—pyramidalis, 35'-50' Pyram	nidal 1	Vorway	Spruce
Narrow, pyramid type with bra angle.	nches a	scending	on an
15 to 18 in., B. & B	2.75	22.50	
18 to 24 in., B. & B	3.50	28.00	
2 to 2½ ft., B. & B	4.50	37.50	
2½ to 3 ft., B. & B	5.50	45.00	
koyamai, 40'-50'	K	Coyamai	Spruce
Narrowly pyramidal. Most attraction ing possibilities in landscape plan		age. Has i	nterest-
18 to 24 in., B. & B	3 . 75	30.00	
2 to 2½ ft., B. & B	4.50	37.50	
omorika, 40'-50'		Serbian	Spruce
A rapid-growing, narrow, compa			
duced from Southeastern Europe. men tree.	Good a	accent an	d speci-
9 to 12 in., B. & B	1.75	13.50	
12 to 15 in., B. & B	3.00 3.50	25.00 30.00	
18 to 24 in., B. & B			
10 to 24 m., b. & b	4.00	35.00	
orientalis, 75'-100'	·	Oriental	Spruce
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making	· (low gro	Oriental owing. H	olds its
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing.	low gro	Oriental owing. H	olds its n speci-
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing. 15 to 18 in., B. & B	low groit a ch	Oriental owing. H oice lawn	olds its n speci- 250.00
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing. 15 to 18 in., B. & B	low gro	Oriental owing. H	olds its n speci-
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing. 15 to 18 in., B. & B	low gro it a ch 3.75 4.50 5.25 6.75	Oriental owing. H oice laws 31.00 37.50	olds its n speci- 250.00 300.00
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	low gro it a ch 3.75 4.50 5.25	Oriental owing. H oice laws 31.00 37.50 45.00	olds its n speci- 250.00 300.00
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75'	low gro it a ch 3.75 4.50 5.25 6.75 9.00	Oriental owing. H oice laws 31.00 37.50 45.00 55.00	olds its n speci- 250.00 300.00 ————————————————————————————
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid lea	low gro it a ch 3.75 4.50 5.25 6.75 9.00	Oriental owing. H oice laws 31.00 37.50 45.00 55.00	olds its n speci- 250.00 300.00 ————————————————————————————
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect.	low gro it a ch 3.75 4.50 5.25 6.75 9.00	Oriental owing. H oice laws 31.00 37.50 45.00 55.00 —— iger-tail stout lim	250.00 300.00 ————————————————————————————
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 12 to 15 in., B. & B.	low gro it a ch 3.75 4.50 5.25 6.75 9.00 Tives on	Oriental owing. H oice laws 31.00 37.50 45.00 55.00 —— iger-tail stout lim	olds its n speci- 250.00 300.00
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect.	low gro it a ch 3.75 4.50 5.25 6.75 9.00	Oriental owing. H oice laws 31.00 37.50 45.00 55.00 —— iger-tail stout lim	250.00 300.00 Spruce
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 12 to 15 in., B. & B.	low gro it a ch 3.75 4.50 5.25 6.75 9.00 Tives on 1.65 1.95 2.40	Oriental owing. Hoice laws 31.00 37.50 45.00 55.00 —————————————————————————————	250.00 300.00 ————————————————————————————
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 12 to 15 in., B. & B. 15 to 18 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct	low gro it a ch 3.75 4.50 5.25 6.75 9.00 Tives on 1.65 1.95 2.40	Oriental owing. Hoice laws 31.00 37.50 45.00 55.00 —————————————————————————————	250.00 300.00 ————————————————————————————
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen.	low gro it a ch 3.75 4.50 5.25 6.75 9.00 Tives on 1.65 1.95 2.40	Oriental owing. Hoice laws 31.00 37.50 45.00 55.00 —————————————————————————————	250.00 300.00 ————————————————————————————
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 12 to 15 in., B. & B. 15 to 18 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B.	low gro it a ch 3.75 4.50 5.25 6.75 9.00 Tives on 1.65 1.95 2.40 C	Oriental owing. H oice laws 31.00 37.50 45.00 55.00 iger-tail stout lim 13.50 16.00 20.00 olorado forming	Spruce 110.00 Spruce shand-
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 12 to 15 in., B. & B. 15 to 18 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B.	low gro it a ch 3.75 4.50 5.25 6.75 9.00 Tives on 1.65 1.95 2.40 C whorls,	Oriental owing. Hoice laws 31.00 37.50 45.00 55.00 16.00 20.00 clorado forming 5.50 7.50	250.00 300.00 ————————————————————————————
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 12 to 15 in., B. & B. 15 to 18 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B.	low gro it a ch 3.75 4.50 5.25 6.75 9.00 Tives on 1.65 1.95 2.40 C whorls,	31.00 37.50 45.00 55.00 —————————————————————————————	250.00 300.00 300.00 —————————————————————
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 12 to 15 in., B. & B. 15 to 18 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 17 to 18 in., B. & B. 18 to 24 in., B. & B. 19 to 15 in., B. & B.	low groat a check a ch	Oriental owing. Hoice laws 31.00 37.50 45.00 55.00 —————————————————————————————	250.00 300.00 300.00 Spruce bs, pre- 110.00 Spruce s hand- 45.00 60.00 75.00 125.00
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 12 to 15 in., B. & B. 15 to 18 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 17 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B.	low groit a ch 3.75 4.50 5.25 6.75 9.00 Tives on 1.65 1.95 2.40 C whorls, .65 .90 1.10 1.90 2.75	31.00 37.50 45.00 55.00 —————————————————————————————	250.00 300.00 300.00 —————————————————————
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 12 to 15 in., B. & B. 15 to 18 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B.	low groat a check a ch	Oriental owing. Hoice laws 31.00 37.50 45.00 55.00 —————————————————————————————	250.00 300.00 300.00 Spruce bs, pre- 110.00 Spruce s hand- 45.00 60.00 75.00 125.00
orientalis, 75'-100' Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 12 to 15 in., B. & B. 15 to 18 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 17 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B.	low groat a check a ch	31.00 31.00 37.50 45.00 55.00 —————————————————————————————	250.00 300.00 300.00

PICEA—continued	Each	Per 10	Per 100
pungens glauca, 60'-80'	Blue C	olorado	Spruce
Similar to above, but of a pleas plants.			_
15 to 18 in., B. & B	1.75	13.50	110.00
18 to 24 in., B. & B	2.75	22.50	175.00
2 to 2½ ft., B. & B	4.00	35.00	275.00
3 to 4 ft., B. & B	5.50 7.50	47.50 65.00	375.00 500.00
4 to 5 ft., B. & B	9.00	75.00	
—kosteri, 60'-80'	Kos	ter Blue	Spruce
Our own stock now offered in			
unusually good. It was carefully every plant is well shaped.	selecte	d for col	or, and
12 to 15 in., B. & B	2.50	20.00	175.00
15 to 18 in., B. & B	3.50	28.00	225.00
18 to 24 in., B. & B	5.25	45.00	350.00
2 to 2½ ft., B. & B	6.75	55.00	450.00
2½ to 3 ft., B. & B	8.25	67.50 80.00	550.00
3 to 4 ft., B. & B	10.00	110.00	
5 to 6 ft., B. & B	16.50	140.00	
6 to 7 ft., B. & B	25.00	200.00	
7 to 8 ft., B. & B	30.00	250.00	
—specki, 60'-80' Bluish-white foliage.			
15 to 18 in., B. & B	4.00	35.00	
18 to 24 in., B. & B	5.50	47.50	
2 to 2½ ft., B. & B	7.50	65.00	
PIERIS floribunda, 4' Evergreen, Waxy-white flowers in	Mounta	ain Andi	
Evergreen. Waxy-white flowers in	Mounta	Good, dee	
Evergreen. Waxy-white flowers in foliage, best in half-shady place	Mounta n May. (es. Very	Good, dee hardy.	
Evergreen. Waxy-white flowers in	Mounta	Good, dee hardy.	150.00 225.00
Evergreen. Waxy-white flowers in foliage, best in half-shady place 12 to 15 in., B. & B	Mountan May. (es. Very	Good, dee hardy. 19.00 28.00	p green 150.00
Evergreen. Waxy-white flowers in foliage, best in half-shady place 12 to 15 in., B. & B	Mounts n May. Ces. Very 2.25 3.50 4.50 Japane	Good, dee hardy. 19.00 28.00 37.50 ese And	150.00 225.00 300.00
Evergreen. Waxy-white flowers in foliage, best in half-shady place 12 to 15 in., B. & B	Mounts n May. (es. Very 2.25 3.50 4.50 Japane turning	Good, dee hardy. 19.00 28.00 37.50 ese Anda bronze	150.00 225.00 300.00 romeda in win-
Evergreen. Waxy-white flowers in foliage, best in half-shady place 12 to 15 in., B. & B	Mounts n May. (es. Very 2.25 3.50 4.50 Japane turning white	Good, dee hardy. 19.00 28.00 37.50 ese Anda bronze flowers	150.00 225.00 300.00 romeda in win-
Evergreen. Waxy-white flowers in foliage, best in half-shady place 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. japonica, 5'-6' Evergreen. Thick, shiny leaves, ter. Drooping clusters of small, May. Grows slowly. Best in moist	Mounts n May. (es. Very 2.25 3.50 4.50 Japaneturning white c, partial	Good, dee hardy. 19.00 28.00 37.50 ese And: bronze flowers of	150.00 225.00 300.00 romeda in win- open in d place.
Evergreen. Waxy-white flowers in foliage, best in half-shady place 12 to 15 in., B. & B	Mounts n May. Ces. Very 2.25 3.50 4.50 Japane turning white c, partial	Good, dee hardy. 19.00 28.00 37.50 ese Anda bronze flowers flowers lly shade	150.00 225.00 300.00 romeda in win- open in d place. 110.00
Evergreen. Waxy-white flowers in foliage, best in half-shady place 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. japonica, 5'-6' Evergreen. Thick, shiny leaves, ter. Drooping clusters of small, May. Grows slowly. Best in moist 12 to 15 in., B. & B.	Mounts n May. Ces. Very 2.25 3.50 4.50 Japaneturning white c, partial 1.65 2.25	ood, dee hardy. 19.00 28.00 37.50 ese Anda bronze flowers flowers lly shade 13.50 19.00	150.00 225.00 300.00 romeda in win- open in d place. 110.00 150.00
Evergreen. Waxy-white flowers in foliage, best in half-shady place 12 to 15 in., B. & B	Mounts n May. Ces. Very 2.25 3.50 4.50 Japaneturning white c, partial 1.65 2.25	ood, dee hardy. 19.00 28.00 37.50 ese And: bronze flowers fly shade 13.50 19.00 28.00	150.00 225.00 300.00 romeda in win- open in d place. 110.00 150.00
Evergreen. Waxy-white flowers in foliage, best in half-shady place 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. japonica, 5'-6' Evergreen. Thick, shiny leaves, ter. Drooping clusters of small, May. Grows slowly. Best in moist 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	Mounts n May. (es. Very 2.25 3.50 4.50 Japane turning white n partial 1.65 2.25 3.50	Good, dee hardy. 19.00 28.00 37.50 ese And: bronze flowers flowers lly shade 13.50 19.00 28.00 37.50	150.00 225.00 300.00 romeda in win- open in d place. 110.00 150.00 225.00
Evergreen. Waxy-white flowers in foliage, best in half-shady place 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. japonica, 5'-6' Evergreen. Thick, shiny leaves, ter. Drooping clusters of small, May. Grows slowly. Best in moist 12 to 15 in., B. & B. 15 to 18 in., B. & B.	Mounts on May. (es. Very 2.25 3.50 4.50 Japane turning white c, partial 1.65 2.25 3.50	Good, dee hardy. 19.00 28.00 37.50 ese And: bronze flowers flowers lly shade 13.50 19.00 28.00 37.50	150.00 225.00 300.00 romeda in win- open in d place. 110.00 150.00 225.00
Evergreen. Waxy-white flowers in foliage, best in half-shady place 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. japonica, 5'-6' Evergreen. Thick, shiny leaves, ter. Drooping clusters of small, May. Grows slowly. Best in moist 12 to 15 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 2 to 2½ ft., B. & B. mariana, 5'-6' Waxy-white flowers, May-June.	Mounts n May. (es. Very 2.25 3.50 4.50 Japane turning white partial 1.65 2.25 3.50 4.50	Good, dee hardy. 19.00 28.00 37.50 ese And: bronze flowers flowers lly shade 13.50 19.00 28.00 37.50 Stagg	150.00 225.00 300.00 romeda in win- open in d place. 110.00 150.00 225.00
Evergreen. Waxy-white flowers in foliage, best in half-shady place 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. japonica, 5'-6' Evergreen. Thick, shiny leaves, ter. Drooping clusters of small, May. Grows slowly. Best in moist 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. mariana, 5'-6' Waxy-white flowers, May-June. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	Mounts on May. (es. Very 2.25 3.50 4.50 Japane turning white c, partial 1.65 2.25 3.50	Good, dee hardy. 19.00 28.00 37.50 ese And: bronze flowers flowers lly shade 13.50 19.00 28.00 37.50	150.00 225.00 300.00 romeda in win- open in d place. 110.00 150.00 225.00
Evergreen. Waxy-white flowers in foliage, best in half-shady place 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. japonica, 5'-6' Evergreen. Thick, shiny leaves, ter. Drooping clusters of small, May. Grows slowly. Best in moist 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 18 to 24 in., B. & B. 18 to 24 in., B. & B. 19 to 18 in., B. & B. 10 to 18 in., B. & B. 11 to 18 in., B. & B. 12 to 2½ ft., B. & B.	Mounts on May. (ces. Very 2.25 3.50 4.50 Japane turning white c, partial 1.65 2.25 3.50 4.50	Good, dee hardy. 19.00 28.00 37.50 ese And: bronze flowers flowers lly shade 13.50 19.00 28.00 37.50 Stagg	150.00 225.00 300.00 romeda in win- open in d place. 110.00 150.00 225.00 cerbush
Evergreen. Waxy-white flowers in foliage, best in half-shady place 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. japonica, 5'-6' Evergreen. Thick, shiny leaves, ter. Drooping clusters of small, May. Grows slowly. Best in moist 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 18 to 24 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B.	Mounts n May. Ces. Very 2.25 3.50 4.50 Japan turning white 1.65 2.25 3.50 4.50	Good, dee hardy. 19.00 28.00 37.50 ese And: bronze flowers of lly shade 13.50 19.00 28.00 37.50 Stagg	150.00 225.00 300.00 romeda in win- open in d place. 110.00 150.00 225.00 cerbush
Evergreen. Waxy-white flowers in foliage, best in half-shady place 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. japonica, 5'-6' Evergreen. Thick, shiny leaves, ter. Drooping clusters of small, May. Grows slowly. Best in moist 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 3 ft., B. & B. PINUS banksiana, 60'-70'	Mounts n May. Ces. Very 2.25 3.50 4.50 Japaneturning white partia 1.65 2.25 3.50 4.50	Good, deed hardy. 19.00 28.00 37.50 ese And: bronze flowers of the shade 13.50 19.00 28.00 37.50 Stagg 11.00 13.50 19.00 25.00 Jac	150.00 225.00 300.00 romeda in win- open in d place. 110.00 150.00 225.00 gerbush 90.00 110.00 ck Pine
Evergreen. Waxy-white flowers in foliage, best in half-shady place 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. japonica, 5'-6' Evergreen. Thick, shiny leaves, ter. Drooping clusters of small, May. Grows slowly. Best in moist 12 to 15 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 15 in., B. & B. 2 to 2½ ft., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 18 to 24 in., B. & B. 19 To 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 3 ft., B. & B. PINUS banksiana, 60'-70' Most northern of all Pines and exposed locations.	Mounts on May. (ces. Very 2.25 3.50 4.50 Japane turning white c, partial 1.65 2.25 3.50 4.50 1.35 1.65 2.25 3.00 very ha	Good, deed hardy. 19.00 28.00 37.50 ese Andre bronze flowers of 19.00 28.00 37.50 Stagg 11.00 13.50 19.00 25.00 Jacondry. Use	150.00 225.00 300.00 romeda in win- open in d place. 110.00 150.00 225.00 gerbush 90.00 110.00 ck Pine
Evergreen. Waxy-white flowers in foliage, best in half-shady place 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. japonica, 5'-6' Evergreen. Thick, shiny leaves, ter. Drooping clusters of small, May. Grows slowly. Best in moist 12 to 15 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 2 to 2½ ft., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 18 to 24 in., B. & B. 19 to 18 in., B. & B. 10 to 18 in., B. & B. 11 to 18 in., B. & B. 12 to 2½ ft., B. & B. 13 to 24 in., B. & B. 14 to 24 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 17 to 18 in., B. & B. 18 to 24 in., B. & B. 19 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 3 ft., B. & B. PINUS banksiana, 60'-70' Most northern of all Pines and exposed locations. 6 to 8 ft., B. & B.	Mounts n May. Ces. Very 2.25 3.50 4.50 Japane turning white partial 1.65 2.25 3.50 4.50 1.35 1.65 2.25 3.00 very ha 9.00	Good, deed hardy. 19.00 28.00 37.50 ese Andre bronze flowers of 19.00 28.00 37.50 Stagg 11.00 13.50 19.00 25.00 Jacondry. Use	150.00 225.00 300.00 romeda in win- open in d place. 110.00 150.00 225.00 gerbush 90.00 110.00 ck Pine eful for
Evergreen. Waxy-white flowers in foliage, best in half-shady place 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. japonica, 5'-6' Evergreen. Thick, shiny leaves, ter. Drooping clusters of small, May. Grows slowly. Best in moist 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. PINUS banksiana, 60'-70' Most northern of all Pines and exposed locations. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B.	Mounts n May. Ces. Very 2.25 3.50 4.50 Japaneturning white 1.65 2.25 3.50 4.50 1.35 1.65 2.25 3.00 very ha 9.00 11.00	Good, deed hardy. 19.00 28.00 37.50 ese Andre bronze flowers of lip.00 28.00 37.50 Stagg 11.00 13.50 19.00 25.00 Jacardy. Use	150.00 225.00 300.00 romeda in win- open in d place. 110.00 150.00 225.00 gerbush 90.00 110.00 ck Pine eful for
Evergreen. Waxy-white flowers in foliage, best in half-shady place 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. japonica, 5'-6' Evergreen. Thick, shiny leaves, ter. Drooping clusters of small, May. Grows slowly. Best in moist 12 to 15 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 2 to 2½ ft., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 18 to 24 in., B. & B. 19 to 18 in., B. & B. 10 to 18 in., B. & B. 11 to 18 in., B. & B. 12 to 2½ ft., B. & B. 13 to 24 in., B. & B. 14 to 24 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 17 to 18 in., B. & B. 18 to 24 in., B. & B. 19 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 3 ft., B. & B. PINUS banksiana, 60'-70' Most northern of all Pines and exposed locations. 6 to 8 ft., B. & B.	Mounts n May. Ces. Very 2.25 3.50 4.50 Japan turning white partia 1.65 2.25 3.50 4.50 1.35 1.65 2.25 3.00 very ha 9.00 11.00 12.00	Good, deed hardy. 19.00 28.00 37.50 ese Andre bronze flowers of 19.00 28.00 37.50 Stagg 11.00 13.50 19.00 25.00 Jacondry. Use	150.00 225.00 300.00 romeda in win- open in d place. 110.00 150.00 225.00 gerbush 90.00 110.00 ck Pine eful for

PINUS—continued	Each	Per 10	Per 100
bungeana, 80'-100'		Lacebar	k Pine
An unusually hardy slow growing bark which peels off showing a Very desirable for collections.			
6 to 9 in., 3 in. pots	1.50 6.75	12.50	100.00
cembra, 35'-50'	S	wiss Stor	ne Pine
Very slow growing. Makes a near			
with dense, compact growth. Stand		shearing	•
18 to 24 in., B. & B	5.00 6.00		
2½ to 3 ft., B. & B	7.00	-	
3 to 3½ ft., B. & B	9.00		
	11.00		4 334
densiflora, 60'-80'		anese Re	
Evergreen. Foliage dark green. A	_		
18 to 24 in., E. & B	.80 1.10	6.50 9.00	52.50 75.00
3 to 4 ft., B. & B	2.25	19.00	150.00
4 to 5 ft., B. & B	3.25	28.00	225.00
5 to 6 ft., B. & B	4.50	37.50	300.00
6 to 7 ft., B. & B	6.75	55.00	450.00
7 to 8 ft., B. & B	9.00	75.00	
8 to 9 ft., B. & B	11.00	92.50	
-umbraculifera (tanyosho) Jap	anese	Umbrell	la Pine
Odd shape, short, stocky stems, wit			
light green. Handsome and usefu		_	
12 to 15 in., B. & B	1.35	11.00	90.00
15 to 18 in., B. & B	1.90	15.00	125.00
18 to 24 in., B. & B	2.25	20.00 28.00	150.00
2½ to 3 ft., B. & B	3.50 5.25	45.00	225.00
excelsa, 30'-60'	1	Himalaya	n Pine
Silvery, gray-green needles. Gra		_	
white pine. A very handsome varie			
18 to 24 in., B. & B	1.65	13.50	110.00
2 to 3 ft., B. & B	3.00	25.00	200.00
3 to 4 ft., B. & B	4.50	37.50	300.00
4 to 5 ft., B. & B	6.75	55.00	450.00
5 to 6 ft., B. & B	9.00	75.00	600.00
6 to 7 ft., B. & B	11.00	92.50	
flexilis, 30'-40'			er Pine
Evergreen. Dark, bluish-green foli	_		
$2\frac{1}{2}$ to 3 ft., B. & B	4.50 5.50	37.50 47.50	300.00
4 to 5 ft., B. & B	7.25	60.00	475.00
5 to 6 ft., B. & B	9.75	80.00	
6 to 7 ft., B. & B	12.50	100.00	
montana, 10'	Swiss	Mounta	in Pine
Similar in habit to Pinus mugho	but	of faster	growth
and more open in form.	1.07	11.00	00.00
15 to 18 in., B. & B	1.35 2.25	19.00	90.00
2 to 2½ ft., B. & B	3.50	28.00	225.00
2½ to 3 ft., B. & B	4.50	37.50	300.00
3 to 3½ ft., B. & B	6.00	50.00	
3½ to 4 ft., B. & B	7.50	65.00	

PINUS—continued	Each	Per 10	Per 100
montana mughus, 3'-4'		Mugh	o Pine
Evergreen. Forms a round-toppe	ed clur		
rock planting and foundation wo		p. 0002	
12 to 15 in., B. & B	1.10	9.50	75.00
15 to 18 in., B. & B	1.75	14.50	115.00
18 to 24 in., B. & B	2.25	19.00	150.00
2 to 2½ ft., B. & B	3.75	30.00	250.00
2½ to 3 ft., B. & B	5.25	45.00	
3 to 3½ ft., B. & B	7.00		
nigra, 60'-70'		Austria	n Pine
Evergreen. Rich, dark green. Vi	gorous,	dense	grower.
Good for background. Thrives at	seashor	e.	
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 3 ft., B. & B	2.25	20.00	150.00
3 to 4 ft., B. & B	3.75	30.00	250.00
4 to 5 ft., B. & B	5.50	47.50	375.00
5 to 6 ft., B. & B	7.75 10.00	65.00 85.00	525.00
7 to 8 ft., B. & B	12.50		
	•	. 37.11.	mt .
		rn Yello	w Pine
Rugged picturesque outline when 18 to 24 in., B. & B		10.00	
2 to 3 ft., B. & B	2.2 <i>5</i> 3.00	19.00 25.00	
3 to 4 ft., B. & B	3.75	31.00	
4 to 5 ft., B. & B	5.25	45.00	-
5 to 6 ft., B. & B	6.75	55.00	
6 to 7 ft., B. & B	8.25	70.00	
7 to 8 ft., B. & B	10.00		
resinosa, 60'-70'		Re	d Pine
Dark green, stiff needles, vigorous		100	d I me
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 3 ft., B. & B	2.25	20.00	150.00
3 to 4 ft., B. & B	3.75	30.00	250.00
4 to 5 ft., B. & B	5.50	47.50	375.00
5 to 6 ft., B. & B	7.75	65.00	525.00
6 to 7 ft., B. & B	10.00	85.00	
strobus, 80'-100'		Whi	te Pine
Evergreen. Probably our most ada	ptable		
Very picturesque when old.	·ptable		ur pinor
18 to 24 in., B. & B	1.10	9.00	75.00
2 to 3 ft., B. & B	1.65	13.50	110.00
3 to 4 ft., B. & B	2.25	20.00	150.00
4 to 5 ft., B. & B	4.25	35.00	275.00
5 to 6 ft., B. & B	6.00	50.00	400.00
6 to 7 ft., B. & B	8.00	65.00	525.00
7 to 8 ft., B. & B	11.00	90.00	
8 to 10 ft., B. & B	16.50	135.00	
sylvestris, 25'-30'		Scoto	ch Pine
Evergreen. A rapid-growing, har		tree, es	pecially
when young. Good for windbreak	_		
18 to 24 in., B. & B	.80	6.50	52.00
2 to 3 ft., B. & B	1.10	9.00	75.00
3 to 4 ft., B. & B	2.2 <i>5</i> 3.00	19.00 25.00	150.00 200.00
5 to 6 ft., B. & B	4.50	37.50	300.00
6 to 7 ft., B. & B	6.75	55.00	450.00
7 to 8 ft., B. & B	9.00	75.00	600.00
8 to 9 ft., B. & B	11.00	95.00	750.00
9 to 10 ft., B. & B	15.00	120.00	
10 to 12 ft., B. & B	19.00	145.00	

PINUS—continued	Each	Per 10	Per 100		
thunbergi, 80'-100'	Japar	nese Blac	k Pine		
Evergreen. A large growing tree with rich, dark green foliage and long needles; good for grouping effects.					
18 to 24 in	1.65	9 5	110.00		
2 to 3 ft	3.00		200.00		
3 to 4 ft	3.75	31.00			
PLATANUS occidentalis, 75'-100' American Planetree of	r Ame	erican Sv	ramore		
6 to 8 ft	1.10	9.00			
8 to 10 ft	1.50				
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	2.00	17.00			
10 to 12 ft., 1½ to 1¾ in	3.00	25.00			
orientalis, 70'-80'		opean Pla			
A good tree for park and street uly; withstands smoky city condit		ows rathe	r quick-		
6 to 8 ft	1.35	11.00	90.00		
8 to 10 ft	1.75 2.25	14.50 19.00	115.00		
10 to 12 ft., 1½ to 1¾ in	3.40	28.00	225.00		
10 to 12 ft., 13/4 to 2 in	4.50	37.50	300.00		
12 to 14 ft., 2 to 2½ in	5.60	47.00	375.00		
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in $2\frac{1}{2}$ to 3 in	6.50 8.25	52.50 67.50			
3 to 3½ in	13.00	105.00			
POLYGONUM auberti, 25'		hina Fle			
Climbing plant of vigorous gr	rowth	producin	g great		
foamy sprays of white flowers do	uring : .50	4.50	35.00		
2 year strong	.80	6.50	52.50		
POPULUS bolleana, 50'-60'		Bolleana			
Leaves white underneath; similar Lombardy Poplar.			acter to		
8 to 10 ft	2.10 2.75	17.50 22.50			
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.75	30.00			
13/4 to 2 in	4.00	35.00			
2 to 2½ in	4.7 <i>5</i> 6.2 <i>5</i>	40.00 52.50	325.00 425.00		
$ \begin{array}{c} 2\frac{1}{2} \text{ to } 3 \text{ in} \\ 3 \text{ to } 3\frac{1}{2} \text{ in} \end{array} $	8.00	65.00	423.00		
eugenie, 75'-90'		Carolina	Poplar		
A rapid grower; succeeds even seashore.	in dry	places a	nd near		
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.35	11.00			
10 to 12 ft., 1½ to 2 in	1.90	15.00			
12 to 14 ft., 2 to $2\frac{1}{2}$ in	2.50 3.50	20.00 28.00			
			D 1		
nigra italica, 60'-80'		ombardy			
Tall spire-like character; valued screens.					
8 to 10 ft	1.10	9.30	75.00		
10 to 12 ft., 1½ to 1½ in	1.35	11.00	90.00		
12 to 14 ft., 13/4 to 2 in	2.25	15.00 20.00	150.00		
14 to 16 ft., 2 to 2½ in	3.75	30.00	250.00		
16 to 18 ft., 2½ to 3 in	5.00	40.00	325.00		

POPULUS—continued	Each	Per 10	Per 100
simoni, 25'-30'		Simon 1	Poplar
Hardy, small, fastigate tree with g		liage.	
12 to 14 ft	2.50 3.50	28.00	
POTENTILLA fruticosa, 3'-4'	Shru	bby Cin	quefoil
Blooms profusely, yellow, June-S able and useful shrub.		•	
12 to 18 in	-35	2.50	_
18 to 24 in	-45 -55	3.50 4.50	30.00 37.50
-veitchi, 3'-4'	Ve	itch Cine	quefoil
Hardy variety from China having flowering from June till frost.		white bl	ossoms,
12 to 18 in			
PRUNUS americana, 10'-12'		merican	
Bushy growth and has abundance April-May.	of snov	wy white	nowers
3 to 4 ft	•3 <i>5</i>	3.00 4.00	
cerasifera pissardi, 12'-15'		urplelea	f Plum
Valued chiefly because of purpli pruned every year for best color	ish foli	~	
4 to 5 ft	.65	5.50	
5 to 6 ft	.90 1.10	7.50 9.00	
10 to 12 ft	2.25	19.00	
-othello, 12'-15'	nello P	urplelea	f Plum
A variety of the above, somewhat larger leaves.	stron	ger grow	ver and
3 to 4 ft	.65	5.50	45.00
4 to 5 ft	.90	7.50	60.00
5 to 6 ft	1.35 1.75	11.00	90.00 115.00
glandulosa, 5'-6'	Flov	vering A	Almond
Flowers double, May; very show White varieties.	y; the	re are P	ink and
18 to 24 in	•55	4.75	37.50
2 to 3 ft	.7 5	6.50	50.00
lannesiana, 20'-30' Rather fast-growing tree with	wide.s	Hitoye	_
single white flowers. Also called			ranches,
8 to 10 ft	3.00	25.00	
10 to 12 ft	3.7 <i>5</i> 5.00	31.00 42.50	
14 to 16 ft	6.50	55.00	
maritima, 9'-10'		Beac	h Plum
Small white flowers, April. Fruit subject for sandy soils or near se			Splendid
12 to 18 in	.45	3.75	30.00
18 to 24 in	·55 .65	4.7 <i>5</i> 5.50	37.50 45.00
3 to 4 ft	.90	7.50	

PRUNUS—continued	Each	Per 10	Per 100
padus, 30'-40'	Europea	an Bird	Cherry
Decorative flowering tree; has lowers, black fruit.	ong dro	oping rac	eemes of
5 to 6 ft	.80	6.50	-
6 to 8 ft	1.00	8.50	
8 to 10 ft	1.35 1.65	11.00	-
10 to 12 ft	1.05	13.30	
pennsylvanicum, 10'-12'		Pin	Cherry
Small shrubby tree; very shown flowers April-May. Grows well i			h white
3 to 4 ft	•3 <i>5</i>	3.00	***************************************
4 to 5 ft	.50	4.00	
persica (See Amygdalus Persica	a)		
serotina, 75'-100'		Black	Cherry
Largest of native Cherries. Make	s a pictu	resque sj	pecimen.
Quick growing. Stands severe exp Coast. Thrives in sandy fields.	osures a	long the	Atlantic
8 to 10 ft	1.35		-
10 to 12 ft	2.25		-
12 to 14 ft	3.25		***************************************
serrulata, 40'-60'	(Oriental	Cherry
One of the species of wild flo			
large strong tree with wealth of			
soms in early spring. Foliage lar	red in	the fall.	
6 to 8 ft	3.00	25.00	200.00
8 to 10 ft	4.50 5.50	37.50 47.50	300.00
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	7.25	60.00	475.00
	. ,		
—sacchalinensis sargenti, 40'-60'	-1		Cherry
Largest and hardiest of Oriental soms, fading to white. An ideal l tree.			
6 to 8 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	4.00	35.00	
8 to 10 ft., 13/4 to 2 in	5.50	47.00	
10 to 12 ft., 2 to 2 ¹ / ₄ in	7.25	60.00	
subhirtella, 25'-30'		_	Cherry
Round topped shrub-like tree. De to white when fully open. On flowering Cherries.			
6 to 8 ft	4.00	35.00	
8 to 10 ft., 13/4 to 2 in	5.50	47.00	
10 to 12 ft., 2 to 2½ in	8.00		
-autumnalis, 25'-30' Autumn Fl	lowering	g Higan	Cherry
Small tree. Semi-double pink blos	soms flo	wering in	October
or early spring.			
6 to 8 ft	4.00		
0 to 10 1tt	5.75	-	

PRUNUS—continued	Each	Per 10	Per 100
subhirtella pendula, 12'-15'	Weeping	Japan	Cherry
A most beautiful and graceful	tree, con	vered wi	th pink
blossoms in early spring.			
5 to 6 ft. stems, 1 yr. heads	3.75	30.00	250.00
5 to 6 ft. stems, 2 yr. heads	4.50	37.50	300.00
5 to 6 ft. stems, 3 yr. heads	5.25	45.00	350 .0 0
4 to 6 ft. stems, 5 yr. heads, 2 to 2½ in	9.00	75.00	600.00
4 to 6 ft. stems, 5 yr. heads	9.00	75.00	000.00
2½ to 3 in	12.50	100.00	
4 to 6 ft. stems, 5 yr. heads 3 to 3½ in	16.50	10 7 00	
3 to 372 m	16.50	135.00	***************************************
——flore plena, 12'-15' Double	e Flg. W	eeping	Cherry
Similar to the above with larger	double f	lowers.	
5 to 6 ft. stems, 2 yr. heads	4.50	37.50	
tomentosa, 6'-7'	N	anking	Cherry
Fruits are light red. Flowers wh	ite, befor	e leaves	appear.
Very showy.			
2 to 3 ft	•3 <i>5</i>	3.00	25.00
3 to 4 ft	.4 <i>5</i>	3.7 <i>5</i> 6.50	30.00
4 to 5 ft	1.00	8.50	52.50 67.50
6 to 7 ft	1.35	11.00	90.00
triloba plena, 7'-8'	Doublef		
Double pink flowers, April-May.	Handson		setul.
2 to 3 ft		A 400 m	
3 to 4 ft	.55 .80	4.7 <i>5</i> 6.50	

JAPANESE CHERRIES

We offer the following list of the choicest imported varieties. These are of upright habit and very desirable for landscape work. In addition to the list named we have lesser quantities of several other varieties as well as some larger sizes which we will be glad to quote on request.


NOTE

All of our cherries are eastern grown. They are heavy, well branched, well rooted specimens not to be compared with light one or two year whips.

Amayodori, 25'-35'			
Flowers double white.			
5 to 6 ft	3.50	27.50	-
6 to 8 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	5.25	45.00	
Ichiyo (hisakura), 25'-35'			
Flowers double pink.			
6 to 8 ft., 1¼ to 1½ in	5.25	45.00	
8 to 10 ft., 1½ to 1¾ in	6.75	55.00	
10 to 12 ft., 13/4 to 2 in	9.00	75.00	-
J. H. Veitch (fugenzo), 30'			
Flowers double pink.			
	1 50	10.50	100.00
3 to 4 ft	1.50	12.50	100.00
4 to 5 ft	2.25	19.00	
5 to 6 ft	3.50	27.50	
6 to 8 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.25	45.00	350.00
8 to 10 ft., 13/4 to 2 in	6.75	55.00	


PRUNUS—continued	Each	Per 10	Per 100
Kanzan, 40'			
One of the best—flowers deep pinl	k and v	verv doub	le.
3 to 4 ft	1.50	12.50	100.00
4 to 5 ft	2.25	19.00	150.00
6 to 8 ft., 13/4 to 2 in	5.25	45.00	350.00
8 to 10 ft., 2 to 2 ¹ / ₄ in	6.75	55.00	450.00
10 to 12 ft., 2½ to 2½ in	9.00	75.00	
Ojochin, 25'			
Large tree with light pink, semi-c	louble	flowers.	
5 to 6 ft	3.50	27.50	
6 to 8 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.25		350.00
8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.75	55.00	
Paul Wohlert, 25'-30'			
Double, deep pink flowers-semi-	dwarf	form.	
5 to 6 ft		27.50	
3 to 0 1t	3.50	27.50	
Rosea superba, 30'			
Flowers double rose.			
6 to 8 ft., 1½ to 1¾ in	5.25	45.00	
8 to 10 ft., 13/4 to 2 in	6.75	55.00	450.00
10 to 12 ft., 2 to $2\frac{1}{2}$ in	9.00	75.00	
Claire Company and and			
Shirofugen, 25'-35'		,	
Light pink buds opening to white		le.	
5 to 6 ft	3.50		
6 to 8 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	5.25	45.00	4.50.00
8 to 10 ft., 1½ to 1¾ in	6.75	55.00	450.00
10 to 12 ft., 13/4 to 2 in	9.00	75.00	
Watereri, 30'			
Showy, double pink flowers.			
6 to 8 ft., 1½ to 1¾ in	5.25	45.00	
8 to 10 ft., 2 to $2\frac{1}{4}$ in	6.75	55.00	
Yedoensis (yoshino cherry), 35'			
Single, pale pink.			
6 to 8 ft., 1½ to 1¾ in	5.25	45.00	350.00
8 to 10 ft., 13/4 to 2 in	6.75	55.00	450.00
10 to 12 ft., 2 to $2\frac{1}{2}$ in	9.00	75.00	
PSEUDOTSUGA douglasi, 70'-80	o'	Dou	ıglas-fir
Evergreen. Very hardy; dark blu			
fers well drained situation.			
18 to 24 in., B. & B	1.10	9.00	75.00
2 to $2\frac{1}{2}$ ft., B. & B	1.65	13.50	110.00
2½ to 3 ft., B. & B	2.00	17.00	135.00
3 to 4 ft., B. & B	2.75	22.50	175.00
4 to 5 ft., B. & B	4.00	35.00	275.00
5 to 6 ft., B. & B	5.00	40.00	
6 to 7 ft., B. & B	7.50	65.00	
8 to 9 ft., B. & B., specimen	19.00	150.00	
—glauca		Blue Dou	
A selected strain of the Colorado	Dougla	s Fir with	charac-
teristic blue and silvery foliage.			
18 to 24 in., B. & B	1.65		110.00
2 to 2½ ft., B. & B	2.75	22.50	175.00
2½ to 3 ft., B. & B	3.7 <i>5</i> 4. 5 0	30.00 37.50	250.00
4 to 5 ft., B. & B	5.25	45.00	-
, , , , , , , , , , , , , , , , , , ,	JJ	45.40	

PTELEA trifoliata, 10'-12' Has clusters of fruit that look and 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	Each .90 1.25 1.50 2.00		optree
PUERARIA thunbergiana, 60'		Kudz	u-bean
One of the fastest growing vines purple flowers.	in culti	vation; f	ragrant
1 year, strong	.20	1.70	13.50
PYRACANTHA coccinea lalandi,	La	land Fir	
Evergreen. A beautiful broad-leav clusters of orange berries in the factor the North.			
18 to 24 in., 6 in. pots	1.65	13.50	110.00
2 to 3 ft., 7 in. pots	2.75	22.50	175.00
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.10	9.00	75.00
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 3 ft., B. & B	2.25	20.00	150.00
3 to 4 ft., B. & B	3.75	30.00	250.00
PYRUS calleryana, 20'		Caller	y Pear
Tall growing Japanese Pear value very showy flowers.	ed for i	ts abund	ance of
6 to 8 ft	2.50 3.00	20.00 25.00	



Morven

The home of Richard Stockton, a signer of the Declaration of Independence. Here many notables were entertained in Revolutionary days



NURSERY GROWN OAKS

Our Specialty

The following list of Oaks is (we are told) one of the finest lots grown in America. For years we have been painstakingly building up a select lot of shade trees and have been convinced that Oaks would be finally recognized as one of the best shade tree groups. The increased popularity and demand have justified our conviction.

Our Oaks are straight stemmed with good heads and well defined leaders and have been transplanted several times so that the root systems are of the best.

They are especially adapted to highway and park planting and are available in quantity. We have over 100,000 including all sizes.

We handle our trees carefully, avoid exposure and take every precaution to insure safe transplanting.

QUERCUS alba, 100'	Each		Per 100 te Oak
Best planted in spring. The most in growth but makes magnificent		oak of a	ll, slow
4 to 5 ft	2.00 3.00	17.00 25.00	135.00
6 to 8 ft	4.00 5.25 6.75	35.00 45.00 55.00	275.00 350.00 450.00
9 to 11 ft., 1½ to 1¾ in 1¾ to 2 in	8.00	65.00 80.00	525.00
2 to 2 ¹ / ₄ in	12.50	100.00	
bicolor, 50'-60'	Swa	mp Whi	te Oak
Large tree with round, somewhat bark.	open h	ead. Gra	y, scaly
6 to 8 ft	3.75 4.50		
10 to 12 ft., 1½ to 1¾ in	5.50		
coccinea, 75'-90'		Scarl	et Oak
coccinea, 75'-90' Most striking autumn colors; tall cut leaves.	l, stately		
Most striking autumn colors; tall cut leaves. 6 to 8 ft	3.75	y grower, 30.00	deeply 250.00
Most striking autumn colors; tall cut leaves. 6 to 8 ft	3.75 4.75	30.00 40.00	deeply 250.00 325.00
Most striking autumn colors; tall cut leaves. 6 to 8 ft	3.75 4.75 6.00	30.00 40.00 50.00	250.00 325.00 400.00
Most striking autumn colors; tall cut leaves. 6 to 8 ft	3.75 4.75	30.00 40.00	deeply 250.00 325.00
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in	3.75 4.75 6.00 7.50	30.00 40.00 50.00 65.00	250.00 325.00 400.00
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1¾ to 2 in	3.75 4.75 6.00 7.50 9.00	30.00 40.00 50.00 65.00 75.00	250.00 325.00 400.00
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in	3.75 4.75 6.00 7.50 9.00	30.00 40.00 50.00 65.00 75.00 90.00	250.00 325.00 400.00
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in. 14 ft., 2½ to 3 in. lyrata, 60′-75′	3.75 4.75 6.00 7.50 9.00 11.00 13.50 16.50	30.00 40.00 50.00 65.00 75.00 90.00 110.00	250.00 325.00 400.00 500.00
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in. 14 ft., 2½ to 3 in.	3.75 4.75 6.00 7.50 9.00 11.00 13.50 16.50	30.00 40.00 50.00 65.00 75.00 90.00 110.00	250.00 325.00 400.00 500.00
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in. 14 ft., 2½ to 3 in. lyrata, 60′-75′ Enjoys a moist soil and associated to 10 and 2 social cut.	3.75 4.75 6.00 7.50 9.00 11.00 13.50 16.50	30.00 40.00 50.00 65.00 75.00 90.00 110.00	250.00 325.00 400.00 500.00

QUERCUS—continued	Each	Per 10	Per 100
macrocarpa, 75'-80'		Mossyci	ıp Oak
Vigorous grower of picturesque	appeara	_	
corky branches.			
5 to 6 ft	3.00	25.00	200.00
6 to 8 ft	3.75	30.00	250.00
8 to 10 ft	4.50	37.50	300.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	5.50	47.50	375.00
10 to 12 ft., 1½ to 1¾ in	6.50	55.00	
12 to 14 ft., 134 to 2 in	9.00	75.00	
2 to 2 ¹ / ₄ in	10.00	85.00	-
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	12.50	100.00	(Printersonal Printersonal Prin
$2\frac{1}{2} \text{ to } 3 \text{ in}$ $3 \text{ to } 3\frac{1}{2} \text{ in}$	15.00 17.50		
	17.50		
palustris, 75'-90'	C		in Oak
Takes most kindly to cultivation			
is very adaptable. Particularly good autumn effects.	ntting a	as a stre	et tree;
6 to 8 ft	1.65	13.50	110.00
8 to 10 ft	2.25	19.00	150.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	3.00	25.00	200.00
9 to 11 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.90	32.50	260.00
9 to 11 ft., 13/4 to 2 in	5.50	47.50	375.00
11 to 12 ft., 2 to 2½ in	6.75	55.00	450.00
2½ to 2½ in	9.00	75.00	600.00
$2\frac{1}{2}$ to 3 in	10.00	90.00	700.00
3 to 3½ in	12.00	90.00	-
3½ to 4 in	15.00	125.00	
4 to $4\frac{1}{2}$ in	20.00	170.00	
Also larger sizes. Prices on applic	cation.		
nhellos so'-fo'		Willo	w Oak
phellos, 50'-60' Narrow willow-like leaves; disti	nct from		ow Oak varieties
Narrow willow-like leaves; disti		n other v	arieties
Narrow willow-like leaves; disti of oak. 6 to 8 ft	3.50	n other v	varieties 225.00
Narrow willow-like leaves; disti of oak. 6 to 8 ft	3.50 4.50	28.00 37.50	225.00 300.00
Narrow willow-like leaves; disti of oak. 6 to 8 ft	3.50 4.50 5.50	28.00 37.50 47.00	225.00 300.00
Narrow willow-like leaves; disti of oak. 6 to 8 ft	3.50 4.50 5.50 6.50	28.00 37.50 47.00 55.00	225.00 300.00
Narrow willow-like leaves; disti of oak. 6 to 8 ft	3.50 4.50 5.50 6.50 8.00	28.00 37.50 47.00	225.00 300.00
Narrow willow-like leaves; disti of oak. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1¾ to 2 in 12 to 14 ft., 2 to 2¼ in	3.50 4.50 5.50 6.50 8.00 9.00	28.00 37.50 47.00 55.00 65.00	225.00 300.00
Narrow willow-like leaves; disti of oak. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in 11 to 12 ft., 1¾ to 2 in 12 to 14 ft., 2 to 2¼ in 12 to 14 ft., 2 to 2¼ in	3.50 4.50 5.50 6.50 8.00 9.00	28.00 37.50 47.00 55.00 65.00	225.00 300.00 —————————————————————————————
Narrow willow-like leaves; disti of oak. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1½ to 1¾ in. 11 to 12 ft., 1¾ to 2 in. 12 to 14 ft. 2 to 2¼ in. robur fastigiata, 35′-50′ P Narrowly columnar. Makes a dep	3.50 4.50 5.50 6.50 8.00 9.00 Pyramid	28.00 37.50 47.00 55.00 65.00	225.00 300.00 —————————————————————————————
Narrow willow-like leaves; disti of oak. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in 11 to 12 ft., 1¾ to 2 in 12 to 14 ft., 2 to 2¼ in 12 to 14 ft., 2 to 2¼ in	3.50 4.50 5.50 6.50 8.00 9.00 Tyramid bendable in intim	28.00 37.50 47.00 55.00 65.00	225.00 300.00 —————————————————————————————
Narrow willow-like leaves; disti of oak. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft. 2 to 2¼ in. robur fastigiata, 35′-50′ P Narrowly columnar. Makes a dep Effective when used as an accent ment or for heavy formal effects 3 to 4 ft.	3.50 4.50 5.50 6.50 8.00 9.00 Tyramid bendable in intim	28.00 37.50 47.00 55.00 65.00 	225.00 300.00 —————————————————————————————
Narrow willow-like leaves; disti of oak. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft. 2 to 2¼ in. robur fastigiata, 35'-50' Narrowly columnar. Makes a dependent or for heavy formal effects 3 to 4 ft. 4 to 5 ft.	3.50 4.50 5.50 6.50 8.00 9.00 Cyramid bendable in intim	28.00 37.50 47.00 55.00 65.00 	225.00 300.00 sh Oak ed tree. en treat-
Narrow willow-like leaves; disti of oak. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft. 2 to 2¼ in. robur fastigiata, 35'-50' Narrowly columnar. Makes a dependent or for heavy formal effects 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	3.50 4.50 5.50 6.50 8.00 9.00 Pyramid bendable in intim 3.75 5.50 6.50	28.00 37.50 47.00 55.00 65.00 	225.00 300.00 sh Oak ed tree. en treat-
Narrow willow-like leaves; disti of oak. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft. 2 to 2¼ in. robur fastigiata, 35'-50' Narrowly columnar. Makes a dependent or for heavy formal effects 3 to 4 ft. 4 to 5 ft.	3.50 4.50 5.50 6.50 8.00 9.00 Cyramid bendable in intim	28.00 37.50 47.00 55.00 65.00 	225.00 300.00 sh Oak ed tree. en treat-
Narrow willow-like leaves; disti of oak. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft. 2 to 2¼ in. robur fastigiata, 35'-50' Narrowly columnar. Makes a dependent or for heavy formal effects 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	3.50 4.50 5.50 6.50 8.00 9.00 Pyramid bendable in intim 3.75 5.50 6.50 9.00	28.00 37.50 47.00 55.00 65.00 	sh Oak ed tree. 250.00 250.00 and treat- 250.00 and treat- 260.00
Narrow willow-like leaves; disti of oak. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft. 2 to 2¼ in. robur fastigiata, 35'-50' Narrowly columnar. Makes a dependent or for heavy formal effects 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. rubra, 75'-90' Comparatively quick growth; regreens and reds.	3.50 4.50 5.50 6.50 8.00 9.00 Pyramid bendable in intim 3.75 5.50 6.50 9.00	28.00 37.50 47.00 55.00 65.00 	sh Oak ed tree. 250.00 250.00 and treat- 250.00 and treat- 260.00
Narrow willow-like leaves; disti of oak. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 10 to 12 ft., 1¾ to 2 in. 11 to 14 ft. 2 to 2¼ in. 12 to 14 ft. 2 to 2¼ in. robur fastigiata, 35′-50′ P Narrowly columnar. Makes a dep Effective when used as an accent ment or for heavy formal effects 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. rubra, 75′-90′ Comparatively quick growth; r greens and reds. 5 to 6 ft.	3.50 4.50 5.50 6.50 8.00 9.00 Pyramid bendable in intim 3.75 5.50 6.50 9.00	28.00 37.50 47.00 55.00 65.00 	sh Oak ed tree. 250.00 250.00 and treat- 250.00 and treat- 260.00
Narrow willow-like leaves; disti of oak. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft. 2 to 2¼ in. robur fastigiata, 35'-50' Narrowly columnar. Makes a dependent or for heavy formal effects. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. rubra, 75'-90' Comparatively quick growth; regreens and reds. 5 to 6 ft. 6 to 8 ft.	3.50 4.50 5.50 6.50 8.00 9.00 Cyramid bendable in intim 3.75 5.50 6.50 9.00 Co ich aut	28.00 37.50 47.00 55.00 65.00 	225.00 300.00 sh Oak ed tree. 250.00 ed Oak oring in 110.00 225.00
Narrow willow-like leaves; disti of oak. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft. 2 to 2¼ in. robur fastigiata, 35′-50′ Narrowly columnar. Makes a dependent or for heavy formal effects a to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. rubra, 75′-90′ Comparatively quick growth; r greens and reds. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	3.50 4.50 5.50 6.50 8.00 9.00 Cyramid bendable in intim 3.75 5.50 6.50 9.00 Co ich aut	28.00 37.50 47.00 55.00 65.00 ———————————————————————————————————	225.00 300.00 sh Oak ed tree. in treat- 250.00 ed Oak oring in 110.00 225.00 300.00
Narrow willow-like leaves; disti of oak. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1¾ to 2 in. 11 to 12 ft., 1¾ to 2 in. 12 to 14 ft. 2 to 2¼ in. 12 to 14 ft. 2 to 2¼ in. 13 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 15 to 6 ft. 16 to 8 ft. 17 to 16 ft. 18 to 10 ft. 19 to 1½ in. 10 to 12 ft. 11¼ to 1½ in. 11¼ to 1½ in.	3.50 4.50 5.50 6.50 8.00 9.00 Cyramid bendable in intim 3.75 5.50 6.50 9.00 Co ich aut	28.00 37.50 47.00 55.00 65.00 65.00 27.00 30.00 47.00 55.00 75.00 mmon R umn colo	225.00 300.00 sh Oak ed tree. 250.00 ed Oak oring in 110.00 225.00 300.00 375.00
Narrow willow-like leaves; disti of oak. 6 to 8 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft. 2 to 2¼ in. robur fastigiata, 35′-50′ P Narrowly columnar. Makes a dep Effective when used as an accent ment or for heavy formal effects. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. rubra, 75′-90′ Comparatively quick growth; r greens and reds. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in.	3.50 4.50 5.50 6.50 8.00 9.00 Pyramid bendable in intim 3.75 5.50 6.50 9.00 Co ich aut	28.00 37.50 47.00 55.00 65.00 65.00 27.00 30.00 47.00 55.00 75.00 mmon R umn colo 13.50 27.50 37.50 47.50 55.00	225.00 300.00 sh Oak ed tree. 250.00 ed Oak oring in 110.00 225.00 300.00 375.00 450.00
Narrow willow-like leaves; disti of oak. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft. 2 to 2¼ in. 13 to 14 ft. 2 to 2¼ in. 14 to 5 ft. 5 to 6 ft. 6 to 8 ft. 15 to 6 ft. 16 to 8 ft. 17 to 10 ft., 1¼ to 1½ in. 18 to 10 ft., 1¼ to 1½ in. 19 to 12 ft., 1¼ to 1½ in. 10 to 12 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in.	3.50 4.50 5.50 6.50 8.00 9.00 Pyramid bendable in intim 3.75 5.50 6.50 9.00 Co ich aut	28.00 37.50 47.00 55.00 65.00 ———————————————————————————————————	225.00 300.00
Narrow willow-like leaves; disti of oak. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1¾ to 2 in. 11 to 14 ft. 2 to 2¼ in. 12 to 14 ft. 2 to 2¼ in. 15 to 6 ft. 16 to 8 ft. 17 to 6 ft. 18 to 10 ft. 19 to 1½ to 1¾ to 2 in. 19 to 5 ft. 19 to 6 ft. 19 to 75′-90′ 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1½ to 1¾ in. 11¾ to 2 in. 2 to 2¼ in.	3.50 4.50 5.50 6.50 8.00 9.00 Cyramid bendable in intim 3.75 5.50 6.50 9.00 Co ich aut	28.00 37.50 47.00 55.00 65.00 	225.00 300.00 sh Oak ed tree. n treat- 250.00 ed Oak oring in 110.00 225.00 300.00 375.00 450.00 675.00
Narrow willow-like leaves; disti of oak. 6 to 8 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in. robur fastigiata, 35'-50' Narrowly columnar. Makes a dep Effective when used as an accent ment or for heavy formal effects. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. rubra, 75'-90' Comparatively quick growth; r greens and reds. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 13¼ to 2 in. 2 to 2¼ in. 2½ to 2½ in.	3.50 4.50 5.50 6.50 8.00 9.00 Pyramid bendable in intim 3.75 5.50 6.50 9.00 Co ich autr 1.65 3.25 4.50 5.50 6.75 8.50 10.00 12.25	28.00 37.50 47.00 55.00 65.00 ———————————————————————————————————	225.00 300.00
Narrow willow-like leaves; disti of oak. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1¾ to 2 in. 11 to 14 ft. 2 to 2¼ in. 12 to 14 ft. 2 to 2¼ in. 15 to 6 ft. 16 to 8 ft. 17 to 6 ft. 18 to 10 ft. 19 to 1½ to 1¾ to 2 in. 19 to 5 ft. 19 to 6 ft. 19 to 75′-90′ 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1½ to 1¾ in. 11¾ to 2 in. 2 to 2¼ in.	3.50 4.50 5.50 6.50 8.00 9.00 Pyramid bendable in intim 3.75 5.50 6.50 9.00 Co ich autr 1.65 3.25 4.50 5.50 6.75 8.50 10.00 12.25	28.00 37.50 47.00 55.00 65.00 	225.00 300.00 sh Oak ed tree. n treat- 250.00 ed Oak oring in 110.00 225.00 300.00 375.00 450.00 675.00

QUERCUS—continued

Each Per 10 Per 100

velutina, 75'-90'

Black Oak

Inhabits poor soils of dry and gravelly uplands. Deep green foliage turning yellowish or reddish-brown in autumn.

4 to 5 ft	1.65	13.50	110.00
5 to 6 ft			
6 to 8 ft	3.75	30.00	
8 to 10 ft	5.25	45.00	



THE NASSAU INN

The oldest hotel in Princeton. The original portion of the building was erected in 1757, of brick imported from Holland

— → R >>	4		
DEWINOSDODA (S., CHAMAE		Per 10	Per 100
RETINOSPORA (See CHAMAE			1
RHAMNUS caroliniana, 30'		lina Buc	ktnorn
Has red fruit, turning black when		475	07.50
3 to 4 ft	•55 .80	4.7 <i>5</i> 6.50	37.50 52.50
5 to 6 ft	1.10	9.00	70.00
6 to 8 ft	1.65	13.50	
8 to 10 ft	3.50	28.00	
10 to 12 ft	4.50	37.50	
cathartica, 9'-10' Dark green leaves, black berries shrub.		non Buck	
3 to 4 ft	.45	3.75	30.00
4 to 5 ft	.60	5.00	40.00
5 to 6 ft	.90	7.50	60.00
6 to 7 ft	1.10	9.50	75.00
frangula, 8'-9' Berries red, changing to black.	Glo	ssy Buc	kthorn
3 to 4 ft	. 45	3.75	30.00
4 to 5 ft	.60	5.00	40.00
5 to 6 ft	.90	7.50	60.00
6 to 7 ft	1.10	9.50	75.00
RHODODENDRON carolinanum Carolinanum Carolinanum Carolinanum	arolina	Rhodod	
They are all well budded and so and height are about equal. This flowers in May or June and is on ing in open places.	bushy variety	that the has brig	breadth ht pink
15 to 18 in., B. & B	2.25	19.00	150.00
18 to 24 in., B. & B	3.50	28.00	225.00
2 to 2½ ft., B. & B	4.50	37.50	
—album White Ca		Rhodod	endron
12 to 15 in., B. & B	2.25	20.00	
15 to 18 in., B. & B	3.00	25.00	
18 to 24 in., B. & B	3 . 75	30.00	
, ,		Rhodod	
Nursery grown stock, perfectly bushy specimens. This variety	has la	rge rosy	-purple
flowers in May or June and pref			12500
15 to 18 in., B. & B	2.00 3.00	17.00 25.00	135.00
2 to 2½ ft., B. & B	4.50		300.00
2½ to 3 ft., B. & B	6.00		400.00
3 to 3½ ft., B. & B	7.50		
maximum, 8'-12' Ro Nursery Grown. Raised from seed		Rhodod	endron
Evergreen. Beautiful light pink in May-June. Large, handsome for masses.	flowers		
15 to 18 in., B. & B	1.65	13.50	110.00
18 to 24 in., B. & B	2.25	19.00	150.00
2 to 2½ ft., B. & B	3.50	28.00	225.00
2½ to 3 ft., B. & B	4.50 6 .5 0	37.50 55.00	300.00
5 to 4 It., β. α β	030	33.00	430.00

RHODODENDRON—continued	Each	Per 10	Per 100
maximum			
Collected Clumps, Grown in Nur	sery Fiv	e Years.	
	3.7 <i>5</i> 5.50	31.00 47.00	250.00 375.00
mucronulatum, 6'	Korean	Rhodod	endron
Violet-pink flowers very early. leaves in fall.	Handson	ne scarle	t-tinted
12 to 15 in., B. & B	3.00	25.00	
15 to 18 in., B. & B	4.00 5.00	35.00 40.00	
HYBRID RHODODENDRONS Strong growing varieties. Album elegans—Blush-pink. Catawbiense grandiflora—Rosy- Everestianum—Rosy-lilac. President Lincoln—Pink.			
Roseum elegans—Rich pink.			
12 to 15 in., B. & B	2.75 3.50 5.00 6.75 8.50	22.50 28.00 40.00 55.00 70.00 80.00	175.00 225.00 325.00 450.00
Medium growing varieties. Amphion—Rose-pink.			
Candidissima—White. Caractacus—Red. Dr. Dresselhuis—Bright red. General Grant—Rosy-scarlet. Ignatius Sargent—Deep pink. Mrs. C. S. Sargent—Rich crimson Purpureum grandiflorum—Larg		ed pu r pl	e. Late.
Candidissima—White. Caractacus—Red. Dr. Dresselhuis—Bright red. General Grant—Rosy-scarlet. Ignatius Sargent—Deep pink. Mrs. C. S. Sargent—Rich crimse Purpureum grandiflorum—Larg Roseum superbum—Deep pink.	e flower		e. Late.
Candidissima—White. Caractacus—Red. Dr. Dresselhuis—Bright red. General Grant—Rosy-scarlet. Ignatius Sargent—Deep pink. Mrs. C. S. Sargent—Rich crimsof Purpureum grandiflorum—Large Roseum superbum—Deep pink. 12 to 15 in., B. & B	e flower	27.50	e. Late.
Candidissima—White. Caractacus—Red. Dr. Dresselhuis—Bright red. General Grant—Rosy-scarlet. Ignatius Sargent—Deep pink. Mrs. C. S. Sargent—Rich crimsof Purpureum grandiflorum—Large Roseum superbum—Deep pink. 12 to 15 in., B. & B	e flower		e. Late.
Candidissima—White. Caractacus—Red. Dr. Dresselhuis—Bright red. General Grant—Rosy-scarlet. Ignatius Sargent—Deep pink. Mrs. C. S. Sargent—Rich crimsof Purpureum grandiflorum—Larg Roseum superbum—Deep pink. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Compact or Dwarf varieties.	9.50 4.50	27.50 37.50	e. Late.
Candidissima—White. Caractacus—Red. Dr. Dresselhuis—Bright red. General Grant—Rosy-scarlet. Ignatius Sargent—Deep pink. Mrs. C. S. Sargent—Rich crimsof Purpureum grandiflorum—Large Roseum superbum—Deep pink. 12 to 15 in., B. & B. 15 to 18 in., B. & B. Compact or Dwarf varieties. Boule de Neige—White.	3.50 4.50 6.00	27.50 37.50	e. Late.
Candidissima—White. Caractacus—Red. Dr. Dresselhuis—Bright red. General Grant—Rosy-scarlet. Ignatius Sargent—Deep pink. Mrs. C. S. Sargent—Rich crimsof Purpureum grandiflorum—Larg Roseum superbum—Deep pink. 12 to 15 in., B. & B. 15 to 18 in., B. & B. Compact or Dwarf varieties. Boule de Neige—White. 12 to 15 in., B. & B.	3.50 4.50 6.00	27.50 37.50	e. Late.
Candidissima—White. Caractacus—Red. Dr. Dresselhuis—Bright red. General Grant—Rosy-scarlet. Ignatius Sargent—Deep pink. Mrs. C. S. Sargent—Rich crimsof Purpureum grandiflorum—Larg Roseum superbum—Deep pink. 12 to 15 in., B. & B. 15 to 18 in., B. & B. Compact or Dwarf varieties. Boule de Neige—White. 12 to 15 in., B. & B.	3.50 4.50 6.00	27.50 37.50 50.00	e. Late.
Candidissima—White. Caractacus—Red. Dr. Dresselhuis—Bright red. General Grant—Rosy-scarlet. Ignatius Sargent—Deep pink. Mrs. C. S. Sargent—Rich crimson Purpureum grandiflorum—Large Roseum superbum—Deep pink. 12 to 15 in., B. & B. 15 to 18 in., B. & B. Compact or Dwarf varieties. Boule de Neige—White. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 16 to 18 in., B. & B.	3.50 4.50 6.00 4.25 5.25 6.75	27.50 37.50	e. Late.
Candidissima—White. Caractacus—Red. Dr. Dresselhuis—Bright red. General Grant—Rosy-scarlet. Ignatius Sargent—Deep pink. Mrs. C. S. Sargent—Rich crimsof Purpureum grandiflorum—Larg Roseum superbum—Deep pink. 12 to 15 in., B. & B. 15 to 18 in., B. & B. Compact or Dwarf varieties. Boule de Neige—White. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 17 to 18 in., B. & B. 18 to 24 in., B. & B. 19 to 15 in., B. & B. 10 to 15 in., B. & B. 11 to 15 in., B. & B. 12 to 15 in., B. & B. 13 to 18 in., B. & B. 14 to 24 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B.	3.50 4.50 6.00 4.25 5.25 6.75	27.50 37.50 50.00	e. Late.
Candidissima—White. Caractacus—Red. Dr. Dresselhuis—Bright red. General Grant—Rosy-scarlet. Ignatius Sargent—Deep pink. Mrs. C. S. Sargent—Rich crimson Purpureum grandiflorum—Large Roseum superbum—Deep pink. 12 to 15 in., B. & B. 15 to 18 in., B. & B. Compact or Dwarf varieties. Boule de Neige—White. 12 to 15 in., B. & B. HYBRID seedlings, mixed colors 15 to 18 in., B. & B.	3.50 4.50 6.00 4.25 5.25 6.75	27.50 37.50 50.00	e. Late.
Candidissima—White. Caractacus—Red. Dr. Dresselhuis—Bright red. General Grant—Rosy-scarlet. Ignatius Sargent—Deep pink. Mrs. C. S. Sargent—Rich crimsof Purpureum grandiflorum—Larg Roseum superbum—Deep pink. 12 to 15 in., B. & B. 15 to 18 in., B. & B. Compact or Dwarf varieties. Boule de Neige—White. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 17 to 18 in., B. & B. 18 to 24 in., B. & B. 19 to 15 in., B. & B. 10 to 15 in., B. & B. 11 to 15 in., B. & B. 12 to 15 in., B. & B. 13 to 18 in., B. & B. 14 to 24 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B.	3.50 4.50 6.00 4.25 5.25 6.75	27.50 37.50 50.00	e. Late.
Candidissima—White. Caractacus—Red. Dr. Dresselhuis—Bright red. General Grant—Rosy-scarlet. Ignatius Sargent—Deep pink. Mrs. C. S. Sargent—Rich crimsof Purpureum grandiflorum—Large Roseum superbum—Deep pink. 12 to 15 in., B. & B. 15 to 18 in., B. & B. Compact or Dwarf varieties. Boule de Neige—White. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	3.50 4.50 6.00 4.25 5.25 6.75	27.50 37.50 50.00	e. Late.
Candidissima—White. Caractacus—Red. Dr. Dresselhuis—Bright red. General Grant—Rosy-scarlet. Ignatius Sargent—Deep pink. Mrs. C. S. Sargent—Rich crimsor Purpureum grandiflorum—Larg Roseum superbum—Deep pink. 12 to 15 in., B. & B. 15 to 18 in., B. & B. Compact or Dwarf varieties. Boule de Neige—White. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 17 to 18 in., B. & B. 18 to 24 in., B. & B.	3.50 4.50 6.00 4.25 5.25 6.75	27.50 37.50 50.00 	Kerria ne. Shin-
Candidissima—White. Caractacus—Red. Dr. Dresselhuis—Bright red. General Grant—Rosy-scarlet. Ignatius Sargent—Deep pink. Mrs. C. S. Sargent—Rich crimson Purpureum grandiflorum—Larg Roseum superbum—Deep pink. 12 to 15 in., B. & B. 15 to 18 in., B. & B. Compact or Dwarf varieties. Boule de Neige—White. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. RHODOTYPOS kerrioides, 4'-5' Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 18 to 24 in. 18 to 24 in.	3.50 4.50 6.00 4.25 5.25 6.75	27.50 37.50 50.00 17.00 25.00 35.00 50.00 White May-Jur Also cal	Kerria ne. Shin-
Candidissima—White. Caractacus—Red. Dr. Dresselhuis—Bright red. General Grant—Rosy-scarlet. Ignatius Sargent—Deep pink. Mrs. C. S. Sargent—Rich crimsof Purpureum grandiflorum—Larg Roseum superbum—Deep pink. 12 to 15 in., B. & B. 15 to 18 in., B. & B. Compact or Dwarf varieties. Boule de Neige—White. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. RHODOTYPOS kerrioides, 4'-5' Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. 18 to 24 in. 2 to 3 ft.	3.50 4.50 6.00 4.25 5.25 6.75 2.00 3.00 4.00 6.00 flowers, winter.	27.50 37.50 50.00 17.00 25.00 35.00 50.00 White May-Jur Also cal	Kerria ne. shin-led Jet- 20.00 25.00
Candidissima—White. Caractacus—Red. Dr. Dresselhuis—Bright red. General Grant—Rosy-scarlet. Ignatius Sargent—Deep pink. Mrs. C. S. Sargent—Rich crimson Purpureum grandiflorum—Larg Roseum superbum—Deep pink. 12 to 15 in., B. & B. 15 to 18 in., B. & B. Compact or Dwarf varieties. Boule de Neige—White. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. RHODOTYPOS kerrioides, 4'-5' Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 18 to 24 in. 18 to 24 in.	3.50 4.50 6.00 4.25 5.25 6.75 2.00 3.00 4.00 6.00 flowers, winter.	27.50 37.50 50.00 17.00 25.00 35.00 50.00 White May-Jur Also cal	Kerria ne. Shin- led Jet-

	Each	Per 10	Per 100
RHUS canadensis (aromatica), 4'-			
Clusters of small yellow flowers,	_	_	
tive in June when covered with stands drought. Aromatic foliage.	coral-r		
18 to 24 in	•45	3.75	30.00
2 to 3 ft	.60	5.00	40.00
3 to 4 ft	.80	6.50	52.50
4 to 5 ft 5 to 6 ft	1.10	9.00	
copallina, 12'-13'		Shining	Sumac
Showy crimson fruits; good au show in poor arid situations; goo			Makes
15 to 18 in	.27	2.25	18.00
18 to 24 in	·3 <i>5</i>	2.80	22.50
2 to 3 ft	-45	3.75	30.00
3 to 4 ft	-55	4.70	37.50
*cotinus, 10'-12'	Comr	non Smo	ketree
Also called Purple Fringe.			
2 to 3 ft	1.00	8.50	67.50
3 to 4 ft	1.35	11.00	
4 to 5 ft	1.80	15.00	
5 to 6 ft	2.50	20.00	
6 to 8 ft	4.25	35.00	
—purpurea, 10'-12'	Pu	rple Smo	oketree
Purple leaved form of the type.	0 -		
18 to 24 in	.80		
2 to 3 ft	1.00		
3 to 4 tt	1.35		
glabra, 10'-12'		Smooth	Sumac
Crimson fruits in bunches; rich a in poor soils.	utumn (coloring;	thrives
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	-45	3.75	30.00
4 to 5 ft	.55	4.75	37.50
5 to 6 ft	.65	5.50	45.00
6 to 8 ft	1.10	9.00	75.00
8 to 10 ft	2.00	13.50	110.00
—laciniata, 10'-12' Cut Cutleaved form of the type.	leaved	Smooth	Sumac
18 to 24 in	.80	6.50	-
typhina, 15'-18'	S	taghorn	Sumac
Picturesque habit; brilliant autur	nn effec	et.	
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	·3 <i>5</i>	3.00	25.00
4 to 5 ft	.45	3.75	30.00
5 to 6 ft	.60	5.00	40.00
6 to 8 ft	.80	6.50	52.50
8 to 10 ft	1.10	9.00	75.00

RHUS-continued	Each	Per 10	Per 100
typhina laciniata, 14'-15'	Sh	redded	Sumac
Leaves are finely cut, giving attra	active f	eathery	appear-
2 to 3 ft	. 45	3.75	30.00
3 to 4 ft	-55	4.70	37.50
4 to 5 ft	-75	6.00	
5 to 6 ft	.90	7.50	
6 to 8 ft	1.10	9.00	
ROBINIA hispida, 5'-6'		Rose	-acacia
Rosy pink, attractive flowers, Mainto a mass.	y-June	. Soon d	levelops
18 to 24 in	.45	3.75	30.00
2 to 3 ft	.65	5.50	45.00
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.10	9.00	75.00
-standard			
3 to 4 ft	1.65	13.50	
pseudoacacia, 60'-80' Has fragrant white flowers in Ma		ommon	Locust
6 to 8 ft	1.00	8.00	
8 to 10 ft	1.50	12.00	
10 to 12 ft	2.00	17.00	
Also larger sizes. Prices on applic		.,	
ROSA blanda, 4'-5' Pink, May. Almost thornless; red	diah hr		w Rose
•			40.00
18 to 24 in	.60 .80	5.00 6.50	40.00 52.50
3 to 4 ft	1.00	8.00	60.00
	Golden	Rose o	f China
A very desirable border rose with flowers.	ve ry	attractiv	e yellow
2 to 3 ft	.80	6.50	52.50
humilis, 2'-3'		Pastu	re Rose
The common wild rose of the past	ures.		
12 to 18 in	•45 •55	3.7 <i>5</i> 4.70	-
lucida, 5'-6'		Virgin	ia Rose
Useful for the shrub border or Thrives under neglect. Pink flowe		_	
10 to 12 in	-35	2.80	22.50
12 to 15 in	.40	3.50	
15 to 18 in	-45	3.75	30.00
18 to 24 in	.60	5.00	40.00
multiflora, 9'-10'			se Rose
White, June. Vigorous, free-flowe	ring an	d fragra	nt.
2 to 3 ft	-3 <i>5</i>	3.00	25.00
3 to 4 ft	-45	3.75	30.00
4 to 5 ft	.60	5.00	40.00

ROSA—continued	Each	Per 10	Per 100
nitida, 3'-4'		Bristl	y Rose
Deep pink, June. Good for holdi mass planting; good autumn colori		nks and	general
10 to 12 in	•35	2.80	22.50
12 to 15 in	. 40	3.50	27.50
15 to 18 in	.45	3.75	diamentus (none) like
palustris (carolina), 6'-8' Prefers moist situation. Pink flower	ers Jun		p Rose
12 to 18 in	.45	3.75	30.00
18 to 24 in	•55	4.75	37.50
2 to 3 ft	.70	5.50	45.00
rubiginosa, 5'-6'		Swe	etbrier
Bright pink flowers, June. Good odor.	foliag	e with a	
12 to 18 in	· 35	3.00	25.00
18 to 24 in	45	3.75	30.00
2 to 3 ft	•55	4.75	37.50
3 to 4 ft	.65	5.75	45.00
4 to 5 ft	.80 1.00	6.50 8. 50	52.50 67.50
3 to 0 it	1.00	0.50	07.30
rubrifolia (ferruginea), 5'-6'		Redlea	f Rose
Has distinct purplish-red leaves a subject.	and ba	rk; good	winter
18 to 24 in	•4 <i>5</i> •5 <i>5</i>	3.7 <i>5</i> 4.7 <i>5</i>	37.50
rugosa, 4'-5'		d Rugos	
Handsome shrub, large pink flo Rich green foliage and large red : shrubbery border or as hedge.			
12 to 18 in	.30	2.50	
18 to 24 in	· 3 5	3.00	
2 to 3 ft	.50	4.50	35.00
—alba, 4'-5' White flowers. May-September.	Whit	e Rugos	a Rose
12 to 18 in	25	3.00	25.00
18 to 24 in	•35 •45	3.75	30.00
-Agnes, 10'-12'			
Hardy rugosa hybrid with yellow	flower	·s.	
· · · · · · · · · · · · · · · · · · ·	.45		30.00
2 to 3 ft	•55	4.75	37.50
F. J. Grootendorst, 4'-6'			
Small bright red flowers produce season. Vigorous plants — often us			growing
18 to 24 in	45		-
—Lady Duncan, 3'-4'			
Prostrate grower; single pink.			
2 to 3 ft	-55	4.75	37.50

ROSA—continued	Each	Per 10	Per 100
rugosa Pink Grootendorst, 4'-6'			
18 to 24 in	45	3.75	30.00
2 to 3 ft	-55	4.75	37.50
setigera, 5'-6'		Prairi	e Rose
Deep rose flower, June-July. Vigor	rous gr	ower.	
18 to 24 in	.45	3.75	30.00
2 to 3 ft		4.75	37.50
3 to 4 ft	.65	5.75	45.00
spinossissima, 4'		Scoto	h Rose
Dwarf spreading rose, with small l to pinkish flowers.	leaves a	nd show	y white
15 to 18 in	·55	4.75	
18 to 24 in	.75	6.50	50.00
-altaica, 4'		A1t	ai Rose
Stronger grower than the above; h	as larg	er cream	y white
15 to 18 in	.70	5.50	45.00
18 to 24 in	.90	7.50	60.00
wichuraiana, white, 10'-12'	V	Vichuria	ın Rose
Trailing plant with evergreen shin flowers. Blooms rather late in the		iage. Pu	re white
18 to 24 in., 1 year			
CLIMBING ROSES or B	RAMB	LERS	
Heavy, 2 yr			37.50 e noted.
Albertine. Semi-double, pale pink			
American Beauty Climbing. Red.			
Aviateur Bleriot. Yellow.			
Christine Wright. Wild rose-pink	•		
Dr. Van Fleet. Shell-pink.	h#		
Emily Gray. Semi-double, golden Max Graf. Trailing sort with glos tive pink flowers	sy foli		attrac-
Mary Wallace. Semi-double, clear		6.50	
Pauls Scarlet. Vivid scarlet.	10504	JIIII.	
Silver Moon. Yellowish-white.			
Dorothy Perkins. White.			
Excelsa. Red.			
Tausendschon. Soft pink.			
RUBUS odoratus, 6'	Flowe	ring Ra	spberry

zio zio di odoratub, o	1 10 W C11	118 Itas	PDCITA
Makes excellent ground cover if fers moisture at roots. Rosy-petember.			
18 to 24 in	45	3.75	30.00
2 to 3 ft	·5 <i>5</i>	4.70	37.50
3 to 4 ft	.65	5.50	45.00

SALISBURIA adiantifolia (See C	GINKG	0)	
SALIX babylonica, 50'-60' Bab	ylon W	eeping	Willow
Particularly appropriate for was long pendulous branches.	terside p	olanting	with its
	Each	Per 10	_
4 to 6 ft	1.35		90.00
6 to 8 ft	2.00 3.00	17.00	135.00
		Jeonina	W/:110xx
Similar to the above but less ascending branches and pendulou			ce with
6 to 8 ft	1.75	14.00	120.00
8 to 10 ft	2.25	19.00	
10 to 12 ft	2.75	~ ~	
12 to 14 ft	3.50	28.00	
caprea (bush form), 15'-20'			Willow
Very desirable for spring effects. well as wet places.	. Will do	o well or	n dry as
2 to 3 ft	-35	3.00	25.00
3 to 4 ft	45	3.75	30.00
4 to 5 ft	-55	4.70	37.50
10 to 12 ft	3.00	25.00	
	4.50	37.50 Danage	XX/:11 o
	merican	Pussy	WIIIOW
Similar to the above. 5 to 6 ft	.90	7.50	
elegantissima, 60'-70' Thu	ırlow W	eeping	Willow
Vigorous upright grower; best f			
6 to 8 ft	1.75	_	120.00
8 to 10 ft	2.25	19.00	
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	2.50		
10 to 12 ft., $1\frac{1}{2}$ to 2 in	_	25.00 28.00	
	3.50		XX7:11
incana (rosmarinifolia), 8'-10'			
An attractive, slow-growing Wil greatly resembling Sagebrush or			
ance.			
2 to 3 ft	-45	3.75	30.00
3 to 4 ft	•55	4.75	37.50
4 to 5 ft 5 to 6 ft	.65 .90	5.50 7.50	45.00 60.00
	.90		
pentandra, 20'-30'		Laurel	
Shining, rich, dark green leaves background; valuable for seasho			thwhile
4 to 5 ft	.50	4.00	30.00
5 to 6 ft	.65		45.00
6 to 8 ft., 1½ to 1¾ in 8 to 10 ft., 1¾ to 2 in	1.35		
vitellina aurea, 30'-40'			Willow
Weeping to semi-weeping tree.			
4 to 6 ft		8.00	
6 to 8 ft	1.50		
8 to 10 ft	2.00	-	

	4		
SALIX—continued	Eac	h Per 10	Per 100
-britzensis, 20'-25'	Bronz	e Golden	Willow
Particularly good when used v			
			variety.
3 to 4 ft			
4 to 5 ft			
5 to 6 ft			
6 to 8 ft	. 1.35		
pendula, 25'-30'	Weenin	g Golden	Willow
Weeping tree similar to Salix b	abytonic	ca but with	i gorden
6 to 8 ft		19.00	
8 to 10 ft	. 2.70	22.50	
SAMBUCUS canadensis, 8'-9'		American	n Flder
Useful for swampy places; fra		_	
18 to 24 in		2.00	_
2 to 3 ft		2.75	
3 to 4 ft	• •45	3.75	30.00
—acutiloba, 7'-9'	Cutlenf	America	n Flder
Deeply cut and fern-like foliag			
effect. Has same general charact			
2 to 3 ft	· · ·35	3.00	25.00
3 to 4 ft	40	3.50	27.50
0,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Caldan	A a i - a -	. Tildan
—aurea, 10'-12'		Americai	1 Elder
Has conspicuous yellow foliage			
18 to 24 in	25	2.25	18.00
2 to 3 ft			22.50
3 to 4 ft	45	3 . 7 <i>5</i>	30.00
		_	
SASSAFRAS variifolium, 30'-60'	' Co	ommon Sa	issafras
Beautiful orange foliage in fa	ll. Youn	g branche	s bright
green with fragrant leaves.			
2 to 3 ft	55	4.70	37.50
3 to 4 ft		6.50	
4 to 5 ft			
5 to 6 ft	. 1.35	11.00	
6 to 8 ft	. 1.65	13.50	
SCHIZOPHRAGMA hydrange	oides, 2	5′-30′	
J a	apanese	Hydrang	ea-Vine
Beautiful climbing sort. More	attracti	ve in flow	er than
Hydrangea petiolaris but less v	vigorous	in growth	
3 in. pots	_		
9 poss	90		
SCIADOPITYS verticillata, 50'-	75'	Umbrel	lla Dina
Distinctive ornamental evergr	reen of	dense py	ramidal
habit. Slow growing. Shining specimen tree. Useful for heavy	green	rollage—a	n ideal
•			
12 to 15 in., B. & B	. 3.50		
15 to 18 in., B. & B	4.50		
18 to 24 in., B. & B	6.75		
2 to 2½ ft., B. & B	. 9.00		
SHEDHEDDIA amontos del		D	lob
SHEPHERDIA argentea, 4'-6'	1		loberry
Showy silvery foliage and edib		•	
2 to 3 ft	60	5.00	
3 to 4 ft	75	6.50	

	Each	Per 10	Per 100
SOPHORA japonica, 30'-40'		ese Scho	
White flowers in late summer; no winter. Also called Pagoda Tree.			
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft.	1.00 1.65 2.75 3.25 5.00 6.00	9.00 13.50 25.00 28.00 42.50 50.00	75.00 110.00 200.00 225.00
viciifolia, 6'-8'	Vet	chleaf S	ophora
Dwarf form with compound foliag pea-shaped blossoms. Prefers a we	e. Thor ll-drain	ny shrub ned situa	. White
18 to 24 in	1.00	9.00 13.50	
3 to 4 ft	2.25		
4 to 5 ft	3.00		
SORBARIA aitchisoni, 4'-5' Graceful, compound foliage; flower			_
September.	2 "	225	18.00
18 to 24 in	.2 <i>5</i> .30	2.2 <i>5</i> 2.80	22.50
3 to 4 ft	.55	4.70	37.50
4 to 5 ft 5 to 6 ft	.65 .90	5.50 7.50	45.00
sorbifolia, 4'-5' Fluffy heads of white flowers, Jun		al False	-spirea
2 to 3 ft		3.00	25.00
3 to 4 ft		3.75	30.00
SORBUS americana, 30' Am Attractive small tree with bright clusters.			
4 to 6 ft	1.65	***************************************	
6 to 8 ft	2.2 <i>5</i> 3.00	19.00	
		Mounta	ain-ash
A valuable tree on a small lawn; quite striking.			
6 to 8 ft	2.00	17.00	135.00
8 to 10 ft	2.7 <i>5</i> 4.00	22 . 50 35.00	175.00
10 to 12 ft., 13/4 to 2 in	5.25	45.00	
2 to 2 ¹ / ₄ in	6.75	55.00	
—pendula Weeping Eur With long and slender pendulous b tree.	_		
1½ in. cal., 4 to 6 year heads	5.50	***********	
quercifolia, 20'-25' A hybrid form similar to type in with larger leaves resembling that	genera	l charac	
5 to 6 ft	1.35	11.00	
6 to 8 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	1.65	13.50	
8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in 8 to 10 ft., $1\frac{3}{4}$ to 2 in	3.00	25.00 28.00	
0 to 10 1t, 194 to 2 111	3.50	20.00	

	Each	Per 10 I	Per 100
SPIRAEA arguta, 5'-6'	G	arland	Spirea
Small light green leaves; very free lar to, but more vigorous than thu	e-floweri		_
2 to 3 ft	.30 .40	2.50 3.25	20.00 25.00
billiardi, 5'-6'	E	Billiard :	Spirea
Bright pink, fluffy flower spikes, for dry places.	July-Oct	ober. Va	luable
2 to 3 ft	.25	2.25	18.00
3 to 4 ft	·3 <i>5</i>	3.00	-
4 to 5 ft	.45	3.75	
5 to 6 ft	.65	5.50	45.00
bumalda, 3'		ımalda	
Light pink flower, July-Septem "facing" shrub.	ber. A	good,	
15 to 18 in	.25	2.25	18.00
18 to 24 in	•3 <i>5</i>	3.00	25.00
2 to 2½ ft	45	3·7 <i>5</i>	-
—anthony waterer, 3' Anth			
Deeper rose pink than preceding; summer.	very fr	ee-flower	ring all
12 to 15 in	.18	**	12.00
15 to 18 in	.25	2.25	18.00
18 to 24 in	•3 <i>5</i>	3.00	25.00
2 to 2½ ft	.45	3.75	
japonica (callosa alba), 3'		panese	
White, June-July. Purplish-green		when yo	ung.
12 to 15 in	.18	1.50	12.00
15 to 18 in	.25	2.25	
18 to 24 in	·3 <i>5</i>	3.00	-
2 to 2½ ft	45	3 .75	30.00
latifolia (salicifolia), 4'-5' White flowers.	λ	leadow	Spirea
18 to 24 in	.18	1.50	12.00
2 to 3 ft	.25	2.25	18.00
3 to 4 ft	·3 <i>5</i>	3.00	25.00
4 to 5 ft	-45	3.75	30.00
margaritae, 4'-5'		argarita	Spirea
Very handsome shrub with bright			.0
18 to 24 in	~	2.25	18.00
2 to 3 ft	•35 •45	3.00 3.7 <i>5</i>	25.00
nipponica rotundifolia, 6'-7' Vigorous shrub with white flowe foliage until late fall.	-	Nippon ıly. Darl	_
3 to 4 ft	.65	5.25	
4 to 5 ft	.80	6.50	***************************************
opulifolia (See PHYSOCARPU			
•		1	

SPIRAEA—continued	Each	Per 10	Per 100
prunifolia, 7'-8'		Bridal	wreath
White, May. Free-flowering; handsome, dark green, shin- ing foliage, turning orange in autumn.			
18 to 24 in	•3 <i>5</i>	2.75	22.50
2 to 3 ft	.45	3.75	30.00
3 to 4 ft	•5 <i>5</i> •70	4.75 5.50	37.50 45.00
5 to 6 ft	.80	6.50	5 2.50
reevesiana, 7'-8'	.1.	Reeves	
Pure white, May-June. Graceful, leaves until late. Single or double	varieti	les.	18.00
18 to 24 in	.25 .35	2.2 <i>5</i> 2.7 <i>5</i>	22.50
3 to 4 ft	•35 •45	3.75	
4 to 5 ft	.55	4.75	
—fl. pl., 7'-8'		Reeves	
Arching shrub similar in characte to Spirea vanhouttei.			
18 to 24 in	•3 <i>5</i> •4 <i>5</i>	2.7 <i>5</i> 3.7 <i>5</i>	22.50 30.00
sorbifolia (See SORBARIA sorb		0.,5	02.00
thunbergi, 4'-5'	TI	nunberg	Spirea
Slender, arching branches clothed ers, April-May. Small, feathery, ligable for seaside planting.			
18 to 24 in	.22	1.90	15.00
2 to 2½ ft	. 30	2.50	20.00
2½ to 3 ft	·3 <i>5</i>	2.75	22.50
3 to 4 ft	.65	3.75	30.00
	.05	5.50	45.00
tomentosa, 3'-4'			rdhack
Woolly, rose-pink flowers, July-Ser ish underside. Good in masses for	low gro	ound.	
18 to 24 in	.25	2.25	18.00
2 to 3 ft	•35 •45	2.7 <i>5</i> 3.7 <i>5</i>	22.50 30.00
trichocarpa, 5'-6'	••	Korean	
White flowers in June.			-0
18 to 24 in	.2 <i>5</i> .4 <i>5</i>	2.2 <i>5</i> 3.7 <i>5</i>	18.00
vanhouttei, 8'-9'		nhoutte	_
White, May-June. Graceful habit. ing and very adaptable.	Extrem	ely free-	
18 to 24 in	.15	1.10	9.00
2 to 3 ft	.20	1.50	12.00
3 to 4 ft	.30 .40	2.50 3.00	25.00
5 to 6 ft	.55	4.75	37.50
veitchi, 10'-12' Tallest growing Spirea. Useful pla		Veitch the backs	~
of the shrub border. Flowers heav	•		
4 to 5 ft 5 to 6 ft	1.10	9.00 12.00	

	1	20	D
		Per 10	
STAPHYLEA colchica, 10'-12'		chis Blad	
Flowers white, May-June. Fragrant.			d pods.
18 to 24 in	.70	5.50	
2 to 3 ft	.90	7.50	
STEPHANANDRA flexuosa, 5'-6'			
C	utlea	of Stephan	nandra
Graceful, compact habit; handsome	foli	age.	
18 to 24 in	.25	2.25	18.00
2 to 3 ft	-35	2.75	22.50
3 to 4 ft	.60	3.7 <i>5</i> 5.00	30.00 40.00
			•
		lo Stephai	
More vigorous than the variety flexuand flower clusters.	iosa.	Has larger	leaves
18 to 24 in	.55	4.50	
2 to 3 ft	.75	6.00	
3 to 4 ft	.80	6.50	52.50
4 to 5 ft	1.10	9.00	-
STEWARTIA pentagyna, 6'-15'	Mou	intain Ste	wartia
Handsome shrubs with large showy and orange red anthers.	flow	ers, white s	tamens
	7.50		
	,,,,		
STRANVAESIA davidiana, 12'-15' Evergreen shrub. Attractive red frui	its.		
7. 0	1.35	11.00	90.00
undulata, 12'-15' Tender woody evergreen shrub v foliage and attractive red fruits.		handsome ·	shiny
18 to 24 in	2.00	-	
STYRAX japonica, 12'-15'	Jap	anese Sno	owbell
White, bell-shaped, pendant flowers handsome specimen.	s, Ju	ne-July. M	akes a
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.35	11.00	
	2.25	19.00	150.00
	3.50	28.00	225.00
4 - •	5.00 7.50	40.00 65.00	325.00
obassia, 20'-30'		grant Sno	
Shapely specimen small tree with la bell-shaped flowers.	arge	leaves and	white
	4.50 5.50	37.50 47.50	
SYMPHORICARPOS chenaulti, 6'-		1. 0	
		ault Snow	
This is a very beautiful hybrid orig Arboretum.	inati	ng at the A	
18 to 24 in	.25	2.25	18.00
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.45	3.75	30.00
mollis, 6'-8'	read	ling Snow	berry
A more profuse berry producer and mosus.	d sup	perior to S	. race-
3 to 4 ft	-55	4.75	

SYMPHORICARPOS—continued	Each	Per 10	Per 100	
racemosus, 5'-6'		Snov	wberry	
Conspicuous, white berries, attractive foliage. Most adaptable, but best in half-shady, moist locations.				
18 to 24 in	.25	2.25	18.00	
2 to 3 ft	-3 5	2.75	22.50	
3 to 4 ft	-45	3·7 <i>5</i>	30.00	
vulgaris, 4'-5'			alberry	
Coral-red berries persisting throf for shade, and bank planting. A Currant.	oughout Also kn	t winter. nown as	Good Indian	
18 to 24 in	.25	2.25	18.00	
2 to 3 ft	-3 5	2.75	22.50	
3 to 4 ft	-45	3 .75	30.00	
SYMPLOCUS paniculata, 25'-40'			eetleaf	
Deciduous shrub with slender sprea white fragrant flowers.	ading b	ranches.	Hardy;	
15 to 18 in	.80	6.50		
18 to 24 in	1.10			
SYRINGA chinensis (rothomagensis), 8'-9' Chinese Lilac				
Slender branches, graceful habit. Free-flowering.	Violet			
2 to 3 ft	15	3.7 <i>5</i>	30.00	
3 to 4 ft	.55	4.50	35.00	
4 to 5 ft	.65	5.50	45.00	
	T) 1 .	Claire	T 21.	
	Purple	e Chineso	e Lilac	
Deep purple flowers.				
2 to 3 ft	45	3.75	30.00	
3 to 4 ft	.55	4.50	35.00	
4 to 5 ft	.65	5.50	45.00	
5 to 6 ft	.90 1.10	7.50 9.00	60.00	
6 to 7 ft	1.10	9.00		
japonica, 18'-20'	Japan	ese Tre	e Lilac	
Loose bunches creamy-white flow			Hand-	
some foliage; grows into well-sha				
2 to 3 ft	.50	4.50	35.00	
3 to 4 ft	.65	5.50	45.00	
4 to 5 ft	.90	7.50	60.00	
5 to 6 ft	1.10	9.50 12.50	75.00	
6 to 7 ft 7 to 8 ft	2.00	17.00	100.00	
8 to 9 ft	3.00	25.00		
josikaea, 9'-10' Hungarian Lilac				
Violet flowers. June. Good, shining	, dark	green fol	iage.	
2 to 3 ft	·3 <i>5</i>	2.75	22.50	
3 to 4 ft	. 45	_	_	
4 to 5 ft	.55	4.75		
5 to 6 ft	.80	6.50		
6 to 7 ft	1.00	8.50		

	ě		
SYRINGA—continued	Each	Per 10	Per 100
persica, 9'-10'		Persian	n Lilac
Blooms freely, lilac, May-June.			
2 to 3 ft	45	3.75	30.00
3 to 4 ft	-55	4.75	37.50
—alba, 5'-6'	Whi	te Per <mark>si</mark> a	n Lilac
Fragrant white flowers in May o	r June.		
2 to 3 ft	-55	4.75	37.50
3 to 4 ft	.80	6.50	52.50
reflexa, 10'-12'		Noddin	g Lilac
Strong rugged grower. Flowers	deep	rose in o	compact
clusters.			
2 to 3 ft	.80		
3 to 4 ft	1.10		
4 to 5 ft	1.65		
villosa, 7'-8'		Lat	e Lilac
Pale pinkish-lilac, June. Fragran	t; bush;	y, compac	et habit.
2 to 3 ft	·3 <i>5</i>	2.75	22.50
3 to 4 ft		3.75	30.00
4 to 5 ft		5.50	45.00
5 to 6 ft	1.10	9.00	70.00
6 to 7 ft	1.05	13.50	
	Commo	on Purple	e Lilac
Blooms in early May.			
18 to 24 in	.18	1.50	12.00
2 to 3 ft	.22	1.90	15.00
3 to 4 ft	-3 <i>5</i>	2.75	22.50
4 to 5 ft	45	3.75	30.00
5 to 6 ft	•55 .80	4.7 <i>5</i> 6.50	37.50
		_	7
—alba, 12'-15'		on Whit	e Lilac
White form of the common lilace 18 to 24 in		2 50	20.00
2 to 3 ft	.30 .45	2.50	20.00
3 to 4 ft	.55	3.7 <i>5</i> 4.70	30.00
4 to 5 ft	.65	5.50	45.00
5 to 6 ft	1.00	8.50	67.50
6 to 7 ft	1.35	11.00	



TUSCULUM

Located in the country about a mile to the north of Princeton, Tusculum was built in 1773 by John Witherspoon and here he frequently entertained Washington and other notables

SYRINGA—continued

FRENCH LILACS—NAMED VARIETIES ALL ON OWN ROOTS

These are all grown from cuttings and are on their OWN ROOTS, which is the best method of propagation. The resulting plant is more permanent than the grafted stock commonly offered. We specialize in named Lilacs and are able to offer these superior grown plants at prices that compare favorably with inferior grafted stock. These named Lilacs generally grow from 6 to 12 ft. in height, depending on the variety and locality.

WE CAN OFFER THE FOLLOWING VARIETIES IN QUANTITY AT EXCEPTIONALLY ATTRACTIVE PRICES.

Alphonse Lavalle, light purple, double.
Charles Joly, red-mauve, semi-double.
Charles The Tenth, reddish-purple, single.
Ludwig Spaeth, reddish-purple, single.
Marie LeGray, white, single.
Michel Buchner, lilac, double.
Mme. Casimir Perrier, white, double.
Pres. Grevy, blue, double.
Rubra de Marly, light blue, single.
Wm. Robinson, violet-pink, double.

	Each	Per 10	Per 100
18 to 24 in	-55	4.50	35.00
2 to 3 ft	.65	5.50	45.00
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.10	9.50	75.00
5 to 6 ft	1.45	12.00	95.00

THE FOLLOWING VARIETIES WE HAVE IN LIMITED QUANTITY AT PRICES THAT COMPARE FAVORABLY WITH OTHERS.

Belle de Nancy, light violet-red, double.
Boussingault, light purple, double.
Captain Perrault, rosy-mauve, double.
Florent Stepman, white, single.
Hugo Koster, pale lilac, single.
Lamartine, light violet, single.
Louvain, light purple, single.
Leon Simon, medium violet-red, double.
Mme. F. Morel, light mauve, single.
Marechal Lannes, light violet, double.
Mons. T. de Messmaker, light violet-red, single.
President Loubet, medium violet, double.
President Poincare, violet, double.
Reaumur, reddish-purple, single.
Vestale, white, single.

18 to 24 in	.70	5.50	distribution to set
2 to 3 ft	1.00	8.50	
3 to 4 ft	1.35	11.00	
4 to 5 ft	1.65	13.50	-
5 to 6 ft	2.20	19 .0 0	

——— (T)>—	• • • • • • • • • • • • • • • • • • • •		
TAMARIX africana, 12'-14'		Per 10 rican T	
Pink, April-May. Has feathery gray Very effective near water; thrives	-green	foliage.	
18 to 24 in	.3 0		20.00
2 to 3 ft	•35 •45	3.00 3.7 <i>5</i>	25.00 3 0.00
gallica, 8'-9'	Fı	rench T	amarix
Light pink, May-June, blue-green	foliage	: .	
18 to 24 in	_	2.50	
2 to 3 ft	.3 5 . 45	3.00 3.80	25.00 30.00
odessana, 5'-6'		dessa T	
Characteristic bluish-green foliage			
August.	VV 1C11	pink no	wcis in
2 to 3 ft	-3 5	2.80	
3 to 4 ft	.45	3.80	
parviflora			
Slender and spreading growth. F Dark purple bark. Likes very dry or			April.
<u>.</u>	.30	2.50	20.00
A	·35 ·45	3.00 3. 80	25.00 30.00
TAXODIUM distichum, 75'-100'			
Tall, pyramidal, symmetrical decide foliage. Distinct in appearance.			
3 to 4 ft., B. & B	3.50	28.00	225.00
4 to 5 ft., B. & B 5 to 6 ft., B. & B	4.50 5.50	37.50 47.50	300.00
6 to 8 ft., B. & B	7.50	60.00	***************************************
TAXUS baccata, 15'-20'		Englis	h Yew
Broad-based, pyramidal tree with brown fruits.	dark		
15 to 18 in., B. & B	1.65	13.50	110.00
18 to 24 in., B. & B	2.00	17.00	135.00
2 to 2½ ft., B. & B	2.7 <i>5</i> 4.00	22.50 35.00	
3 to 4 ft., B. & B	6.00	50.00	
-compacta (adpressa erecta), 12'-15	,		
Upright Sh	ortlea		
Slow growth and of neat compact leaves.	nabit. S	hort dee	p green
12 to 15 in., B. & B	1.35	11.00	90.00
15 to 18 in., B. & B	1.65 2.25	1 3. 50 19.00	110.00
2 to 2½ ft., B. & B	3.00	25.00	200.00
2½ to 3 ft., B. & B	3.50	30.00	250.00
3 to 4 ft., B. & B	6.00 8.00	50.00 65.00	400.00
4 to 5 ft., B. & B			~ V ~
—erecta aurea, 12'-15' Golden Upright Bushy form with slender upright br slightly golden.			
12 to 15 in., B. & B	3.00	25.00	
15 to 18 in., B. & B	4.00	35.00	-
18 to 24 in., B. & B	5.75 8.00	50.00 67.50	
/ 2 / 3 / 3 / 3 - /		-1-7-	

TAXUS—continued	Each	Per 10	Per 100
hannets amonto lutan Tol Tol	W - 11.	E	ad Warr
baccata erecta lutea, 10'-12'		ow Fruit	ea rew
18 to 24 in., B. & B	3.00		
2 to 2½ ft., B. & B	4.50		
2½ to 3 ft., B. & B	6.75		-
3 to 3½ ft., B. & B	10.00		
—fastigiata (hibernica), 10'		Iri	sh Yew
Columnar form with dense comp	oact gro		
12 to 15 in., B. & B	3.00	25.00	
15 to 18 in., B. & B	4.00		
18 to 24 in., B. & B	5·75		
		75 41	1 77
		g Englis	
Evergreen. Spreading, horizonta		ches, dar	k blue-
green leaves. Valuable for low p	lanting.		
15 to 18 in., B. & B	1.65	13.50	110.00
18 to 24 in., B. & B	2.00	17.00	135.00
2 to 2½ ft., B. & B	3.00	25.00	190.00
2½ to 3 ft., B. & B	4.00	35.00	250.00
-Washingtoni, 4'-5'	W	ashingto	n Vew
A form of wide spreading habit wi			
		ch yellon	icaves.
12 to 15 in., B. & B	1.65 2.00	17.50	
15 to 18 in., B. & B		17.50	
	3.00	25.00	
canadensis, 2'-2 ¹ / ₂ '			da Yew
Evergreen. Spreading habit. Bro	onzy in	winter.	Prefers
shade; good for underplanting.			
15 to 18 in., B. & B	2.25	20.00	
18 to 24 in., B. & B	3.00	25.00	
2 to 2½ ft., B. & B	4.00		
3 to 4 ft., B. & B	6.75	55.00	
cuspidata, 10'-15'	eading	Japanes	se Yew
Evergreen. Rich, deep green le			
habit. Valuable in foundation p			
hardy.			•
12 to 15 in., B. & B	1.00	9.00	70.00
15 to 18 in., B. & B	1.75	14.50	115.00
18 to 24 in., B. & B	2.25	19.00	
2 to 2½ ft., B. & B		1 7.00	150.00
= to =/2 rti, Bi & Bi iiiiiiii	3.00	25.00	
$2\frac{1}{2}$ to 3 ft., B. & B	_		150.00
2½ to 3 ft., B. & B	3.00	25.00	150.00
2½ to 3 ft., B. & B	3.00 4.00	25.00 34.00 50.00 75.00	150.00 200.00 270.00
2½ to 3 ft., B. & B	3.00 4.00 6.00 9.00 13.50	25.00 34.00 50.00 75.00	150.00 200.00 270.00 400.00
2½ to 3 ft., B. & B	3.00 4.00 6.00 9.00 13.50 19.00	25.00 34.00 50.00 75.00 115.00	150.00 200.00 270.00 400.00 600.00
2½ to 3 ft., B. & B	3.00 4.00 6.00 9.00 13.50	25.00 34.00 50.00 75.00	150.00 200.00 270.00 400.00 600.00
2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	3.00 4.00 6.00 9.00 13.50 19.00 25.00	25.00 34.00 50.00 75.00 115.00 150.00 200.00	150.00 200.00 270.00 400.00 600.00
2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	3.00 4.00 6.00 9.00 13.50 19.00 25.00 Jpright	25.00 34.00 50.00 75.00 115.00 150.00 200.00 Japanes	150.00 200.00 270.00 400.00 600.00
2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —capitata, 25'-40' Evergreen. The upright type of T	3.00 4.00 6.00 9.00 13.50 19.00 25.00 Jpright	25.00 34.00 50.00 75.00 115.00 150.00 200.00 Japanes	150.00 200.00 270.00 400.00 600.00
2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —capitata, 25'-40' Evergreen. The upright type of The 15 to 18 in., B. & B.	3.00 4.00 6.00 9.00 13.50 19.00 25.00 Jpright Taxus cu	25.00 34.00 50.00 75.00 115.00 150.00 200.00 Japanes ispidata. 13.50	150.00 200.00 270.00 400.00 600.00 ———————————————————————————
2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —capitata, 25′-40′ Evergreen. The upright type of The story of the sto	3.00 4.00 6.00 9.00 13.50 19.00 25.00 Jpright Taxus cu 1.65 2.00	25.00 34.00 50.00 75.00 115.00 150.00 200.00 Japanes ispidata. 13.50 16.50	150.00 200.00 270.00 400.00 600.00 ———————————————————————————
2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. Evergreen. The upright type of The story of T	3.00 4.00 6.00 9.00 13.50 19.00 25.00 Jpright Taxus cu 1.65 2.00 2.70	25.00 34.00 50.00 75.00 115.00 200.00 Japanes ispidata. 13.50 16.50 22.50	150.00 200.00 270.00 400.00 600.00 ———————————————————————————
2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —capitata, 25'-40' Evergreen. The upright type of The strength of The streng	3.00 4.00 6.00 9.00 13.50 19.00 25.00 Jpright Taxus cu 1.65 2.00	25.00 34.00 50.00 75.00 115.00 150.00 200.00 Japanes ispidata. 13.50 16.50	150.00 200.00 270.00 400.00 600.00 ———————————————————————————
2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —capitata, 25′-40′ Evergreen. The upright type of The standard	3.00 4.00 6.00 9.00 13.50 19.00 25.00 Jpright (axus cu 1.65 2.00 2.70 5.00	25.00 34.00 50.00 75.00 115.00 150.00 200.00 Japanes ispidata. 13.50 16.50 22.50 42.50	150.00 200.00 270.00 400.00 600.00 ———————————————————————————
2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —capitata, 25'-40' Evergreen. The upright type of The strength of The streng	3.00 4.00 6.00 9.00 13.50 19.00 25.00 Jpright Taxus cu 1.65 2.00 2.70 5.00 7.00	25.00 34.00 50.00 75.00 115.00 200.00 Japanes ispidata. 13.50 16.50 22.50 42.50 55.00	150.00 200.00 270.00 400.00 600.00 ———————————————————————————
2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —capitata, 25′-40′ Evergreen. The upright type of The strength of The streng	3.00 4.00 6.00 9.00 13.50 19.00 25.00 Jpright 2.00 2.70 5.00 7.00 8.50	25.00 34.00 50.00 75.00 115.00 200.00 Japanes ispidata. 13.50 16.50 22.50 42.50 55.00 70.00 85.00	150.00 200.00 270.00 400.00 600.00 ———————————————————————————
2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —capitata, 25'-40' Evergreen. The upright type of The strength of The streng	3.00 4.00 6.00 9.00 13.50 19.00 25.00 Jpright 2.00 2.70 5.00 7.00 8.50	25.00 34.00 50.00 75.00 115.00 200.00 Japanes aspidata. 13.50 16.50 22.50 42.50 55.00 70.00 85.00 Hick	150.00 200.00 270.00 400.00 600.00 ———————————————————————————
2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —capitata, 25'-40' Evergreen. The upright type of The strength of The streng	3.00 4.00 6.00 9.00 13.50 19.00 25.00 Jpright 2.00 2.70 5.00 7.00 8.50 10.00	25.00 34.00 50.00 75.00 115.00 200.00 Japanes spidata. 13.50 16.50 22.50 42.50 55.00 70.00 85.00 Hick ranches.	150.00 200.00 270.00 400.00 600.00 ———————————————————————————
2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —capitata, 25′-40′ Evergreen. The upright type of The strength of The streng	3.00 4.00 6.00 9.00 13.50 19.00 25.00 Jpright 2.00 2.70 5.00 7.00 8.50 10.00	25.00 34.00 50.00 75.00 115.00 200.00 Japanes 13.50 16.50 22.50 42.50 55.00 70.00 85.00 Hick ranches.	150.00 200.00 270.00 400.00 600.00 se Yew 110.00 135.00 175.00 335.00 450.00 s' Yew
2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —capitata, 25′-40′ Evergreen. The upright type of The standard	3.00 4.00 6.00 9.00 13.50 19.00 25.00 Jpright Taxus cu 1.65 2.00 2.70 5.00 7.00 8.50 10.00 pright b 1.90 2.25	25.00 34.00 50.00 75.00 115.00 150.00 200.00 Japanes ispidata. 13.50 16.50 22.50 42.50 55.00 70.00 85.00 Hick ranches. 15.00 19.00	150.00 200.00 270.00 400.00 600.00 ———————————————————————————
2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —capitata, 25′-40′ Evergreen. The upright type of The strength of The streng	3.00 4.00 6.00 9.00 13.50 19.00 25.00 Jpright Caxus cu 1.65 2.00 2.70 5.00 7.00 8.50 10.00	25.00 34.00 50.00 75.00 115.00 200.00 Japanes ispidata. 13.50 16.50 22.50 42.50 55.00 70.00 85.00 Hick ranches. 15.00 19.00 28.00	150.00 200.00 270.00 400.00 600.00 se Yew 110.00 135.00 175.00 335.00 450.00 s' Yew
2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —capitata, 25′-40′ Evergreen. The upright type of The standard	3.00 4.00 6.00 9.00 13.50 19.00 25.00 Jpright Taxus cu 1.65 2.00 2.70 5.00 7.00 8.50 10.00 pright b 1.90 2.25	25.00 34.00 50.00 75.00 115.00 150.00 200.00 Japanes ispidata. 13.50 16.50 22.50 42.50 55.00 70.00 85.00 Hick ranches. 15.00 19.00	150.00 200.00 270.00 400.00 600.00 se Yew 110.00 135.00 175.00 335.00 450.00 s' Yew

TAXUS—continued	Each	Per 10	Per 100
cuspidata nana (brevifolia), 2'-3'	Dwarf	Japane	se Yew
Evergreen. Broad, thick leaves, bla ing and irregular, spreading hab			
12 to 15 in., B. & B	2.25	19.00	150.00
15 to 18 in., B. & B	2.70	22.50	185.00
18 to 24 in., B. & B	4.00	33.50	265.00
2 to 2½ ft., B. & B	6.35	53.00	425.00
2½ to 3 ft., B. & B	8.50	70.00	565.00
3 to 3½ ft., B. & B	11.50	95.00	
,	Shortlea		
Low tree of irregular habit with l Distinct form.	ong spre	eading bi	ranches.
15 to 18 in., B. & B	3.00	25.00	
18 to 24 in., B. & B	3.50	28.00	225.00
2 to 2½ ft., B. & B	4.50	37.50	300.00
2½ to 3 ft., B. & B	5.75 6.75	47.50 57.50	
	0.73		
—thayeri, 6'-8' Low, wide spreading form distinct	et from	_	rs Yew
18 to 24 in., B. & B	4.00	35.00	
2 to 2½ ft., B. & B	6.00	50.00	
2½ to 3 ft., B. & B	9.00	75.00	
intermedia, 12'-15'		Hybr	id Yew
Hybrid between Taxus baccata an	d Taxus		
9 to 12 in., B. & B	.90	7.50	
12 to 15 in., B. & B	1.65	13.50	
15 to 18 in., B. & B	3.00	25.00	
18 to 24 in., B. & B	4.00	35.00	
THUJA occidentalis, 15'-30'			
Evergreen. Slender pyramid with			
winter coloring. Good accent plar 2 to 3 ft., B. & B			
3 to 4 ft., B. & B	.90 1.50	7.50 12.00	60.00 97.50
4 to 5 ft., B. & B	2.25	19.00	150.00
5 to 6 ft., B. & B	3.75	30.00	250.00
6 to 8 ft., B. & B	5.75	47.50	375.00
8 to 10 ft., B. & B	8.00	65.00	525.00
10 to 12 ft., B. & B	11.50	95.00	
Extra broad specimens 25% extra	•		
—compacta, 2½'-4'		ons Arb	
Evergreen. Almost globe-shaped. formal or foundation planting.	Bright g	green. Us	seful in
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.00	9.00	70.00
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 2½ ft., B. & B			
all to a ft D & D	1.65	13.50	115.00
$2\frac{1}{2}$ to 3 ft., B. & B	1.65 2.25	13.50 20.00	150.00
2½ to 3 ft., B. & B	1.65 2.25 3.00	13.50 20.00 25.00	150.00
2½ to 3 ft., B. & B	1.65 2.25 3.00 as Gold	13.50 20.00 25.00 len Arb	orvitae
2½ to 3 ft., B. & B 3 to 3½ ft., B. & B	1.65 2.25 3.00 as Gold en folia	13.50 20.00 25.00 len Arb	orvitae
2½ to 3 ft., B. & B	1.65 2.25 3.00 as Gold en folias	13.50 20.00 25.00 len Arb ge. Vigo:	orvitae rous. 60.00
2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —douglasi aurea, 10'-15' Dougl A broad pyramid with golden-gre 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	1.65 2.25 3.00 as Gold en folia .90 1.35	13.50 20.00 25.00 len Arb ge. Vigo 7.50 11.00	orvitae rous. 60.00 90.00
2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —douglasi aurea, 10′-15′ Dougl A broad pyramid with golden-gre 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.65 2.25 3.00 as Gold en folias	13.50 20.00 25.00 len Arb ge. Vigo:	orvitae rous. 60.00
2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —douglasi aurea, 10'-15' Dougl A broad pyramid with golden-gre 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	1.65 2.25 3.00 as Gold en foliag .90 1.35 2.00	13.50 20.00 25.00 len Arb ge. Vigo: 7.50 11.00 17.50	orvitae rous. 60.00 90.00

THUJA—continued	Each	Per 10	Per 100
occidentalis elegantissima, 10'-15'			
		ped Arb	
Evergreen. Branches tipped with green.	yellow	. Rich, l	ustrous
2 to 2½ ft., B. & B	.90	7.50	60.00
2½ to 3 ft., B. & B	1.10	9.00	75.00
3 to 4 ft., B. & B	1.65	13.50	110.00
4 to 5 ft., B. & B	3.00	25.00	200.00
5 to 6 ft., B. & B	3.50	27.50	225.00
6 to 7 ft., B. & B	4.50	37.50	300.00
		mb Arb	
Evergreen. Has heather-like leaved close texture. Forms low, broad purple winter coloring.			
15 to 18 in., B. & B	1.00	8.50	67.50
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 2½ ft., B. & B	2.00	17.50	
2½ to 3 ft., B. & B	3.00	25.00	
-ericoides, 5'	Heat	h Retin	ospora
Dwarf globose form with dull gre	en heat	h-like fo	liage.
15 to 18 in., B. & B	1.10	9.00	
18 to 24 in., B. & B	1.65	13.50	
2 to 2½ ft., B. & B	2.25	20.00	
—globosa, 3'-4'	G1	obe A r b	orvitae
Evergreen. Useful in formal washaped.	OIK. N	aturany	
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.00	8.50	65.00
18 to 24 in., B. & B	100		
	1.35	11.00	90.00
2 to 2½ ft., B. & B	1.65	13.50	90.00
			_
2 to 2½ ft., B. & B	1.65 2.00	13.50 17.50 vey Arb	orvitae
2 to 2½ ft., B. & B	1.65 2.00 Hoty as	13.50 17.50 vey Arb	orvitae
2 to 2½ ft., B. & B	1.65 2.00 Hotely as	13.50 17.50 vey Arb broad a 7.00	orvitae s high.
2 to 2½ ft., B. & B	1.65 2.00 Hoty as	13.50 17.50 vey Arb broad a 7.00 8.50	110.00 orvitae s high. 55.00 65.00
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. —hoveyi, 3'-4' Evergreen. Oval in shape, near Bright green foliage. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	1.65 2.00 Hothy as .85 1.00	13.50 17.50 vey Arb broad a 7.00 8.50 11.00	110.00 orvitae s high. 55.00 65.00 90.00
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. -hoveyi, 3'-4' Evergreen. Oval in shape, near Bright green foliage. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to ½ ft., B. & B.	1.65 2.00 Hotely as .85 1.00 1.35 1.65	13.50 17.50 vey Arb broad a 7.00 8.50 11.00 13.50	110.00
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. -hoveyi, 3'-4' Evergreen. Oval in shape, near Bright green foliage. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1.65 2.00 Hotly as .85 1.00 1.35 1.65 2.00	13.50 17.50 vey Arb broad a 7.00 8.50 11.00 13.50 17.50	110.00 orvitae s high. 55.00 65.00 90.00 110.00 135.00
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. -hoveyi, 3'-4' Evergreen. Oval in shape, near Bright green foliage. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to ½ ft., B. & B.	1.65 2.00 Hotely as .85 1.00 1.35 1.65	13.50 17.50 vey Arb broad a 7.00 8.50 11.00 13.50	110.00
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. —hoveyi, 3'-4' Evergreen. Oval in shape, near Bright green foliage. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B.	1.65 2.00 Hotely as .85 1.00 1.35 1.65 2.00 3.00	13.50 17.50 vey Arb broad a 7.00 8.50 11.00 13.50 17.50 25.00	110.00
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. —hoveyi, 3'-4' Evergreen. Oval in shape, near Bright green foliage. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —Little Gem, 1½' to 2' Dwarf dark green form, broader the	1.65 2.00 Hotely as .85 1.00 1.35 1.65 2.00 3.00	13.50 17.50 vey Arb broad a 7.00 8.50 11.00 13.50 17.50 25.00	110.00
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. —hoveyi, 3'-4' Evergreen. Oval in shape, near Bright green foliage. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 3 ft., B. & B. 3 to 3½ ft., B. & B. —Little Gem, 1½' to 2' Dwarf dark green form, broader the 9 to 12 in., B. & B.	1.65 2.00 Hotely as .85 1.00 1.35 1.65 2.00 3.00 Little Chan high	13.50 17.50 vey Arb broad a 7.00 8.50 11.00 13.50 17.50 25.00 Fem Arb	110.00
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. —hoveyi, 3'-4' Evergreen. Oval in shape, near Bright green foliage. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —Little Gem, 1½' to 2' Dwarf dark green form, broader the	1.65 2.00 Hotely as .85 1.00 1.35 1.65 2.00 3.00	13.50 17.50 vey Arb broad a 7.00 8.50 11.00 13.50 17.50 25.00	110.00
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. —hoveyi, 3'-4' Evergreen. Oval in shape, near Bright green foliage. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —Little Gem, 1½' to 2' Dwarf dark green form, broader the 9 to 12 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B.	1.65 2.00 Hotely as .85 1.00 1.35 1.65 2.00 3.00 Little Chan high	13.50 17.50 vey Arb broad a 7.00 8.50 11.00 13.50 17.50 25.00 rem Arb h.	110.00 orvitae s high. 55.00 65.00 90.00 110.00 135.00 orvitae
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. —hoveyi, 3'-4' Evergreen. Oval in shape, near Bright green foliage. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —Little Gem, 1½' to 2' Dwarf dark green form, broader the 9 to 12 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. —lutea, 10'-15' Georg Evergreen. Conspicuous, golden-years.	1.65 2.00 Hotely as .85 1.00 1.35 1.65 2.00 3.00 Little Chan high 1.00 1.35 2.25	13.50 17.50 vey Arb broad a 7.00 8.50 11.00 13.50 17.50 25.00 Fem Arb h. 8.50 11.00 20.00	110.00
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. —hoveyi, 3'-4' Evergreen. Oval in shape, near Bright green foliage. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. —Little Gem, 1½' to 2' Dwarf dark green form, broader the general standard green form, broader the general standard green form, B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. —lutea, 10'-15' Georg Evergreen. Conspicuous, golden-youtline.	1.65 2.00 Hotely as .85 1.00 1.35 1.65 2.00 3.00 Little Chan high	13.50 17.50 vey Arb broad a 7.00 8.50 11.00 13.50 17.50 25.00 rem Arb h. 8.50 11.00 20.00 ody Arb form. Co	orvitae s high. 55.00 65.00 90.00 110.00 135.00 orvitae orvitae olumnar
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. —hoveyi, 3'-4' Evergreen. Oval in shape, near Bright green foliage. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. —Little Gem, 1½' to 2' Dwarf dark green form, broader the general standard green form, broader the general standard green. —Little Gem, 1½' to 2' Dwarf dark green form, broader the general standard green form, B. & B. 12 to 15 in., B. & B. —lutea, 10'-15' Evergreen. Conspicuous, golden-youtline. 2 to 2½ ft., B. & B.	1.65 2.00 Hotely as .85 1.00 1.35 1.65 2.00 3.00 Little Chan high 1.00 1.35 2.25 e Peab yellow .80	13.50 17.50 vey Arb broad a 7.00 8.50 11.00 13.50 17.50 25.00 Gem Arb h. 8.50 11.00 20.00 ody Arb form. Co	110.00 orvitae s high. 55.00 65.00 90.00 110.00 135.00 orvitae orvitae olumnar 52.50
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. —hoveyi, 3'-4' Evergreen. Oval in shape, near Bright green foliage. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. —Little Gem, 1½' to 2' Dwarf dark green form, broader the general standard green form, broader the general standard green. —Little Gem, 1½' to 2' Dwarf dark green form, broader the general standard green form, B. & B. 12 to 15 in., B. & B. —lutea, 10'-15' Evergreen. Conspicuous, golden-youtline. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	1.65 2.00 Hotely as .85 1.00 1.35 1.65 2.00 3.00 Little Chan high 1.00 1.35 2.25 e Peab yellow .80 1.10	13.50 17.50 vey Arb broad a 7.00 8.50 11.00 13.50 17.50 25.00 fem Arb h. 8.50 11.00 20.00 ody Arb form. Co	110.00 orvitae s high. 55.00 65.00 90.00 110.00 135.00 orvitae orvitae olumnar 52.50 75.00
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. —hoveyi, 3'-4' Evergreen. Oval in shape, near Bright green foliage. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —Little Gem, 1½' to 2' Dwarf dark green form, broader the green form, broader the green form, B. & B. 15 to 18 in., B. & B. —lutea, 10'-15' Georg Evergreen. Conspicuous, golden-youtline. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.65 2.00 Hotely as .85 1.00 1.35 1.65 2.00 3.00 Little Chan high 1.00 1.35 2.25 e Peab yellow .80 1.10 1.65	13.50 17.50 vey Arb broad a 7.00 8.50 11.00 13.50 17.50 25.00 dem Arb h. 8.50 11.00 20.00 ody Arb form. Co	110.00 orvitae s high. 55.00 65.00 90.00 110.00 135.00 orvitae orvitae solumnar 52.50 75.00 110.00
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. —hoveyi, 3'-4' Evergreen. Oval in shape, near Bright green foliage. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. —Little Gem, 1½' to 2' Dwarf dark green form, broader the general standard green form, broader the general standard green. —Little Gem, 1½' to 2' Dwarf dark green form, broader the general standard green form, B. & B. 12 to 15 in., B. & B. —lutea, 10'-15' Evergreen. Conspicuous, golden-youtline. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	1.65 2.00 Hotely as .85 1.00 1.35 1.65 2.00 3.00 Little Chan high 1.00 1.35 2.25 e Peab yellow .80 1.10	13.50 17.50 vey Arb broad a 7.00 8.50 11.00 13.50 17.50 25.00 fem Arb h. 8.50 11.00 20.00 ody Arb form. Co	110.00 orvitae s high. 55.00 65.00 90.00 110.00 135.00 orvitae orvitae olumnar 52.50 75.00

THUJA—continued	Each	Per 10	Per 100
occidentalis plicata, 10'-12'	M	oss Arb	orvitae
Evergreen. Rich, deep blue-grebranchlets give pleasing effect in pyramid.			
2 to 3 ft., B. & B	.90	7.50	60.00
3 to 4 ft., B. & B	1.50 2.25	12.00 19.00	97.50
5 to 6 ft., B. & B	3.75	30.00	250.00
6 to 7 ft., B. & B	5.75	47.50	375.00
7 to 8 ft., B. & B	7.50	65.00	500.00
—pyramidalis, 15'-30'		idal Arb	
Evergreen. Retains bright green of ter. Narrow columnar shape; s formal planting.			
2 to 2½ ft., B. & B	1.35	11.00	90.00
2½ to 3 ft., B. & B	1.75	15.00	115.00
3 to 4 ft., B. & B	2.25	19.00 25.00	150.00
5 to 6 ft., B. & B	3.00 4.00	35.00	250.00
6 to 7 ft., B. & B	5.25	45.00	350.00
7 to 8 ft., B. & B	6.00	50.00	400.00
8 to 9 ft., B. & B	7.00	57.50	475.00
9 to 10 ft., B. & B	9.00	75.00	600.00
10 to 11 ft., B. & B	10.00	85.00	
-Reidi, 4'-5' Broad dwarf low-growing formal	l type.	Reid Arb	orvitae
2 to 2½ ft., B. & B	1.65	13.50	-
2½ to 3 ft., B. & B	2.00	17.00 25.00	
-rosenthali, 6'-10'	Rosent	hal Arb	
—rosenthali, 6'-10' Evergreen. Dense, rugged, colum	Rosent	hal Arb n. Slow	grower.
—rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B	Rosent mar form	hal Arb n. Slow 9.00	grower. 75.00
—rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B	Rosent	hal Arb n. Slow	grower. 75.00 100.00
-rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B	Rosent nnar form 1.10 1.50 2.00 3.00	hal Arb n. Slow 9.00 12.50 17.00 25.00	grower. 75.00 100.00
-rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B	Rosent nnar form 1.10 1.50 2.00 3.00 3.75	hal Arb n. Slow 9.00 12.50 17.00 25.00 35.00	grower. 75.00 100.00 135.00
-rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	Rosent 1.10 1.50 2.00 3.00 3.75 5.50	hal Arb n. Slow 9.00 12.50 17.00 25.00 35.00 47.50	grower. 75.00 100.00 135.00 200.00
-rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. -umbraculifera, 2'-3'	Rosent 1.10 1.50 2.00 3.00 3.75 5.50 Umbre	hal Arb 9.00 12.50 17.00 25.00 35.00 47.50	grower. 75.00 100.00 135.00 200.00 ———
-rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. -umbraculifera, 2'-3' Particularly good, low, mushroor	Rosent 1.10 1.50 2.00 3.00 3.75 5.50 Umbre	hal Arb 9.00 12.50 17.00 25.00 35.00 47.50	grower. 75.00 100.00 135.00 200.00 ———
—rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. —umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy.	Rosent 1.10 1.50 2.00 3.00 3.75 5.50 Umbre m-shaped	hal Arb 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb	grower. 75.00 100.00 135.00 200.00 orvitae ith rich
-rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. -umbraculifera, 2'-3' Particularly good, low, mushroor	Rosent 1.10 1.50 2.00 3.00 3.75 5.50 Umbre	hal Arb 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb	grower. 75.00 100.00 135.00 200.00 orvitae ith rich 90.00
-rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. -umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B.	Rosent 1.10 1.50 2.00 3.00 3.75 5.50 Umbre m-shaped	hal Arb 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb	grower. 75.00 100.00 135.00 200.00 orvitae ith rich
—rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. —umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	Rosent 1.10 1.50 2.00 3.00 3.75 5.50 Umbre m-shaped 1.35 2.00 2.25	hal Arb n. slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb form w	grower. 75.00 100.00 135.00 200.00 orvitae ith rich 90.00 125.00
-rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. -umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. -vervaeneana, 8'-12' Evergreen. Variegated with 8	Rosent 1.10 1.50 2.00 3.00 3.75 5.50 Umbre m-shaped 1.35 2.00 2.25 Vervae greenish-	hal Arb 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb l form w	grower. 75.00 100.00 135.00 200.00 orvitae ith rich 90.00 125.00 orvitae
-rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. -umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. -vervaeneana, 8'-12' Evergreen. Variegated with a bronzy in winter. Broadly pyram	Rosent 1.10 1.50 2.00 3.00 3.75 5.50 Umbre m-shaped 1.35 2.00 2.25 Vervae greenish- nidal.	hal Arb 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb form w 11.00 15.00 20.00 ene Arb	grower. 75.00 100.00 135.00 200.00 orvitae ith rich 90.00 125.00 orvitae foliage,
-rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. -umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. -vervaeneana, 8'-12' Evergreen. Variegated with a bronzy in winter. Broadly pyrange 2 to 2½ ft., B. & B.	Rosent 1.10 1.50 2.00 3.00 3.75 5.50 Umbre m-shaped 1.35 2.00 2.25 Vervae greenish- nidal. 1.10	hal Arb n. slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb form w 11.00 15.00 20.00 ene Arb eyellow	grower. 75.00 100.00 135.00 200.00 orvitae ith rich 90.00 125.00 orvitae foliage,
-rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. -umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. -vervaeneana, 8'-12' Evergreen. Variegated with a bronzy in winter. Broadly pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	Rosent 1.10 1.50 2.00 3.00 3.75 5.50 Umbre m-shaped 1.35 2.00 2.25 Vervae greenish- nidal. 1.10 1.50	hal Arb n. slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb form w 11.00 15.00 20.00 ene Arb yellow 9.00 12.50	grower. 75.00 100.00 135.00 200.00 orvitae ith rich 90.00 125.00 orvitae foliage, 75.00 100.00
-rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. -umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2½ to 3 ft., B. & B. -vervaeneana, 8'-12' Evergreen. Variegated with a bronzy in winter. Broadly pyrand 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B.	Rosent 1.10 1.50 2.00 3.00 3.75 5.50 Umbre m-shaped 1.35 2.00 2.25 Vervae greenish- nidal. 1.10 1.50 2.00	hal Arb n. slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb l form w 11.00 15.00 20.00 ene Arb yellow 9.00 12.50 17.50	grower. 75.00 100.00 135.00 200.00 orvitae ith rich 90.00 125.00 orvitae foliage, 75.00 100.00 135.00
-rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. -umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. -vervaeneana, 8'-12' Evergreen. Variegated with a bronzy in winter. Broadly pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	Rosent 1.10 1.50 2.00 3.00 3.75 5.50 Umbre m-shaped 1.35 2.00 2.25 Vervae greenish- nidal. 1.10 1.50	hal Arb n. slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb form w 11.00 15.00 20.00 ene Arb yellow 9.00 12.50	grower. 75.00 100.00 135.00 200.00 orvitae ith rich 90.00 125.00 orvitae foliage, 75.00 100.00
—rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. -umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2½ to 3 ft., B. & B. -vervaeneana, 8'-12' Evergreen. Variegated with a bronzy in winter. Broadly pyrand 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	Rosent 1.10 1.50 2.00 3.00 3.75 5.50 Umbre m-shaped 1.35 2.00 2.25 Vervae greenish- nidal. 1.10 1.50 2.00 3.75	hal Arb n. slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb form w 11.00 15.00 20.00 ene Arb eyellow 9.00 12.50 17.50 25.00 35.00	grower. 75.00 100.00 135.00 200.00 orvitae ith rich 90.00 125.00 orvitae foliage, 75.00 100.00 135.00 200.00
—rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. —umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2½ ft., B. & B. 2½ to 3 ft., B. & B. —vervaeneana, 8'-12' Evergreen. Variegated with a bronzy in winter. Broadly pyrand 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. Golden leaved form of the type. 2 to ½ ft., B. & B.	Rosent 1.10 1.50 2.00 3.00 3.75 5.50 Umbre m-shaped 1.35 2.00 2.25 Vervae greenish- nidal. 1.10 1.50 2.00 3.75	hal Arb n. slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb form w 11.00 15.00 20.00 ene Arb eyellow 9.00 12.50 17.50 25.00 35.00	grower. 75.00 100.00 135.00 200.00 orvitae ith rich 90.00 125.00 orvitae foliage, 75.00 100.00 135.00 200.00
—rosenthali, 6'-ro' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. —umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2½ to 3 ft., B. & B. 2½ to 3 ft., B. & B. —vervaeneana, 8'-12' Evergreen. Variegated with a bronzy in winter. Broadly pyrand 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. Golden leaved form of the type. 2 to 2½ ft., B. & B. —aurea, 8'-12' Golden Golden leaved form of the type. 2 to 2½ ft., B. & B.	Rosent 1.10 1.50 2.00 3.00 3.75 5.50 Umbre m-shaped 1.35 2.00 2.25 Vervae greenish- nidal. 1.10 1.50 2.00 3.75 Vervae	hal Arb n. slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb form w 11.00 15.00 20.00 ene Arb eyellow 9.00 12.50 17.50 25.00 35.00 ene Arb	grower. 75.00 100.00 135.00 200.00 orvitae ith rich 90.00 125.00 orvitae foliage, 75.00 100.00 135.00 200.00
—rosenthali, 6'-ro' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. —umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2½ to 3 ft., B. & B. 2½ to 3 ft., B. & B. —vervaeneana, 8'-12' Evergreen. Variegated with a bronzy in winter. Broadly pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B. 6 Golden leaved form of the type. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 5 to 3 ft., B. & B. 5 to 6 ft., B. & B. 6 Golden leaved form of the type. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B.	Rosent 1.10 1.50 2.00 3.00 3.75 5.50 Umbre m-shaped 1.35 2.00 2.25 Vervae greenish- nidal. 1.10 1.50 2.00 3.75 Vervae 1.10 1.65 2.00	hal Arb 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb form w 11.00 15.00 20.00 ene Arb yellow 9.00 12.50 17.50 25.00 35.00 ene Arb	grower. 75.00 100.00 135.00 200.00 orvitae ith rich 90.00 125.00 orvitae foliage, 75.00 100.00 135.00 200.00 orvitae
—rosenthali, 6'-ro' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. —umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2½ to 3 ft., B. & B. 2½ to 3 ft., B. & B. —vervaeneana, 8'-12' Evergreen. Variegated with a bronzy in winter. Broadly pyrand 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. Golden leaved form of the type. 2 to 2½ ft., B. & B. —aurea, 8'-12' Golden Golden leaved form of the type. 2 to 2½ ft., B. & B.	Rosent 1.10 1.50 2.00 3.00 3.75 5.50 Umbre m-shaped 1.35 2.00 2.25 Vervae greenish- nidal. 1.10 1.50 2.00 3.75 Vervae 1.10 1.50 2.00 3.75 Vervae 1.10 1.50 2.00	hal Arb n. slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb l form w 11.00 15.00 20.00 ene Arb eyellow 9.00 12.50 17.50 25.00 35.00 ene Arb	grower. 75.00 100.00 135.00 200.00 orvitae ith rich 90.00 125.00 orvitae foliage, 75.00 100.00 135.00 200.00 orvitae

THUJA—continued	Each	Per 10	Per 100
occidentalis wareana, 12'-15'	Siber	rian Arb	orvitae
Evergreen. Light green, fleshy fi idal, rugged in appearance.	foliage.	Broadly	pyram-
18 to 24 in., B. & B	.90	7.50	60.00
2 to 2½ ft., B. & B	1.35	11.50	90.00
2½ to 3 ft., B. & B	1.75	15.00	115.00
3 to 4 ft., B. & B	2.25	20.00	150.00
4 to 5 ft., B. & B	3.50	27.50	
orientalis (biota), 20'-25' Evergreen. Rather stiff, column		ntal Arb	
foliage, bronze in winter; a good			9,001
2½ to 3 ft., B. & B	.90	7.50	67.50
3 to 4 ft., B. & B	1.35	11.00	90.00
4 to 5 ft., B. & B	2.00	17.00	135.00
5 to 6 ft., B. & B	3.00	25.00	200.00
6 to 7 ft., B. & B	3.7 <i>5</i> 5.50	30.00 45.00	250.00 375.00
8 to 9 ft., B. & B	6.75	55.00	3/3.00
9 to 10 ft., B. & B	8.00	65.00	
10 to 11 ft., B. & B	9.00	75.00	
—aurea conspicua (biota), 7'-8'	Golds	pire Arb	orvita e
Golden-yellow in spring, bronze			
tinctive.			ci. Dis-
2 to 2½ ft., B. & B	1.65	13.50	
2½ to 3 ft., B. & B	3.00	25.00	200.00
3 to 4 ft., B. & B	3.75	30.00	250.00
4 to 5 ft., B. & B	5.50 6.75	45.00 55.00	375.00 450.00
5 to 6 ft., B. & B 6 to 7 ft., B. & B	7.50	65.00	450.00
——nana (biota), 2½'-3' Berckma			
A gem for dwarf planting; con warm golden-yellow foliage. Esp work and edging.			
9 to 12 in., B. & B	·75	6.50	55.00
12 to 15 in., B. & B	1.10	9.00	75.00
15 to 18 in., B. & B	1.65	13.50	110.00
18 to 21 in., B. & B	2.25	20.00	150.00
21 to 24 in., B. & B	3.50	27.50	
2 to 2½ ft., B. & B	5.25	45.00	
2½ to 3 ft., B. & B	6.00	50.00	
3 to 3½ ft., B. & B	7.50	65.00	
-compacta (biota), 3'-4'		old Arb	
Forms a compact oval-shaped spe fresh green color, with beautiful	winter		
18 to 24 in., B. & B	1.65	13.50	
2 to 2½ ft., B. & B	3.00	25.00	
2½ to 3 ft., B. & B	3·7 <i>5</i>	30.00	
3 to 4 ft., B. & B	5.50	45.00	375.00
4 to 5 ft., B. & B	7.50	65.00	
—Daily Nana (biota), 5'-6' Dwarf Com	pact Gi	een Arb	orvitae
Dwarf form. Bright green. Compa	ct.		
2½ to 3 ft., B. & B		25.00	
3 to 4 ft., B. & B	3.7 <i>5</i>	30.00	-
0 4, 21 21 11 11 11	1 1 1 1		

THUJA—continued	Each	Per 10	Per 100
orientalis elegantissima (biota), 7 Yellow		mn Arbo	orvitae
Assumes a rich, deep golden-bronz pact, columnar.			
18 to 24 in., B. & B	1.10	9.00	75.00
2 to 2½ ft., B. & B	1.65	13.50	110.00
2½ to 3 ft., B. & B	2.25	20.00	150.00
3 to 4 ft., B. & B	3.00	25.00	200.00
4 to 5 ft., B. & B	4.50	37.50	300.00
5 to 6 ft., B. & B	5.50	47.50	375.00
6 to 7 ft., B. & B	6.50	55.00	425.00
		idal Arbo	orvitae
Somewhat similar to elegantissima.	•		
4 to 5 ft., B. & B	4.50 6.00	37.50	
—semperaurescens (biota), 8'-10' E	vergo1	den Arho	nrvitae
Rich golden hue constant through	out th		or vitae
4 to 5 ft., B. & B	3.75		
5 to 6 ft., B. & B	5.50	60.10	-
6 to 7 ft., B. & B	7.50	62.50	
7 to 8 ft., B. & B	9.00	75.00	-
plicata atrovirens (lobbi), 100' Rich, shining, deep green, fleshy l		ant Arb	Crvitae
2 to 3 ft., B. & B	1.65	13.50	
3 to 4 ft., B. & B	2.00	17.50	
4 to 5 ft., B. & B	3.00	25.00	
5 to 6 ft., B. & B	4.00	35.00	
6 to 7 ft., B. & B	6.00	50.00	400.00
			•
standishi, 25'-40' Hardy evergreen of broad pyrami		dish Arb bit	orvitae
			11700
2 to 2½ ft., B. & B	1.75	14.50	115.00
2½ to 3 ft., B. & B	2.00	17.50	135.00
3 to 4 ft., B. & B	2.75	22.50	175.00
4 to 5 ft., B. & B	3.50	28.00	225.00
5 to 6 ft., B. & B	4.50	37.50	300.00
6 to 7 ft., B. & B	6.75	55.00	
Grows rather quickly, forming a		merican head. F	
grant yellow flowers.	op or		
6 to 8 ft	1.10	9.00	75.00
8 to 10 ft	1.65	13.50	110.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	17.50	135.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	28.00	225.00
10 to 12 ft., 13/4 to 2 in	4.50	37.50	300.00
12 to 14 ft., 2 to 2 ¹ / ₄ in	5.50	47.50	375.00
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	6.75	55.00	450.00
2½ to 3 in	8.00	65.00	550.00
3 to $3\frac{1}{2}$ in	9.00	75.00	
		uropean	Linden
Very small leaves and desirable h			
6 to 8 ft	3.00	25.00	200.00
8 to 10 ft	3 .75	30.00	250.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	7.50	47.50	
8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.35	52.50	425.00
10 to 12 ft., 13/4 to 2 in	7.50	62.50	

TILIA—continued	Each	Per 10	Per 100
euchlora, 70'-80'	C	rimean I	Linden
Fair size tree; yellow branchlets foliage.		iiny dark	green
8 to 10 ft., 1½ to 1¾ in	4.00		
10 to 12 ft., 13/4 to 2 in	5.00		
2 to 2 ¹ / ₄ in	6.00		
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	7.00		
neglecta, 60'-75'		Gray I	Linden
Similar to the American Linden foliage.	but ha		
8 to 10 ft., 1½ to 1¾ in	3 . 75	30.00	
10 to 12 ft., 13/4 to 2 in	4.75	40.00	
2 to 2½ in	5.75	47.50	
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	6.75	55.00	
2½ to 3 in	8.00	65.00	
3 to 3½ in	9.00	75.00	
petiolaris, 40'-60'	•	veeping]	Linden
Large tree with dense growth, silv			
ing branchlets.		0 - 40	
6 to 8 ft	3.50	27.50	225.00
8 to 10 ft	4.50	37.50	300.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	5.50	47.50	375.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	0.75	55.00	450.00
13/4 to 2 in	7.50	65.00	
2 to 2½ in	9.00	75.00	
		ropean :	
Large leaved European Linden—fi metrical tree. Excellent lawn speci			
tree.			
6 to 8 ft	2.00	17.50	135.00
8 to 10 ft	3.00	25.00	200.00
8 to 10 ft., $1\frac{7}{4}$ to $1\frac{7}{2}$ in	3.50	28.00	225.00
8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.50	37.50	300.00
8 to 10 ft., 13/4 to 2 in	5.50	47.50	
10 to 12 ft., 2 to $2^{1/4}$ in	6.75	55.00	
10 to 12 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	7.50		
-rubra, 70' Redbranc	hed E	uropean	Linden
With same characteristics as the ty			
red branchlets.	pc di		
6 to 8 ft., 1 to 1¼ in	3.00	25.00	
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in			
8 to 10 ft., 1½ to 1¾ in	3·7 <i>5</i>	30.00	
	5.25	Speath	Tindon
Spaethi, 70'	4 0 0 1 0	Spaeth	
Similar to the type in compact habi	it and g	rowth, bu	t larger
leaves. Symmetrical specimen.			
8 to 10 ft., 1½ to 1¾ in	3.50		***************************************
10 to 11 ft., 13/4 to 2 in	4.50	37.50	
10 to 11 ft., 2 to 2 ¹ / ₄ in	5.50	47.50	
11 to 12 ft., 2 ¹ / ₄ to 2 ¹ / ₂ in	6.75	55.00	
12 ft., 2½ to 3 in	9.00	75.00	
12 ft., 3 to 3½ in	11.00	~~~	
tomentosa (argentea), 40'-60'	***		Linden
Handsome, dense-headed tree the and drought. Leaves green above		withstar beneath	
6 to 8 ft	3.50	27.50	225.00
8 to 10 ft., 1 to 1 ¹ / ₄ in	4.50	37.50	300.00
1¼ to 1½ in	5.50	47.50	375.00
1½ to 1¾ in	6.75	55.00	450.00
13/4 to 2 in	7.50	65.00	7,0.00
2 to 2 ¹ / ₄ in	9.00	75.00	-
2½ to ½½ in	11.00	95.00	-
2½ to 3 in	13.50	110.00	
	-0.50	1 3 3 3 3	

TILIA—continued	Each	Per 10	Per 100
vulgaris, 70'-90'	Eu	ropean l	Linden
In late June the fragrant flowers symmetrical and compact.	s are no	oticeable ;	grows
6 to 8 ft	2.25	20.00	150.00
8 to 10 ft	3.50	27.50	225.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.50	37.50	300.00
10 to 12 ft., 1½ to 1¾ in	5.50	47.50	375.00
11 to 12 ft., 13/4 to 2 in	7.00	57.50	475.00
2 to 2 ¹ / ₄ in	8.75	72.50	575.00
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	10.00	85.00	675.00
2½ to 3 in	13.50	110.00	-
*TRIPTERYGIUM regeli, 3'-4'			
Low growing shrub with angled branches and greenish white flowe fruit.			
12 to 18 in	1.00		
18 to 24 in	1.50		
2 to 2½ ft	2.00		
TSUGA canadensis, 75'-90'	Ca	ınada H	emlock
Evergreen. Most graceful and ac			
horizontal branches making effect ful as either clipped hedge or inf			ts. Usc-
18 to 24 in., B. & B	1.10	9.00	75.00
2 to 2½ ft., B. & B	1.50	12.50	100.00
2½ to 3 ft., B. & B	2.25	20.00	150.00
3 to 4 ft., B. & B	3.50	28.00	225.00
4 to 5 ft., B. & B	5.50	47.50	375.00
5 to 6 ft., B. & B	8.25	67.50	550.00
6 to 7 ft., B. & B	10.00	85.00	675.00
7 to 8 ft., B. & B	15.00	125.00	
8 to 9 ft., B. & B	20.00		
—microphylla (gracilis), 40'-50' Small-leave	ed Can	adian H	emlock
Slow growing form with very small	ll leave:	S.	
12 to 15 in., B. & B	3.00	25.00	-
15 to 18 in., B. & B	3.75	31.00	
18 to 24 in., B. & B	5.50		
		eping H	
Dwarf flat-topped weeping form v			ranches.
12 to 15 in., B. & B	2.50	20.00	
15 to 18 in., B. & B	3.50	27.50	
18 to 24 in., B. & B	4.50	37.50	-
2 to 2 ¹ / ₂ ft., B. & B	6.50	52.50	
caroliniana, 50'-60'		olina H	
Evergreen. One of our choicest na	tive ev	ergreens;	slower
in growth than above. 18 to 24 in., B. & B	1.80	15.00	120.00
2 to 2½ ft., B. & B	2.50	20.00	175.00
2½ to 3 ft., B. & B	2.50 3.75	30.00	250.00
3 to 4 ft., B. & B	5.00	40.00	250.00
8 to 9 ft., B. & B., specimens	25.00	225.00	

— ≼ U >> —

ULMUS americana, 80'-100'		Americ	an Elm
Stateliness and dignity are here e	xemplifi	ed. Fairl	v rapid
in growth, this typical American	_		
proportions and commands res			
upon it.		*****	
up 0.1. 100	Each	Per 10	Per 100
6 to 8 ft	.90	7.50	60.00
8 to 10 ft	1.10	9.00	75.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	1.35	11.00	90.00
9 to 11 ft., 1½ to 1¾ in	1.65	13.50	110.00
10 to 12 ft., 13/4 to 2 in	2.25	20.00	150.00
11 to 12 ft., 2 to 2 ¹ / ₄ in	3.50	27.50	225.00
12 to 14 ft., 2½ to 2½ in	4.50	37.50	300.00
2½ to 3 in	6.00	50.00	400.00
3 to 3½ in	8.25	70.00	·
$3\frac{1}{2}$ to 4 in	11.00	95.00	
4 to 4½ in	16.50	135.00	
$4\frac{1}{2}$ to 5 in	20.00	170.00	
Moline Sol roof		Mali	ne Elm
Moline, 80'-100'			
A remarkable new variety of ex			
and large, handsome, deeply gr sirable.	amed 10	mage. v	ery de-
	1.00	0 =0	6= ==
6 to 8 ft	1.00	8.50	67 . 50 90.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.35 2.00	17.00	135.00
10 to 12 ft., 1½ to 1¾ in	3.00	25.00	200.00
10 to 12 ft., 13/4 to 2 in	3.7 <i>5</i>	31.00	
11 to 12 ft., 2 to 2 ¹ / ₄ in	5.50	47.00	
2½ to 2½ in	7.50	62.50	
2½ to 3 in	9.00		
-"Princeton", 80'-100'	3	Princeto	on Elm
A selected strain of American Elr	n (all bi	idded st	ock). In
the young stage, a type similar to	the Moli	ne Elm l	out with
a slightly more spreading top.			
6 to 8 ft	1.50	12.50	100.00
8 to 10 ft	2.00	17.00	135.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	25.00	200.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.75	30.00	250.00
12 to 14 ft., 13/4 to 2 in	4.50	37.50	300.00
12 to 14 ft., 2 to 2½ in	5.25	45.00	
-Vase shape, 60'-75' Vase	Shaped	Americ	an Elm
This is the typical spreading elm	which h	as been	selected
for its splendid characteristics:			
clean stem, quick growth and un	iformity	of shap	e.
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	2.00	17.00	
10 to 12 ft., 1½ to 1¾ in	3.00	25.00	
10 to 12 ft., 13/4 to 2 in	3.75	31.00	
11 to 12 ft., 2 to 2 ¹ / ₄ in	4.50	37.50	
2½ to 2½ in	7.50	62.50	
2½ to 3 in	9.00	75.00	
compostric Pol rool			4 999.4
campestris, ou -100		Engli	sh Elm
campestris, 80'-100' Smooth barked tree with somew	hat dul		sh Elm foliage.
Smooth barked tree with somew		l green	foliage.
-	hat dul 4.50 6.00		

ULMUS—continued	Each	Per 10 I	er 100
pumila, 50'-75'		Chines	e Elm
Forms symmetrical head. Has smagularly free from disease. Acclingested city conditions.			
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in. 10 to 12 ft., 1 ¹ / ₂ to 1 ³ / ₄ in. 1 ³ / ₄ to 2 in. 2 to 2 ¹ / ₄ in.	.90 1.35 1.65 2.25 3.00 3.75 5.50	7.50 11.00 13.50 19.00 25.00 31.00 47.00	60.00 90.00 1 10.00 1 50.00 200.00
——— ≪ V »>	• • • • • • • • • • • • • • • • • • •		
*VACCINIUM corymbosum, 5'-6'	High	bush Blu	eberry
One of the best native shrubs. Flow Wonderful autumn coloration. Pr			utiful.
18 to 24 in	.80	6.50	-
2 to 3 ft	1.10	9.00	
3 to 4 ft	1.65	13.50	· · · · · · · · · · · · · · · · · · ·
VIBURNUM acerifolium, 4'-5' N White, May-June. Black fruits, m purple in autumn; good for dry planting in woodland.	aple-lik	e leaves	turning
18 to 24 in	-45 -55	3.75 4.70	
americanum (oxycoccos), 8'-9'	perican	Cranbers	rvhush
Bright scarlet berries in large winter.			· •
18 to 24 in	.25	2.25	18.00
2 to 3 ft	·3 <i>5</i>	3.00	25.00
3 to 4 ft	•55	4.50	35.00
4 to 5 ft	.65	5.50	45.00 60.00
5 to 6 ft	.90 1.10	7.50 9.00	75.00
carlesi, 4'-6'		grant Vib	
One of the most desirable, semi- with wonderfully fragrant flo	dwarf,	flowering	shrubs
shaded with pink. Foliage nice gr	reen.		
12 to 15 in., pot gr	.65 •75	5.50 6.50	45.00 50.00
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 3 ft., B. & B	2.00	17.00	135.00
cassinoides, 5'-6'		Wit	the-rod
White, June-July. Berries pink Rich autumn coloring; splendid water.			
18 to 24 in	-45	3.75	30.00
2 to 3 ft	.70	5.50	45.00
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.10	9.50	75.00
5 to 6 ft	1.35	11.00	90.00

VIBURNUM—continued	Each	Per 10	Per 100
dentatum, 10'-12'		Arro	wwood
White, May-June. Berries blue-bit purple and red; thrives in wet soil		utumn (coloring
2 to 3 ft	·4 <i>5</i>	3.50	30.00
3 to 4 ft	.52	4.50	35.00
4 to 5 ft	.70	5.50	45.00
5 to 6 ft	.90	7.50	60.00
6 to 7 ft	1.05	9.00	70.00
dilatatum, 8'-9'	Li	nden Vil	urnum
White, May-June. Scarlet showy be	erries p	persisting	. Hand-
some and valuable.	•		
18 to 24 in	. 45	3.50	30.00
2 to 3 ft	.65	5.50	45.00
3 to 4 ft	1.00	8.50	67.00
4 to 5 ft	1.35	11.00	90.00
5 to 6 ft	2.00	15.00	125.00
lantana, 15'-18'		Wayfari	ng-tree
White, May-June. Handsome, dark			
Berries red, changing to black.	,		
18 to 24 in	.25	2.25	18.00
2 to 3 ft	-3 5	3.00	25.00
3 to 4 ft	-45	3.50	30.00
4 to 5 ft	.60	5.00	40.00
5 to 6 ft	1.00	8.50	67.00
6 to 7 ft	1.35	11.00	
-rugosum, 15'-18' Wrinkle	leaf V	Vayfarin	g Tree
Has larger, more wrinkled leaves th			
flower clusters.			
2 to 3 ft	.65	5.50	45.00
3 to 4 ft	.90	7.50	-
4 to 5 ft	1.10	9.50	
lentago, 18'-20'		Nann	yberry
White, May-June. Handsome, shin	ing le	aves. Blu	ie-black
fruits. Splendid shrub for massing	g.		
2 to 3 ft	·55	4.75	37.50
3 to 4 ft	.70	5.50	45.00
4 to 5 ft	.80	6.50	52.50
5 to 6 ft	.90	7.50	60.00
6 to 7 ft	1.10	9.50 11.00	75.00 90.00
8 to 9 ft	1.65	13.50	90.00
•			
molle, 10'-12'		icky Vib	
Larger, darker green leaves, but "dentatum."	other	rwise sin	illar to
2 to 3 ft	45	3 . 75	30.00
3 to 4 ft	.50	4.50	35.00
4 to 5 ft	.75	6.00	50.00
5 to 6 ft	1.00	8.50	65.00
6 to 7 ft	1.35	11.00	-
opulus, 9'-10' Euro	pean	Cranber	rybush
Very similar in habit of growth and Cranberrybush.	_		_
18 to 24 in	25	2.25	18.00
2 to 3 ft	.2 <i>5</i> .3 <i>5</i>	3.00	25.00
3 to 4 ft	∙33 •45	3.50	30.00
4 to 5 ft	• • •55	4.70	37.00
5 to 6 ft	.80	6.50	

VIBURNUM—continued	Each	Per 10	Per 100
opulus nanum, 18"-24"	Dwarf	Cranber	rybush
Useful for edging or facing shru	ibs. Rare	ly flowe	rs. Very
compact.			
4 to 6 in	·3 <i>5</i>	2.80	22.00
6 to 9 in	.45	3.50	30.00
9 to 12 in	•55	4.70	37.00
-sterile, 9'-10'	Con	nmon Si	nowball
Has showy, round head of white			
18 to 24 in	.25	2.25	
2 to 3 ft	·3 <i>5</i>	3.00	
3 to 4 ft	·45	3.50	
4 to 5 ft	.6 <i>5</i>	5.50	45.00
5 to 6 ft	.90	7.50	
prunifolium, 10'-12'		B1	ackhaw
Pure white flowers, April-June.	Blue-blac	k, glauc	ous ber-
ries. Sturdy habit; handsome shi	rub.		
18 to 24 in	.65	5.50	45.00
2 to 3 ft	.90	7.50	60.00
3 to 4 ft	1.10 1.50	9.50 12.50	75.00
5 to 6 ft	2.25	18.00	
-			
rhytidophyllum, 6'-8'			
Evergreen. Large, oblong leaves,		een abo	ve, gray
beneath; a bold, handsome shrub			
18 to 24 in., B. & B	1.10	9.50	
2 to 2½ ft., B. & B	1.50 2.25	12.50 19.00	
4 to 5 ft., B. & B. Specimen	6.25	55.00	150.00
5 to 6 ft., B. & B. Specimen	9.00	75.∞	dispersion of the second
6 to 7 ft., B. & B., Specimen	11.00	95.00	
7 to 8 ft., B. & B., Specimen	13.50		
sishaldi (iananiaum) a' za'	Sial	sald VII	
sieboldi (japonicum), 9'-10' White, May-June. Berries pink, c			
some, large, dark green leaves. V		to black	. nanu-
18 to 24 in	-35	2.80	22.00
2 to 3 ft	·45	3.50	30.00
3 to 4 ft	.65	5.50	45.00
4 to 5 ft	.90	7.50	60.00
5 to 6 ft	1.25	10.00	85.00
6 to 7 ft	1.50	12.00	
tomentosum, 7'-8'	Double	efile Vil	ournum
Flat heads of white flowers, Jun			
Good foliage.			
18 to 24 in	.25	2.25	18.00
2 to 3 ft	·3 <i>5</i>	2.80	22.00
3 to 4 ft	.55	4.50	37.00
4 to 5 ft	.65 1.00	5.50 8.50	45.00 67.00
6 to 7 ft	1.35	11.00	90.00
—plicatum, 7'-8'	-	nese Sr	
Showy white flowers in balls,	June. Ha	indsome	foliage
with purple autumn coloring.			.0
18 to 24 in	.25 •35	2.2 <i>5</i> 2.80	
3 to 4 ft	·33 ·55	4.50	37.00
4 to 5 ft	.65	5.50	45.00
5 to 6 ft	1.00	8.50	67.00

VIBURNUM—continued	Each	Per 10	Per 100
wrighti, 7'-8'	Wr	ight Vib	urnum
A native of Japan. Very upright scarlet fruits produced abundant		acter. Att	tractive
18 to 24 in	·4 <i>5</i>	3.50	30.00
2 to 3 ft	•55	4.50	37.00
3 to 4 ft	.80	6.50	52.00
4 to 5 ft	1.00	8.50	67.00
VINCA minor, 6"-8"	Periwi	nkle or	Myrtle
A trailing evergreen plant. Glos in spring. Excellent ground co- shade.	ver in f	ull suns	hine or
		Per 100 I	Per 1000
3 in. pots	2.00	15.00	120.00
VITEX agnus-castus, 4'-5'	Li	lac Chas	ste-tree
Dainty shrub, lilac flowers. Aug green, star-shaped leaves; prefe		eptem b er	. Gray-
	Each	Per 10	Per 100
18 to 24 in	45	3.50	30.00
2 to 3 ft	-55	4.50	
3 to 4 ft	.70	5.50	45.00
—alba, 4'-5'	Wh	ite Chas	te-tree
White flowered form of the above	·.		
3 to 4 ft	.80	6.50	
agnus macrophylla, 3'-4' Large lea	aved Lil	lac Chas	te-tree
A great improvement on the type attractive.	; fine bl	ue flower	s; very
12 to 18 in	·3 <i>5</i>	2.80	22.50
18 to 24 in	·4 <i>5</i>	3.50	30.00
2 to 3 ft	-55	4.50	35.00
VITIS aestivalis, 25'-35'		Summer	
Strong growing ornamental vine;	good fo	r bank co	vering.
1 yr. transplants	.22	2.00	15.00
cordifolia, 30'-40'		Frost	Grape
Roundish leaves; small glaucou covering and trelliswork.	s fruit;	good fo	r bank
ı yr. transplants	.22	2.00	15.00
rotundifolia, 15'-30'	Mu	scadine	Grape
Vigorous growing ornamental vin of musty flavor.	e with d	ull purp	le fruit
1 yr. transplants	.22	2.00	15.00

— ≪ W >> —

WEIGELA amabilis, 7'-8'		Rose V	Veigela
Light Pink.	Each	Per 10	Per 100
18 to 24 in	.25	2.00	
2 to 3 ft 3 to 4 ft	•35 •45	2.80 3.50	22.00 30.00
4 to 5 ft	.65	5.50	45.00
5 to 6 ft	.90	7.50	60.00
candida, 7'-8'	7	White V	Veigela
Large, pure white flowers.			
2 to 3 ft	•35	2.80	22.00
3 to 4 ft	.45 .60	3.50 5.00	30.00 40.00
5 to 6 ft	·75	6.50	50.00
6 to 7 ft	.90	7.50	60.00
Eva Rathke, 4'-5'		we red V	Veigela
Carmine, June-August. Most flori		2 92	00.40
12 to 18 in			22.50
		4.75	
floribunda, 8' Upright growing shrub with crin		imson V	Veigela
2 to 3 ft	·35	3.00	25.00
3 to 4 ft	.45	_	30.00
4 to 5 ft	.65		45.00
5 to 6 ft	.85		55.00
nana variegata, 6'-8' Va			
Pale pink flowers; variegated growth.	leaves;	uwari,	compact
2 to 3 ft	-35	2.80	22.50
3 to 4 ft	45	3.50	30.00
4 to 5 ft	.60	5.00	40.00
5 to 6 ft	.7 <i>5</i> .90	6.50 7.50	50.00 60.00
rosea, 7'-8'		Pink V	Veigela
Showy, pink flowers freely pr	oduced.		
grower.			
18 to 24 in	.25	2.00 2.80	15.00
3 to 4 ft	•35 •45	3.50	30.00
4 to 5 ft	•55	4.50	37.00
5 to 6 ft	.80	6.50	52.50
venusta, 5'-6'	7	enus V	Veigela
Showy, large rose-pink flowers.	4 70	0.74	00.00
2 to 3 ft	·4 <i>5</i>	3.75	30.00
WEIGELA HYBRIDS			
Feerie, rose colored flowers. Groenwegeni, red bud opening	white		
Gustav Mallot, carmine.	wiiite.		
Profusion, reddish flowers.			
Richesse, deep pink.			
Vaniceki, dark red flowers.			
2 to 3 ft	.45 .65	3.75	
4 to 5 ft	.90	5.50 7.50	
5 to 6 ft	1.10	9.00	-
6 to 7 ft	1.50	12.25	

	Each	Per 10	Daw 100
WISTERIA multijuga, 35'-50'		luster W	
Has long drooping racemes of prine to cover a trellis or pergola.			
18 to 24 in., grafts	75	6.50	
2 to 3 ft., grafts	.7 <i>5</i>	7.50	
3 to 4 ft., grafts	1.10	8.50	
4 to 5 ft., grafts	1.35	11.00	
5 to 6 ft., grafts	1.65	13.50	
6 to 8 ft., grafts	2.25 3.50	19.00 28.00	
		eping W	
18 to 24 in., grafts	.90	7.50	60.00
2 to 3 ft., grafts	1.10	8.50	70.00
3 to 4 ft., grafts	1.35	11.00	
4 to 5 ft., grafts	1.65	13.50	-
5 to 6 ft., grafts	2.25	19.00	
6 to 8 ft., grafts	3.50	28.00	-
	-	eping W	
18 to 24 in., grafts	1.35	11.00	90.00
2 to 3 ft., grafts	1.65 3.50	13.50 28.00	
4 to 5 ft., grafts	5.00	40.00	
sinensis, blue, 35'-50' (grafted)		·	isteria
This is by far the best stock to			
cause they will really bloom.			
18 to 24 in., 2 yr. grafts 2 to 3 ft., 2 yr. grafts	.55 .65	4.70	45.00
3 to 4 ft., 3 yr. grafts	.90	5.50 7.50	45.00 60.00
4 to 5 ft., 4 yr. grafts	1.00	9.00	70.00
5 to 6 ft., 5 yr. grafts	1.25	10.00	82.00
6 to 8 ft., 5 yr. grafts	2.00	15.00	125.00
, •••		inese W	
18 to 24 in., 2 yr. grafts	·55	4.50	37.00
2 to 3 ft., 2 yr. grafts 3 to 4 ft., 3 yr. grafts	.65 .90	5.50 7.50	45.00 60.00
4 to 5 ft., 2 yr. grafts	1.00	9.00	70.00
5 to 6 ft., 5 yr. grafts	1.25	10.00	82.00
6 to 8 ft., 5 yr. grafts	2.00	15.00	
—·—— Y - Z №		_	
YUCCA filamentosa, 2'-3'		Adams !	Needle
Evergreen. Long lance-like lea	ves. Ta		
grows up quickly in June-July.			
ers and general appearance giv for massing with either evergree	e tropica	al effect.	
		2.00	15.00
2 year 3 year	.22 .30	2.50	20.00
4 year	·35	2.80	22.00
ZANTHORHIZA apiifolia, 2'-3'		Yello	owroot
Good ground cover. Will succe			ly soil,
banks, etc. Small purplish flowe	rs, May-	June.	
9 to 12 in	.30	2.50	
12 to 18 in	-35	3.00	25.00
18 to 24 in	.45	3 . 7 <i>5</i>	30.00

Planting Notes on Native Plant Materials

MANY of our friends have told us that they have used the Princeton Nurseries catalogue as a planting guide and text-book. We accept this as a great compliment to have published a trade handbook which may be serving a useful

One of the yearly features of our catalogue has been the space allotted for Special Planting Lists. These planting guides have materialized as the demand has been created for a more

accurate knowledge of the use of plant materials.

In the past twenty years, due in part to extensive park developments, we have seen an increasing use of native American plant materials. Princeton Nurseries have realized this growing demand and are now able to offer in great quantities and in various sizes, over 150 varieties of hardy native woody

trees, shrubs and vines.

To better appreciate the more intelligent use of native types and avoid unnatural plantings, it is quite desirable to group these native types according to the way they associate with one another in their natural environment. The various plant groups are influenced by definite environmental factors. The native plant is more or less confined to the most suitable location by its ability to adapt itself. Conditions are ever changing in the life of plants growing in the open pasture or in the virgin forest.

It might be safely stated that all plantings of native material are more harmonious and congenial if plant types are used together which are found associated together in nature.

In presenting the following types, it is well realized that if space would permit, it would be better to sub-divide each type into smaller groups. We are placing them under four general headings as follows:

> A—The Field and Pasture Type. B—The Lowland and Swamp Type.

C—The Forest Type.
D—The Seaside Type.

The Field and Pasture Type

TREES

Betula populifolia

Juniperus virginiana

SHRUBS and VINES

Ampelopsis quinquefolia Celastrus scandens Cornus paniculata Corylus americana Juniperus communis Lyonia ligustrina Myrica carolinensis Potentilla fruticosa Rhus copallina Rhus glabra

Rhus typhina Robinia hispida Rosa blanda Spiraea latifolia Spiraea tomentosa Viburnum cassanoides Viburnum dentatum Viburnum lentago Viburnum prunifolium Vitis aestivalis

The Lowland and Swamp Type

TREES

Acer negundo Acer rubrum Acer saccharum Celtis occidentalis

Crataegus crus-galli Fraxinus americana Juglans nigra Liquidamber styraciflua Nyssa sylvatica Ostrya virginiana Platanus occidentalis Quercus bicolor

Quercus macrocarpa Quercus palustris Tilia americana Ulmus americana

SHRUBS

Alnus rugosa Amelanchier canadensis Ampelopsis quinquefolia Aronia arbutifolia Aronia melanocarpa Azalea viscosa Benzoin aestivale Carpinus caroliniana Cephalanthus occidentalis Clethra alnifolia Cornus amomum Cornus stolonifera Hamamelis virginiana Ilex verticillata

Lyonia ligustrina Physocarpus opulifolius Potentilla fruticosa Rosa lucida Rosa palustris Salix discolor Sambucus canadensis Spiraea latifolia Spiraea tomentosa Vaccinium corymbosum Viburnum acerifolium Viburnum dentatum Viburnum lentago

C

The Forest Type

TREES

Acer pennsylvanicum Acer saccharum Acer spicatum Betula lenta Betula lutea Cornus florida Fagus americana Liriodendron tulipifera Ostrya virginiana Pinus resinosa Pinus rigida

Pinus strobus Prunus serotina Quercus alba Quercus coccinea Quercus prinus Quercus rubra Quercus velutina Sassafras officionale Tilia americana Tsuga canadensis

Amelanchier canadensis

Azalea nudiflora Ceanothus americanus Cornus alternifolia Hamamelis virginiana Ilex verticillata

SHRUBS

Kalmia latifolia Rhododendron maximum Rosa setigera Rubus odoratus Vi**bur**num acerifolium Viburnum lantana

The Seaside Type

TREES

Betula populifolia Juniperus virginiana Liquidamber styraciflua Nyssa sylvatica Pinus rigida Prunus serotina Ouercus alba

Quercus coccinea Quercus phellos Quercus prinus Quercus rubra Quercus velutina Sassafras officionale

SHRUBS

Amelanchier canadensis Ampelopsis quinquefolia Aronia arbutifolia var. atropurpurea Aronia melanocarpa Ceanothus americanus

Clethra alnifolia Comptonia asplenifolia Corylus americana Ilex glabra Ilex opaca Myrica carolinensis

Pieris mariana Prunus maritima Rhus copallina Rosa blanda Rosa humilis

Rosa nitida Sambucus canadensis Spiraea latifolia Spiraea tomentosa

Note: The above groups are not intended to be a complete listing of all the native hardy woody plants that appear in each group. They represent some of the most important items of these groups and are obtainable in strong nursery grown material from the fields of our nursery.

ೡ

What Shall I Plant-

1 "For a quick-growing planting screen?"

TREES

Acer negundo Acer dasycarpum Morus alba

Picea excelsa Pinus sylvestris Salix in variety

Populus in variety

SHRUBS

Eleagnus angustifolia Ligustrum ovalifolium Ligustrum vulgare

Lonicera fragrantissima Lonicera tartarica Rhamnus frangula

2 "For a formal clipped hedge?"

TREES

Fagus sylvatica Carpinus caroliniana Crataegus oxycantha Crataegus crus-galli

Picea excelsa Taxus cuspidata Thuja occ. pyramidalis Tsuga canadensis

SHRUBS

Berberis varieties Ilex crenata varieties Ligustrum varieties

Eleagnus angustifolia Rhamnus cathartica Rhamnus frangula

3 "For a smoky, dusty, city situation?"

TREES

Ailanthus glandulosa Carpinus betulus Crataegus crus-galli Ginkgo biloba Ilex opaca

Picea pungens Pinus nigra austriaca Pinus sylvestris Platanus orientalis Populus in variety

SHRUBS

Aralia spinosa Berberis thunbergi Colutea arborescens Crataegus cordata Forsythia in variety Ligustrum in variety

Acanthopanax pentaphyllum Lonicera fragrantissima Physocarpus opulifolius Rhodotypos kerrioides Spiraea van houttei Symphoricarpos in variety Syringa vulgaris

.... 1

4 "For a partially shaded location?"

TREES

Acer pennsylvanicum Acer spicatum Amelanchier canadensis Cornus florida and Rubra

Magnolia glauca Oxydendrum arboreum Tsuga canadensis Tsuga caroliniana

SHRUBS

Abelia grandiflora Acanthopanax pentaphyllum Lonicera morrowi Aronia arbutifolia Aronia melanocarpa Berberis illicifolia Berberis julianae Berberis triacanthophora Berberis verruculosa Buxus sempervirens Diervilla trifida Hydrangea arborescens grandiflora Hydrangea quercifolia Hypericum aureum Hypericum prolificum Ilex crenata microphylla Ilex opaca Leiophyllum buxifolium Leucothoe cataesbaei Ligustrum ibota regelianum Ligustrum ovalifolium Ligustrum vulgare Lonicera fragrantissima

Lonicera japonica halliana Lonicera tartarica Pachysandra terminalis Pachistima canbyi Pieris floribunda Pieris japonica Potentilla fruticosa Pyracantha cocc. lalandi Rhodotypos kerrioides Rubus odoratus Stephanandra flexuosa Symphoricarpos racemosus Taxus baccata repandens Taxus canadensis Taxus cuspidata Taxus cuspidata capitata Taxus nana (brevifolia) Viburnum acerifolium Vibu**rnum lentag**o Vibu**rnum o**pulus Vib**urnum pru**nifolium Vinca minor

5 "For a wet location?"

TREES

Abies balsamea Acer rubrum Acer dasycarpum Betula nigra Carpinus caroliniana Liquidamber styraciflua Nyssa sylvatica Populus varieties

Quercus bicolor Quercus palustris Quercus rubra Quercus velutina Salix in variety Tilia americana Taxodium distichum Thuja occidentalis

SHRUBS

Alnus rugosa Amelanchier canadensis Aronia arbutifolia Azalea viscosa Benzoin aestivale Cephalanthus occidentalis Clethra alnifolia Cornus **sto**lonifera Hypericum densiflorum Ilex glabra

Ilex verticillata Itea virginica Rosa palustris Salix in variety Sambucus canadensis Spiraea tomentosa Vaccinium corymbosum Viburnum cassinoides Viburn**um dent**atum Viburn**u**m lentago

6 "For a dry location?"

TREES

Cornus mas Malus baccata Cedrus deodara Cornus florida and Rubra Robinia pseudoacacia Ouercus rubra

Pinus banksiana Pinus sylvestris Pinus ponderosa Pinus strobus Prunus maritima Juniperus virginiana

SHRUBS

Acanthopanax pentaphyllum Lonicera morrowi Baccharis halimifolia Berberis thunbergi Caragana arborescens Eleagnus angustifolia Eleagnus longipes Lespedeza formosa Ligustrum in variety

Potentilla fruticosa Rhamnus frangula Rhodotypos kerrioides Rhus canadensis Symphoricarpos vulgaris Viburnum lantana

7 "To attract the birds?"

TREES

Betula lenta Betula lutea Betula nigra Betula alba var. pendula Betula papyrifera Celtis occidentalis Cornus florida Cornus mas Crataegus coccinea Crataegus oxycantha Juniperus virginiana Malus floribunda Morus alba Nyssa sylvatica

Picea canadensis Picea polita Pinus nigra austriaca Pinus strobus Pinus resinosa Prunus mahaleb Prunus padus Prunus serotina Sassafras officionale Sorbus americana Sorbus aucuparia Tsuga canadensis Ulmus americana

SHRUBS

Ampelopsis quinquefolia Ampelopsis tricuspidata Aronia arbutifolia Aronia melanocarpa Benzoin aestivale Berberis thunbergi Cornus alba Cornus alternifolia Eleagnus angustifolia Eleagnus longipes Euonymus bungeana Euonymus europaea Hypericum prolificum Juniperus communis Ligustrum vulgare Lonicera bella albida Lonicera morrowi Lonicera ruprechtiana Lonicera tartarica

Myrica carolinensis Rhamnus cathartica Rhus canadensis Rhus copallina Rhus glabra Rhus typhina Rubus odoratus Sambucus canadensis Symphoricarpos racemosus Symphoricarpos vulgaris Vaccinium corymbosum Viburnum acerifolium Viburnum dentatum Viburnum lantana Viburnum lentago Viburnum prunifolium Viburnum tomentosum Viburnum opulus



GENERAL INDEX OF COMMON NAMES

	PAGE		70.4.0.00
Α	PAGE	Elsholtzia	PAGE 42
Abelia, Glossy	7	Engelmann Creeper	14
Actinidia, Bower	12	Enkianthus	42
Adam's Needle	121	Luonymus	42-44
Akebia, Fiveleaf	13 13	F	
Almond, Flowering	83	Filbert, Purple	26
Althea	48-49	Fir	7-8, 86
Ampelopsis	14 79	Firethorn	87
Aralia	15	Forsythia	45-46
Arborvitae	108-112	Franklinia (Gordonia)	46 46
Arrowwood	117 46	Fleecevine	82
Atlas Cedar	26		
Azalea	15-19	G	
D		Galax	47
В		Glorybower, Harlequin Goldenchain	32 61
Baldcypress	106	Goldflower	50
Barberry	20–21 72	Gordonia	46
Bearberry	15	Grape, ornamental	119 20
Beautyberry, Chinese	25		20
Beautybush	60 45	н	
Beech Plum	83		0=
Benzoin	20	Hackberry	27 101
Birch	21-23 27	Hawthorn	37-39
Black Haw	118	Hazelnut	35
Bladder-senna	33	Heather	25 109
Bladdernut	102 116	Hemlock	114
Boston Ivy	14	Hercules-club	15
Boxelder	9	Holly Grape	51 60
Boxwood	23-24 101	Honeysuckle4	
Broom	39	Hophornbeam	73
Buckeye	12	Hoptree	87 25-26
Buckthorn	91 98	Horsechestnut	12
Burningbush	43	Hydrangea	49 98
Bushclover	61	Hydrangea Vine	50 50
Butterflybush	23 27	,	3.
	·	I	
C			
		Incense Cedar	62
Callery Pear	87	Indigo	52
Catalpa	26	Indigo Indigobush	52 13
Catalpa	26 57-59	Indigo	52
Catalpa Cedar Cedar of Lebanon Chaste-tree	26 57-59 27 119	Indigo Indigobush Inkberry	52 13 51
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering	26 57-59 27 119 83-86	Indigo Indigobush Inkberry	52 13 51
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil	26 57-59 27 119 83-86	Indigo Indigobush Inkberry	52 13 51
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis	26 57-59 27 119 83-86 15 83 32	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly	52 13 51 48 85-86 51
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea	26 57-59 27 119 83-86 15 83 32 49	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine.	52 13 51 48 85-86 51 98
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry	26 57-59 27 119 83-86 15 83 32	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge	52 13 51 48 85-86 51
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree	26 57-59 27 119 83-86 15 83 32 49 47 103 74	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine	52 13 51 48 85-86 51 98 10-11 74 53
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry	26 57-59 27 119 83-86 15 83 32 49 47 103 74 34	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea	52 13 51 48 85-86 51 98 10-11 74 53 26
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering	26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine	52 13 51 48 85-86 51 98 10-11 74 53
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush	26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry	52 13 51 48 85-86 51 98 10-11 74 53 26 13
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress	26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118 39	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry	52 13 51 48 85-86 51 98 10-11 74 53 26 13
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin	26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118 39 28-31 56	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree	52 13 51 48 85-86 51 98 10-11 74 53 26 13
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress	26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118 39 28-31	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree	52 13 51 48 85-86 51 98 10-11 74 53 26 18 53-58
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin	26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118 39 28-31 56	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree	52 13 51 48 85-86 51 98 10-11 74 53 26 18 53-58
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree	26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118 39 28-31 56 67	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria	52 13 51 48 85-86 51 98 10-11 74 53 26 13 53-58
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree D Daphne Deodar	26 57-59 27 119 83-86 15 83 32 49 47 163 74 34 35-37 69-71 116-118 39 28-31 56 67	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria	52 13 51 48 85-86 51 98 10-11 74 53 26 13 53-58
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree D Daphne Deodar Deutzia	26 57-59 27 119 83-86 15 83 32 49 47 163 74 34 35-37 69-71 116-118 39 28-31 56 67	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria Kudzu-bean L	52 13 51 48 85-86 51 98 10-11 74 53 26 13 53-58
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree D Daphne Deodar Deutzia Devil's Walking Stick	26 57-59 27 119 83-86 15 83 32 49 47 163 74 34 35-37 69-71 116-118 39 28-31 56 67	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria Kudzu-bean L Larch Laurel	52 13 51 48 85-86 51 98 10-11 74 53 26 18 53-58
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree D Daphne Deodar Deutzia Devil's Walking Stick Dogwood Dovetree	26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118 39 28-31 56 67	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria Kudzu-bean L Larch Laurel Leadplant	52 13 51 48 85-86 51 98 10-11 74 53 26 18 53-58
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree D Daphne Deodar Deutzia Devil's Walking Stick Dogwood	26 57-59 27 119 83-86 15 83 32 49 47 163 74 34 35-37 69-71 116-118 39 28-31 56 67	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria Kudzu-bean L Larch Laurel Leadplant Leatherflower Leatherleaf	52 13 51 48 85-86 51 98 10-11 74 53 26 18 53-58
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree D Daphne Deodar Deutzia Devil's Walking Stick Dogwood Dovetree Dutchman's Pipe	26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118 39 28-31 56 67	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria Kudzu-bean L Larch Laurel Leadplant Leatherflower Leatherleaf Leatherwood	52 13 51 48 85-86 51 98 10-11 74 53 26 13 53-58
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree D D Daphne Deodar Deutzia Devil's Walking Stick Dogwood Dovetree Dutchman's Pipe	26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118 39 28-31 56 67 40 26 40-41 15 33-34 40 15	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria Kudzu-bean L Larch Laurel Leadplant Leatherflower Leatherleaf Leatherwood Leucothoe	52 13 51 48 85-86 51 98 10-11 74 53 26 13 53-58 53-58
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree D D Daphne Deodar Deutzia Devil's Walking Stick Dogwood Dovetree Dutchman's Pipe E Elder Elaeagnus	26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118 39 28-31 56 67	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria Kudzu-bean L Larch Laurel Leadplant Leatherflower Leatherleaf Leatherwood Leucothoe Lilac Linden	52 13 51 48 85-86 51 98 10-11 74 53 26 13 53-58 27 47 60 87
Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree D D Daphne Deodar Deutzia Devil's Walking Stick Dogwood Dovetree Dutchman's Pipe E Elder	26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118 39 28-31 56 67 40 26 40-41 15 33-34 40 15	Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria Kudzu-bean L Larch Laurel Leadplant Leatherflower Leatherleaf Leatherwood Leucothoe Lilac	52 13 51 48 85-86 51 98 10-11 74 53 26 13 53-58 27 47 60 87

	PAGE		PAGE
M		Smoketree	93
Magnolia	67-69	Snowball	118
Maidenhair-tree	47	Snowbell	102
Maple	8-12	Snowberry	102-103
Matrimony Vine	66	Sophora	49 9 9
Mockorange	74 - 76	Sourgum	73
Monkshood Vine	14	Sourwood	73
Mountain Ash	99	Spicebush	20
Mountain Holly	73	Spirea	100-101
Mulberry	72	Spruce	76-79
Myrtle	119	Staggerbush	79
N		Stephanandra	102
		Stewartia	102
Nandina	73	St. Johnswort	50
Nanking Cherry	85	Stranvaesia	93-94
Nannyberry	117	Summersweet	32
Ninebark	76	Sweetbay	67
		Sweetbrier	95
U		Sweetfern	33
Oak	88-90	Sweetgum	63
Olive (Russian)	42	Sweetleaf	103
Osmanthus	73	Sweetshrub	25
No.		Sweetspire	52
${f P}$		Sycamore	82
Pachistima	74	_	
Partridgeberry	72	\mathbf{T}	
Peach, Flowering	14	Tamarix	106
Pearlbush	44	Thorn	37-39
Peatree	25	Tree of Heaven	13
Persimmon	41	Tripterygium	114
Periwinkle	119	Trumpetcreeper	23
Photinia	76	Tuliptree	63
Pine	79-82 18		
Plane tree	83	Ŭ	
Plum	83-85	Umbrella Pine	^0
Plum Yew	27	ombiena Fine	98
Poplar	82-83	V	
Privet	62-63		
		Varnishtree	60
Q		Viburnum	116-119
Quince	39	Virgin Bower	32
2	39	Virginia Creeper	14
R		W	
Raspberry, Flowering	^6		
Redbud	96 28	Walnut	53
Red Cedar	57-59	Wayfaring-tree	117
Retinospora	29-31	Weigela	120-121
Rhododendron	91-92	White Kerria	32 92
Rockspray	36	Willow	07-98
Rose-acacia	94	Winterberry	51-52
Rose Panicle	40	Wintercreeper	43-44
Roses	94-96	Wisteria	121
Rugosa Roses	95-96	Witch-hazel	48
S		Withe-rod	116
•		Woodbine	47
Sandmyrtle	61	vv doubline	63
Sassafras	98	Y	
Schoolartree	99		
Shadblow	13	Yellowroot	122
Silkvine	13	Yellowwood	32
Silverbell	74 48	YewYulan	106–108 67
	40	waar	07



GATEWAY TO THE COURT OF THE PRINCETON UNIVERSITY PRESS

In whose modern printing plant this catalogue is produced

